TP-Link

Quick Installation Guide
AC1350 3G/4G Wireless Dual Band Router

TL-MR3620

3G/4G Router Mode

Connect the Hardware

Router

Power Adapter

1 Connect the power adapter to the router and turn on the router.

3G/4G USB Modem

2 Plug in a 3G/4G USB modem with a SIM/UIM card.

Verify the Hardware Connection

Wait about 2 minutes and then confirm that the following LEDs are solid on. If the Internet LED 🪐 is green, your router is connected to the internet successfully.

Power	2.4GHz	5GHz	Internet	USB
On	On	On	Green	On

Note:
- If the Internet LED 🪐 is off or orange, please refer to FAQ > Q5.
- If the 2.4GHz LED 📶 and 5GHz LED 📶 are off, press and hold the **Wi-Fi** button on the rear panel for about 2 seconds and both the LEDs should turn solid on in a few seconds.

Enjoy the Internet

Wired: Connect your computers to the router's **Ethernet** ports via Ethernet cables.

Wireless: Connect wireless devices using the SSID (network name) and wireless password printed on the label at the bottom of the router.

Wireless

TL-MR3620

Wired

Wireless Router Mode

If your internet connection is through an Ethernet cable directly from the wall instead of through a DSL/Cable/Satellite modem, connect the Ethernet cable to the router's Internet port and then follow Step 4 and 5 to complete the hardware connection.

Power adapter

1 Turn off the modem, and remove the backup battery if any.

3 Turn on the modem, and then wait about **2 minutes** for it to restart.

Internet

Modem

Router

Power adapter

2 Connect the modem to the router's Internet port with an Ethernet cable.

Power On/Off

4 Connect the power adapter to the router and turn on the router.

5 Verify that the following LEDs are solid on to confirm the hardware is connected correctly.

Power On	2.4GHz On	5GHz On	Internet On

Note: If the 2.4GHz LED and 5GHz LED are off, press and hold the **Wi-Fi** button on the rear panel for about 2 seconds and both the LEDs should turn solid on in a few seconds.

6 Configure the router.

A Connect your device to the router via an Ethernet cable or wirelessly. The default SSID and wireless password are printed on the lable at the bottom of the router.

B Launch a web browser and enter http://tplinkwifi.net in the address bar. Create a password for future logins, and click **Let's Get Started**.

Note: If the login window does not appear, please refer to FAQ > Q1.

C Follow the step-by-step instructions of the Quick Setup to complete the initial configuration. On the Operation Mode Setting page, select **Wireless Router Mode**.

Operation Mode Setting   Summary

Time Zone   Wireless Settings   Connection Test

- ○ 3G/4G Router Mode
- ○ 3G/4G Router Mode with Ewan Backup
- ● Wireless Router Mode
- ○ Wireless Router Mode With 3G/4G Backup

Back   Next

☺ Enjoy the internet!

Note: The router can also be configured with a primary WAN and a 3G/4G USB modem as a backup (secondary) solution to ensure "always-on" internet connectivity. For details, refer to the User Guide at www.tp-link.com.


Tether App

TP-Link Tether app provides a simple, intuitive way to access and manage your router. Scan the QR code to download the app from the Apple App Store or Google Play.

Block unwelcome users from connecting to your network

Change the basic wireless network settings

View information about clients connected to your router

Set up Parental Controls with access time

or

FAQ (Frequently Asked Questions)

Q1. What should I do if I can't access the web management page?
- If the computer is set to a static IP address, change its settings to obtain an IP address automatically.
- Verify that http://tplinkwifi.net is correctly entered in the web browser. Alternatively, enter http://192.168.1.1 in the web browser.
- Use another web browser and try again.
- Reboot your router and try again.
- Disable and enable the network adapter in use.

Q2. What should I do if I forget my web management password?
- Reset the router to its factory default settings (FAQ > Q4) and then create a password for future logins.

Q3. What should I do if I forget my wireless network password?
- If you have not changed the default wireless password, you can find it on the label at the bottom of the router.
- Connect a computer directly to the router using an Ethernet cable. Log in to the router's web management page and go to **Basic** > **Wireless** to retrieve or reset your wireless password.

Q4. How do I reset the router to its factory default settings?
- With the router powered on, press and hold the **Reset** button on the rear panel until all the LEDs are on and then release it.
- Log in to the router's web management page. Go to **Advanced** > **System Tools** > **Backup & Restore** and click **Factory Restore**. The router will restore and reboot automatically.

Q5. What should I do if I can't access the internet via the 3G/4G USB modem?
- Go to our website at www.tp-link.com, click **Support** > **Compatibility List** > **TL-MR3620** and make sure that your 3G/4G USB modem is on the compatibility list.
- Make sure that you have a valid SIM/UIM card inserted into the 3G/4G USB modem.
- Plug the 3G/4G USB modem directly into your computer and disable the PIN verification via the modem utility to check if you have the internet connection on your computer.
- Obtain the latest **dial number** and **APN** (Access Point Name) from your ISP, and update the information through the router's web management page.

For technical support and other information, please visit
http://www.tp-link.com/support