



AC 600

High Power Wireless Dual Band USB Adapter

Archer T2UHP

Highlights

- **150 + 433Mbps Dual Band Speed** – Ideal for online gaming, ultra HD streaming and large file downloads
- **Dual Band Wireless** – 2.4GHz and 5GHz band for flexible connectivity
- **Maximized Range** – Higher power and sensitivity maintain the wireless speed and strength throughout your home or office
- **Stronger Penetrability** – Sustains reliable wireless connection even across multiple walls or floors
- **WPS Button** – Easy wireless security encryption at a push of the WPS button
- **Backward Compatibility** – With support for 802.11 a/b/g/n standards




Dual Band
2.4 & 5 GHz



150Mbps+
433Mbps



High
Power



USB
2.0 Port



WPS

Features

Speed

- **Fast Wi-Fi** – Ultra-fast 150 + 433Mbps wireless speeds are ideal for streaming video, online gaming and internet calls
- **802.11ac Support** – Wi-Fi technology that is 3 times faster than 802.11n

Wi-Fi Range

- **Broad Wireless Range** – Higher power and sensitivity deliver maximized performance for wireless connections

Reliability

- **Dual Band** – Selectable 2.4GHz and 5GHz bands to avoid wireless signal interference
- **Strong Penetrability** – Signal remains strong and reliable, even after passing through multiple walls or floors
- **Soft AP Function** – Provides additional options when developing your local wireless network

Ease of Use

- **TP-LINK Utility** – Utility bundle makes management easier than ever
- **Backwards Compatibility** – Supports routers utilizing 802.11 a/b/g/n Wi-Fi standards

Security

- **Active Defense** – WPA/WPA2 encryption provides your Wi-Fi network with advanced protection against security threats
- **WPS Button** – Easy wireless security encryption at a push of the WPS button

Specifications

Wireless

- **Wireless Standards:** IEEE 802.11b/g/n 2.4GHz, IEEE 802.11a/n/ac 5GHz
- **Frequency:** 2.4GHz or 5GHz
- **Signal Rate:** 150Mbps at 2.4GHz, 433Mbps at 5GHz
- **Wireless Modes:** Ad-Hoc / Infrastructure mode
- **Wireless Security:** Support 64/128/152 bit WEP, WPA/WPA2, WPA-PSK/WPA2-PSK, 802.1x

Hardware

- **Dimensions (W x D x H):** 2.8 x 2.0 x 0.7 in. (71.3 x 50.7 x 18.4 mm)
- **Antenna:** Detachable Omni Directional (RP-SMA)
- **Interface:** Micro USB 2.0

Others

Package Contents

- AC600 High Power Wireless Dual Band USB Adapter Archer T2UHP
- Quick Installation Guide
- USB Extension Cable
- Resource CD

Certification

- CE, FCC, RoHS


System Requirements

- Windows XP/7/8/8.1/10, Mac 10.7-10.11, Linux

Environment

- Operating Temperature: 0°C ~40°C (32°F ~104°F)
- Storage Temperature: -40°C ~70°C (-40°F ~158°F)
- Operating Humidity: 10%~90% non-condensing
- Storage Humidity: 5%~90% non-condensing

Diagram



For more information, please visit
<http://www.tp-link.com/en/products/details/?model=Archer+T2UHP>
or scan the QR code left

Attention: This device may only be used indoors in all EU member states and EFTA countries.

Specifications are subject to change without notice. TP-LINK is a registered trademark of TP-LINK TECHNOLOGIES CO., LTD. Other brands and product names are trademarks or registered trademarks of their respective holders. Copyright © 2016 TP-LINK TECHNOLOGIES CO., LTD. All rights reserved.

www.tp-link.com