


300Mbps Wireless N Router

3 Antennas for 300 Mbps in More Rooms











Highlights

Reliable Network Connection

Equipped with three 5dBi antennas, the TL-WR845N creates strong Wi-Fi connections for devices throughout your home. With the 4 fast Ethernet ports, it provides reliable Wi-Fi and wired connection for medium-sized homes, letting your family enjoy fast Wi-Fi together on every smartphone, tablet and laptop.


Speedy Wireless N 300

The TL-WR845N provides speedy and stable Wi-Fi for your network needed devices. Up to 300Mbps wireless speed makes it a practical solution for home network applications like files download, video chat or online streaming.






Features



Reliability

- Wireless N Speed 300Mbps Wi-Fi speed meets your daily internet needs
- 802.11n Backward compatible with 802.11b/g products
- MIMO Technology 2x2 MIMO technology increases efficiency for streaming & gaming
- Easy Bandwidth Management Bandwidth Control allocates necessary speed of each connected device to ensure quality of multimedia streaming



Ease of Use

- Intuitive Web UI– Ensures quick and simple installation without hassle
 Guest Network – Keep your main network secure by creating a separate network for friends and visitors
- Fast Encryption One-touch WPA wireless security encryption
 with the WPS button
 Access Control Establish a whitelist or blacklist to allow or
 block certain devices from accessing the internet
- Easy On/Off Turn On/Off wireless radio using the Wi-Fi On/Off
 Parental Controls Manage when and how children devices can access the internet
- Power On/Off Conveniently power on or off your router as required
- Hassle-free Management with Tether App Network management is made easy with the TP-Link Tether App, available on any Android or iOS device


Security

• Encryptions for Secure Network – WPA-PSK/WPA2- PSK encryptions provide active protection against security threats

Specifications

Hardware

- Ethernet Ports: 4x10/100Mbps LAN Ports, 1x10/100Mbps WAN Port
- · Buttons: WPS/Reset Button, Power On/Off Button, Wi-Fi On/Off Button
- Antennas: 3x5dBi fixed Omni Directional Antennas (RP-SMA)
- External Power Supply: 9VDC / 0.6A
- Dimensions (W x D x H): 9.1x5.7x1.4 in. (230x144 x35 mm)



Wireless

- 802.11b
- Frequency: 2.4-2.4835GHz
- · Signal Rate:
- 11n: Up to 300Mbps(dynamic)
- 11g: Up to 54Mbps(dynamic)
- 11b: Up to 11Mbps(dynamic)
- · Reception Sensitivity:
- 270M: -70dBm@10% PER
- 130M: -74dBm@10% PER
- 108M: -74dBm@10% PER
- 54M: -77dBm@10% PER
- 11M: -87dBm@8% PER
- 6M: -90dBm@10% PER
- 1M: -98dBm@8% PER
- Bridge, WMM, Wireless Statistics
- · Wireless Security: WEP, WPA/WPA2, WPA-PSK/WPA-PSK2

• Wireless Standards: IEEE 802.11n, IEEE 802.11g, IEEE

Wireless Function: Enable/Disable Wireless Radio, WDS

Specifications

Software

- WAN Type: Dynamic IP, Static IP, PPPoE, PPTP(Dual Access), L2TP(Dual Access), Bigpond
- DHCP: Server, DHCP Client List, Address Reservation
- Quality of Service: WMM, Bandwidth Control
- Port Forwarding: Virtual Server, Port Triggering, UPnP, DMZ
- · Dynamic DNS: DynDns, Comexe, NO-IP
- · Access Control: Parental Control, Local Management Control, Host list, Access Schedule, Rule Management
- · Firewall Security: DoS, SPI Firewall, IP and MAC Address Binding
- · Protocols: IPv4, IPv6
- · Management: Access Control, Local Management, Remote Management
- Guest Network: 2.4GHz guest network

Others

- · Certification
- CE, FCC, RoHS, Wi-Fi
- System Requirements NetWare, UNIX or Linux
- Java-enabled browser
- Cable or DSL Modem
- Environment

- Storage Humidity: 5%~90% non-condensing Package Contents
- Power Adapter
- RJ-45 Ethernet Cable
- Quick Installation Guide



For more information, please visit

http://www.tp-link.com/en/products/details/cat-9_TL-WR845N.html

or scan the QR code left

Specifications are subject to change without notice. TP-Link is a registered trademarks of their respective holders. No part of the specifications may be reproduced in any form or by any means or used to make any derivative such as translation, transformation, or adaptation without permission from TP-Link Technologies CO., Ltd. Maximum wireless speed of up to 300Mbps is the theoretical data rate derived from IEEE standard 802.11 specifications. Actual data throughput and wireless coverage will vary due to network conditions and environmental factors including volume of network track, building materials and construction, network

overhead, actual data throughput rate, and wireless coverage.

Microsoft Windows 10/8.1/8/7/Vista/XP/2000/NT/98SE, MAC OS,

Internet Explorer 11, Firefox 12.0, Chrome 20.0, Safari 4.0, or other

Subscription with an Internet Service Provider (for internet access)

Operating Temperature: 0°C~40°C (32°F~104°F) Storage Temperature: -40°C~70°C (-40°F ~158°F) Operating Humidity: 10%~90% non-condensing

300Mbps Wireless N Router TL-WR845N

www.tp-link.com

TP-Link 300Mbps Wireless N Router TL-WR845N