



# AC 1900

## Touch Screen Wi-Fi Range Extender RE590T

### Highlights

- **Superior Range Extension** – 3 dual band detachable antennas provide reliable connections and extend Wi-Fi coverage by up to 10,000 sq ft<sup>1</sup>
- **Intuitive Touchscreen Display** – Effortlessly set up and manage your extended network settings at your fingertips
- **Superfast Wi-Fi** – Simultaneous 600Mbps on 2.4GHz and 1300Mbps on 5GHz totals 1900Mbps Wi-Fi speeds, ideal for 4K streaming and online gaming
- **Beamforming Technology** – Delivers highly targeted and efficient wireless connections
- **Dual Core 1 GHz Processor** – Ensures no interruption when simultaneously processing multiple wireless or wired tasks
- **4 Gigabit Ethernet Ports** – Act as a wireless adapter to connect wired devices to your network at gigabit speed



600Mbps+  
1300Mbps



Touch  
Screen



Beamforming  
Technology



Dual Core  
1 GHz CPU




700mW  
High Power



Gigabit  
Ports



TP-LINK  
Tether App



# Features



## Speed

- **Blazing Fast Wi-Fi Speed** – For combined wireless speeds of up to 1.9Gbps at 2.4Ghz & 5GHz band concurrently.
- **4 Gigabit Ethernet Ports** – Act as a wireless adapter to connect wired devices at gigabit speed.
- **1GHz Dual-Core Processor** – Handles multiple tasks at once without interruption.



## Wi-Fi Range

- **Beamforming Technology** – Delivers highly targeted and efficient wireless connections.
- **Ultimate Range & Reliable Wi-Fi** – 3 dual band detachable antennas provide reliable connections and extend Wi-Fi coverage by up to 10,000 sq ft.
- **700mW High Power Amplifiers** – 700mW high power amplifiers provide ultimate range for connected devices.



## Easy Use (Touchscreen)

- **Intuitive Touchscreen** – Easy installation and network management
- **On-screen WPS Button** – Press the WPS button on your router and the on-screen WPS button on your RE590T within 2 minutes to easily connect to the network.
- **Universal Compatibility** – Works with any Wi-Fi router or wireless access point.
- **TP-LINK Tether App** – Provides the easiest way to access and manage the range extender on your iOS and Android devices.

## User-Friendly Touchscreen

### Effortless Touch Experience

Personalize your network's settings easily with a responsive touchscreen and intuitive menu.



### Quick Setup

Installs easily with just a few taps, no separate devices required.



#### Devices Control

Choose which devices run on your network and when they can connect to the Internet



#### Wireless Settings

Personalize your Wi-Fi settings, like hiding your network from view



#### WPS

Easily extend your wireless network at a touch of the WPS button on the screen




#### Time Display


Display the range extender as a clock for added functionality

## Easily Extend Blazing Wi-Fi Network

Extend Wi-Fi to every corner of your large house and manage your wireless network using the 4.3 inch touch screen display. Stream Ultra HD video and game online without lag using the RE590T's lightning-fast 1900Mbps Wi-Fi.



\*Works with Any Wi-Fi Router



- 2.4GHz 600Mbps Wi-Fi
- 5GHz 1300Mbps Wi-Fi
- Existing Router Coverage
- Expanded Extender Coverage
- Ethernet Cable

# Specifications

## Hardware

- **Interfaces:** 4\*10/100/1000Mbps Ethernet Ports(RJ45)
- **Button:** Reset Button, Power On/Off Button
- **External Power Supply:** 12V/2.5A
- **Dimensions (W X D X H):** 11.2 x 6.2 x 2.1 in. (284 x 157 x 52 mm)
- **Antenna:** 3 dual band detachable antennas
- **Touch Screen:** Screen Type: Capacitive  
Screen Size: 4.3 inch  
Screen Resolution: 128 ppi



## Wireless

- **Wireless Standards:** IEEE 802.11a/ac, IEEE 802.11b/g/n
- **Frequency:** 2.4GHz & 5GHz(11ac)
- **Signal Rate:** Up to 1300Mbps @5GHz, Up to 600Mbps @2.4GHz
- **Reception Sensitivity:** 2.4GHz:
  - 11g 54M: -76dBm@10% PER
  - 11n HT20 MCS7: -73dBm@10% PER
  - 11n HT40 MCS7: -71dBm@10% PER5GHz:
  - 11a 6Mbps:-94dBm@10% PER
  - 11a 54Mbps: -75dBm@10% PER
  - 11ac HT20 MCS8: -66dBm@10% PER
  - 11ac HT40 MCS9: -62dBm@10% PER
  - 11ac HT80 MCS9: -59dBm@10% PER
- **Transmit Power:** CE: <20dBm(2.4GHz), <23dBm(5GHz)  
FCC: <30dBm
- **Wireless Modes:** Range Extender
- **Wireless Functions:** Concurrent Mode boost both 2.4G/5G WiFi band, Devices Control, Domain Login Function
- **Wireless Security:** 64/128-bit WEP, WPA-PSK / WPA2-PSK

# Specifications

## Others

### Package Contents

- AC1900 Touch Screen Wi-Fi Range Extender RE590T
- 3 detachable antennas
- Power adapter
- RJ-45 Ethernet Cable
- Quick Installation Guide

### Certification

- CE, FCC, RoHS

### System Requirements

- Microsoft® Windows® 98SE, NT, 2000, XP, Vista or Windows 7, 8, 8.1, 10, Mac® OS, NetWare®, UNIX® or Linux.

### Environment

- Operating Temperature: 0 °C ~40 °C (32 °F ~104 °F)
- Storage Temperature: -30 °C ~70 °C (-22 °F ~158 °F)
- Operating Humidity: 10%~90% non-condensing
- Storage Humidity: 5%~90% non-condensing

# Others

## Similar Products



- AC1900 Wi-Fi Range Extender RE580D



- AC1750 Wi-Fi Range Extender RE450



For more information, please visit

<http://tp-link.com/en/products/details/?categoryid=&model=RE590T>

or scan the QR code left

[www.tp-link.com](http://www.tp-link.com)

<sup>1</sup>Maximum extended Wi-Fi coverage specification is based on performance test results. Actual Wi-Fi coverage may vary due to environmental factors and external sources of wireless interference. Specifications are subject to change without notice. TP-LINK is a registered trademark of TP-LINK Technologies CO., Ltd. Other brands and product names are trademarks or registered trademarks of their respective holders. No part of the specifications may be reproduced in any form or by any means or used to make any derivative such as translation, transformation, or adaptation without permission from TP-LINK Technologies CO., Ltd.