


300Mbps Wi-Fi Range Extender AV600 Powerline Edition

Instant Wi-Fi & Wired Network Everywhere










Highlights

Simple Setup with Wi-Fi Clone

Copy your wireless network name (SSID) and password from your router instantly by pressing the Wi-Fi Clone button.



Settings in Sync with Wi-Fi Move


Any changes made to network settings will be automatically applied across the entire network.



Highlights


600Mbps over Powerline

HomePlug AV standard providing up to 600Mbps high speed data transmission over a home's existing electrical wiring, ideal for lag-free HD or 3D video streaming and online gaming.



300Mbps Wi-Fi

Extend 300Mbps wireless connections to previously hard-to-reach areas of your home and office.



Features



- · Wireless N Standard Wi-Fi speed of up to 300Mbps
- · HomePlug AV Provides up to 600Mbps high-speed data transmission over a home's existing electrical wiring
- · Multiple Ethernet Ports Create faster connections with PCs, consoles, STB and more
- · Speed Optimization Supports IGMP managed multicast IP transmission, optimizing IPTV streaming



- · Wi-Fi Clone Allows powerline extenders to copy the network name (SSID) and password from your router with one simple touch
- · Wi-Fi Move Automatically adopts Wi-Fi settings from your existing powerline network
- · TP-Link tpPLC Allows you to easily manage your network using the intuitive tpPLC App or the tpPLC Utility
- · Plug, Pair and Play Set up your powerline network in minutes



- Security
- · Pair Button Provides a connection with 128-bit AES encryption, at the touch of "Pair" button
- · Parental Controls Manage when and how connected devices can access the internet
- · Encryptions for Secure Network WPA-PSK/WPA2-PSK encryptions provide active protection against security threats



· 300 meters Range – Up to 300 meters/1000 feet range over existing electrical wiring

Specifications

Hardware

· Transmission Speeds:

Powerline: up to 600 Mbps

Ethernet: 10/100 Mbps

· Standards and Protocols:

HomePlug AV, IEEE 1901, IEEE 802.3, IEEE 802.3u, IEEE 802.11b/g/n

· Interface:

TL-WPA4220: 2 Ethernet Ports

TL-PA4010: 1 Ethernet Port

· Plug Type: US

· Button: Pair, Reset, Wi-Fi Clone

· LED Indicator: Power, Powerline, Ethernet, Wi-Fi

· Dimensions (W x D x H):

TL-WPA4220: 3.7 × 2.1 × 1.6 in. (94 × 54 × 40 mm)

TL-PA4010: 2.6 × 2.0 × 1.1 in. (65 × 52 × 28.5 mm)

· IGMP: IGMP v1/v2/v3


· Power Consumption:

TL-WPA4220: Maximum: 5.6W, Typical: 5.2W

TL-PA4010: Maximum: 2.6W, Typical: 2.3W

- · Range: Up to 300 meters/1000 feet over existing electrical wiring
- · Compatibility:

Compatible with all HomePlug AV & AV2 standard powerline adapters



Specifications

Software

· Modulation Technology: OFDM

· Security:

Wireless: WPA-PSK / WPA2-PSK, WEP Encrptions

Powerline: 128-bit AES Encryption

· Management Tools:

tpPLC-Scan the QR code to download TP-Link tpPLC App







Or download new tpPLC Utility on PCs: www.tp-link.com.



Others

· Package Contents

300Mbps Wi-Fi Range Extender AV600 Powerline Edition:

TL-WPA4220 & TL-PA4010

Ethernet Cable × 2

Quick Installation Guide

Certification

FCC, RoHS

· System Requirements

Windows 10/8.1/8/7/Vista/XP, Mac OS, Linux

· System Requirements for tpPLC Utility

Windows 10/8.1/8/7/Vista/XP and Mac OS X (10.7 or later)

· Environment

Operating Temperature: 0°C~40°C (32°F~104°F)

Storage Temperature: -40°C~70°C (-40°F~158°F)

Operating Humidity: 10%~90% non-condensing

Storage Humidity: 5%~90% non-condensing

^{*} Listed AV and Wi-Fi speeds refer to the theoretical maximum physical-layer data transfer rate. Actual data speeds vary and are influenced by the home's Wi-Fi/electrical/physical environment, and if adapters are placed on the same home circuit.

Specifications are subject to change without notice. TP-Link Technologies Co., Ltd. All rights reserved.