

450Mbps Wireless N Gigabit Router

450Mbps, the Fastest 11N Gigabit Router











Highlights

Wireless Router with the Power of Gigabit Wired

Enjoy reliable Wi-Fi with the TL-WR1043N. The Wireless N router creates strong Wi-Fi connections for devices throughout your home. Gigabit Ethernet ports create high-speed wired connections for lag-free gaming and streaming.




Fully extended coverage

3 external 5dBi antennas combined with higher quality antenna technology provide users with larger wireless coverage and stronger wireless signal intensity from anywhere in your large home or office.



Features







Reliability

- Wireless N Speed 450Mbps Wi-Fi speed meets your daily internet needs
- · 802.11 n Backward compatible with 802.11b/g products
- Easy Bandwidth Management Bandwidth Control allocates necessary speed of each connected device to ensure quality of multimedia streaming
- · IP QoS Advanced QoS automatically recognizes & prioritizes streaming & gaming applications

Ease of Use


- · Intuitive Web UI- Ensures quick and simple installation without hassle
- Fast Encryption One-touch WPA wireless security encryption with the WPS button
- Wi-Fi On/Off Turn On/Off wireless radio using the Wi-Fi On/Off button
- · Power On/Off Conveniently power on or off your router as required
- Hassle-free Management with Tether App Network management is made easy with the TP-Link Tether App, available on any Android or iOS device

Security

- Guest Network Keep your main network secure by creating a separate network for friends and visitors
- Access Control Establish a whitelist or blacklist to allow or block certain devices from accessing the internet
- · Parental Controls Manage when and how connected devices can access the internet
- · Encryptions for Secure Network WPA-PSK/WPA2- PSK encryptions provide active protection against security threats

Features





Speed

- · Blazing Fast Wireless Speed Wireless speeds up to 450Mbps
- · Gigabit Wired Speed All Gigabit ports ensure ultrafast data transfer speeds


Wi-Fi Range

Ultimate Range & Reliable Wi-Fi – High-powered amplifiers ensure continuous Wi-Fi signal to all your devices while boosting widespread converage throughout your very large home

Specifications

Hardware

- Ethernet Ports: 4 10/100/1000Mbps LAN Ports, 1 10/100/1000Mbps WAN Port
- · Buttons: Reset Button, Power On/Off Button, Wi-Fi/WPS Button
- · Antennas: 3 5dBi fixed Omni Directional Antennas (RP-SMA)
- · External Power Supply: 9V DC / 0.85A
- · Dimensions (W x D x H): 8.9 x 5.8 x 1.3in. (225 x 148 x 33mm)



Wireless

- · Wireless Standards: IEEE 802.11n, IEEE 802.11g, IEEE 802.11b
- Frequency: 2.4 ~ 2.4835GHz
- · Signal Rate:

11n: Up to 450Mbps(dynamic)

11g: Up to 54Mbps(dynamic)

11b: Up to 11Mbps(dynamic)

· Reception Sensitivity:

270M: -68dBm@10% PER

130M: -68dBm@10% PER

108M: -68dBm@10% PER

54M: -68dBm@10% PER

11M: -85dBm@8% PER

6M: -88dBm@10% PER

1M: -90dBm@8% PER

- Wireless Function: Enable/Disable Wireless Radio, WDS Bridge, WMM, Wireless Statistics
- · Wireless Security: WEP, WPA/WPA2, WPA-PSK/WPA-PSK2

Specifications

Software

- · WAN Type: Dynamic IP, Static IP, PPPoE, PPTP(Dual Access), L2TP(Dual Access), Bigpond
- · DHCP: Server, DHCP Client List, Address Reservation
- · Quality of Service: WMM, Bandwidth Control
- · Port Forwarding: Virtual Server, Port Triggering, UPnP, DMZ
- · Dynamic DNS: DynDns, NO-IP
- · Access Control: Parental Control, Local Management Control, Host list, Access Schedule, Rule Management
- · Firewall Security: DoS, SPI Firewall, IP Address Filter/MAC Address Filter/Domain Filter, IP and MAC Address Binding
- · Protocols: IPv4, IPv6
- · Management: Access Control, Local Management, Remote Management
- · Guest Network: 2.4GHz guest network





For more information, please visit

http://www.tp-link.com/en/products/details/cat-9_TL-WR1043ND.html

or scan the QR code left

Others

· Certification

CE, FCC, RoHS, Wi-Fi

· System Requirements

Microsoft Windows 10/8.1/8/7/Vista/XP/2000/NT/98SE, MAC OS, NetWare, UNIX or Linux

Internet Explorer 11, Firefox 12.0, Chrome 20.0, Safari 4.0, or other Java-enabled browser

Cable or DSL Modem

Subscription with an internet service provider (for internet access)

Environment

Operating Temperature: $0^{\circ}\text{C} \sim 40^{\circ}\text{C}$ (32°F ~104°F) Storage Temperature: $-40^{\circ}\text{C} \sim 70^{\circ}\text{C}$ (-40°F ~158°F)

Operating Humidity: 10%~90% non-condensing

Storage Humidity: 5%~90% non-condensing

Package Contents

450Mbps Wireless N Gigabit Router TL-WR1043N

Power Adapter

RJ-45 Ethernet Cable

Quick Installation Guide

Specifications are subject to change without notice. TP-Link is a registered trademark of TP-Link Technologies Co., Ltd. Other brands and product names are trademarks of their respective holders. No part of the specifications may be reproduced in any form or by any means or used to make any derivative such as translation, transformation, or adaptation without permission from TP-Link Technologies Co., Ltd.

*Maximum wireless signal rates are the physical rates derived from IEEE Standard 802.11 specifications. Actual wireless coverage are not guaranteed and will vary as a result of 1) environmental factors, including building materials, physical objects, and obstacles, 2) network conditions, including local interference, volume and density of traffic, product location, network overhead, and 3) client limitations, including rated performance, location, connection, quality, and client condition.