

Kasa Wire-Free Camera System

2-Camera System

















Sirens, Alerts and Occupancy Sounds

Features



Crystal Clear Video

Sharp and clear 1080p full-HD video provides high-quality video right in the palm of your hand.

Wide Angle Field of View

130-degree, wide-angle field of view makes sure nothing is out of view.

Watch from Anywhere

Watch live video at any time on your mobile devices with the free Kasa Smart app.

Intruders Beware

Kasa Camera and Hub are equipped with powerful sirens and occupancy sounds, like a barking dog, that will ward off unwanted visitors.

Rechargeable Lithium Ion Battery

Low-power wireless protocol, we've optimized the battery life for a longer and smarter experience.

Placement Freedom

The built-in battery lets you place Kasa Camera wherever you want - no wires attached. Of course, you can always plug it in, too.



Night Vision

Even in the dark, the camera will detect activity up to 25 ft. away. Never miss a thing at night and still get the same high-quality video you're used to.

All-Weather Allstar

The Kasa Wire-Free Camera is built to handle outdoor conditions.

Notifications That Matter

With motion and sound detection, the Kasa Smart app alerts you of activity that matters and sends notifications straight to your smartphone.

Activity Zones

With customizable activity zones, you can limit where your camera looks for activity, no matter how busy a scene it sees.

2-Way Talk

Built-in microphone and speaker connect you directly to the action. Just hold the talk button in the app and carry on a full conversation through your camera.

Easy Install

Use the magnetic base to place your camera high up on an outdoor drain pipe. Even use the security mount to screw it into a hard surface and angle however you like.

Specifications

Camera

Video Resolution: 1080p HD

Night Vison: 850 nm IR LED up to 25 ft

Audio

Camera: Microphone and speaker

Hub: Siren and speaker

Video

Video Compression: H.264 Video Streaming: 1080p Audio Compression: AAC

Activity Notifications

Input Trigger:

Motion detection, Audio detection **Output Notification:** Push notification

System

Regulatory Certification:

Camera: FCC, IP65, RoHS, DOE, CEC, WERCS,

NRCan, IC

Hub: FCC, RoHS, IC

Battery: UL, RoHS, MSDS, UN38.3, WERCS

System Requirements: iOS 10+, Android 5.0+

Environment

Operating Temperature:

KC300: -20 °C-45 °C (-4°F-113°F) KH300: 0 °C-40 °C (32°F-104°F)

Storage Temperature:

KC300: -20°C~45°C (-4°F~113°F) KH300: -20 °C-70 °C (-4°F-158°F)

Operating Humidity:

KC300: 10%-80%RH, Non-condensing KH300: 10%-90%RH, Non-condensing

Storage Humidity:

KC300: 10%~80%RH non-condensing KH300: 5%-90%RH, Non-condensing

Hardware

Button: sync button

Indicator LED: System LED

Dimensions:

Camera: 66 x 66 x 117mm (L x W x H)

Hub: 105 x 98.7mm (D x H)

Input

Camera: 100-240VAC, 50/60Hz, 0.6A Hub:100-240VAC, 50/60Hz, 0.2A

Output

Camera: 5/9/12VDC, 3/2/1.5A

Hub: 12VDC, 1.0A

Network

Wireless Rate:

11Mbps(802.11b)

54Mbps(802.11g)

150Mbps(802.11n)

Frequency: 2.4GHz

Wireless Security: WEP, WPA/WPA2-PSK

Security:

128 bit AES encryption with SSL/TLS

Package Contents

(2) Kasa Wire-free Camera

(1) Kasa Hub

(1) USB-C Cable for Camera

(1) Ethernet Cable for Hub

(2) Mounting Hardware

(2) Magnetic Mount

(1) Quick Start Guide

(1) Power Adapter for Hub

(1) Fast Charge Power Adapter for Camera



Specifications are subject to change without notice. TP-Link Technologies Co., Ltd. Other brands and product names are trademarks of their respective holders. Copyright © 2019 TP-Link Technologies Co., Ltd. All rights reserved.

www.tp-link.com