

How to upgrade TP-LINK Wireless Access Point

Notice:

- **Please verify the hardware version of your device for the firmware version. Wrong firmware upgrading may damage your device and void the warranty.**



TL-WA901ND(EU)_V5_160929 (highlighted with a red oval)		
Published Date: 2016-09-09	Language: English	File Size: 3.53 MB

Modifications and Bug Fixes:

First firmware released.

Notes:

1. For TL-WA901ND(EU) V5.
2. It is NOT suggested to upgrade firmware which is not for your region. If this site is not for your region, please click [here](#) to choose your own region and download the most suitable firmware version.

- **Do NOT turn off the power during the upgrade process, as it may cause permanent damage to the product.**
- To avoid wireless disconnect issue during firmware upgrade process, it's recommended to upload firmware with **wired connection** unless there is no LAN/Ethernet port on your TP-Link device.
- It's recommended that users stop all Internet applications on the computer, or simply disconnect Internet line from the device before the upgrade.
- Use decompression software such as WinZIP or WinRAR to extract the file you download before the upgrade.

Step 1 Log into the TP-LINK device by typing **http://tplinkap.net/** in the address bar of the web browser (such as Google Chrome, Firefox). The **username and password are both admin** unless you have changed it before.



Step 2 Click **System Tools ->Firmware Upgrade**, click the **Choose File** button to choose the firmware you already extracted in the folder.

Firmware Upgrade

File:	<input type="button" value="Choose file"/> No file chosen
Firmware Version:	3.16.9 Build 160929 Rel.37753n
Hardware Version:	WA901ND v5 00000000

Step 3 Click the **Upgrade** button. The device will reboot automatically after the upgrading has been finished. Please wait about 3~5 minutes.

Step 4 Click **Status**, verify that the device's firmware has been upgraded.

Status

Firmware Version:	3.16.9 Build 160929 Rel.37753n
Hardware Version:	WA901ND v5 00000000