

AC1200 Whole Home Mesh Wi-Fi System






Highlights

Fast. Stable. Everywhere.

Deco is the simplest way to guarantee a strong Wi-Fi signal in every corner of your home. Enjoy fast, stable connections for an army of devices in a whole-home coverage. Setup is made easier with the Deco app there to walk you through every step.





Wi-Fi Dead-Zone Killer

Eliminate weak signal areas with whole home Wi-Fi. No more searching around for a stable connection.



No More Buffering

3x faster AC1200 dual band Wi-Fi ensures a smooth gaming and 4K streaming experience with 11ac Wave 2 MU-MIMO technology and provides lag-free connections for up to 100 devices.



TP-Link Mesh Technology

Deco units work together to form one unified Wi-Fi network with a single SSID. Walk through your home and stay connected with the fastest possible speeds thanks to Deco's seamless coverage and Plug-and-Play Mesh Technology.



Parental Controls


Limit online time and block inappropriate content according to unique profiles created for each family member.

Features



Assisted Setup

Easily set up Decos and find the ideal spot to place each unit



- Remote Management Manage your Deco network from a smartphone or tablet via the app, no matter where you find yourself
- · Online Upgrade Keep informed of the latest firmware updates



Robust Parental Controls

Manage content and control when each device can access the internet

- · Profiles Create a profile for each family member, and manage them individually
- Content Filter Four levels are available for filtering content,
 each catering to a specific age group
- Time Controls Set daily time limits for the total time spent online and block a person's internet access between certain times
- Pause the Internet Pause a family member's internet and resume it whenever you like



Two Modes in One

Choose the router or access point mode for your network needs

- · Router Mode Create an instant private wireless network
- Access Point Mode Create Wi-Fi access for any existing wired network



Quality of Service

Prioritize devices for faster performance when needed

Give high priority to the devices that need the fastest internet connection



Blacklist

Block access to your network from specific devices

Add specific devices to blacklist to protect your network from unauthorized users



Work with All Deco Models

Form a Mesh network with your desired Deco models

All Deco models can work together. Just expand Mesh Wi-Fi coverage anytime by adding more Decos

Specifications

Hardware

· Ports: 2 10/100Mbps WAN/LAN Ports, 1 Power Port

· Buttons: 1 Reset button on the underside

· Antenna Type: 2 internal dual-band antennas per Deco unit

· Flash: 16 MB

· SDRAM: 128 MB

Dimensions: 7.5 × 3.6 × 3.6 in. (190.5 × 90.7 × 90.7 mm)

· Power Adapter Input: 100-240V~ 50/60Hz 0.3A

· Power Adapter Output: 12V == 1A



Wireless

- · Wireless Standards: IEEE 802.11 ac/n/a 5 GHz, IEEE 802.11 b/g/n 2.4 GHz
- · Frequency: 2.4 GHz and 5 GHz
- · Signal Rate: 867 Mbps at 5 GHz, 300 Mbps at 2.4 GHz
- Transmit Power: FCC: <30 dBm, CE: <20 dBm (2.4 GHz), <23 dBm (5 GHz)
- · Wireless Security: WPA-PSK/WPA2-PSK

Software

· Working Mode: Router, Access Point

· WAN Type:

Dynamic IP/Static IP/PPPoE/L2TP/PPTP

· DHCP: Server, Client

· Quality of Service: WMM

· Firewall Security: SPI Firewall

· Protocols: Supports IPv4 and IPv6

 Guest Network: 2.4 GHz guest network x 1, 5 GHz guest network x 1

Features: Parental Controls, QoS (Quality of Service),
 Reporting, Assisted Setup, Address Reservation, Port
 Forwarding, TP-Link DDNS, VLAN, IPv6, LED Control

· Management: Local Management, Remote Management

Others

Certification: CE, FCC, IC, NCC, BSMI, IDA,
 RCM, JPA, JRF, VCCI, KC, RoHS

· Smartphone/Tablet Requirements:

iOS 9.0 or later

Android 4.4 or later

· Environment:

Operating Temperature: 0°C~40°C (32°F~104°F)

Storage Temperature: -40°C~70°C (-40°F~158°F)

Operating Humidity: 10%~90% non-condensing

Storage Humidity: 5%~90% non-condensing

· Package Contents:

2 Deco units

2 Power Adapters

1 RJ45 Ethernet Cable

*Maximum wireless transmission rates are the physical rates derived from IEEE Standard 802.11 specifications. Range, coverage, and maximum quantity of connected devices are based on test results under normal usage conditions. Actual wireless data throughput. wireless coverage, and quantity of connected devices are not guaranteed and will vary as a result of 1) environmental factors, including building materials, physical objects, and obstacles, 2) network complexity, and network overhead, and 3) client limitations, including rated performance, location, connection quality, and client condition. Use of MU-MIMO requires clients to also support MU-MIMO.