




Kasa Smart Wi-Fi Power Strip 3-Outlets



KP303



Highlights


Kasa Smart Wi-Fi Power Strip

Control 3 smart outlets from anywhere with the Kasa Smart app and fast charge 2 devices with USB ports. Shield devices from sudden power surges with surge protection.



Your Home. One App.

Turn your home into a true smart home with Kasa Smart. Automate your lights and appliances with smart plugs and bulbs. Secure your home with Kasa Cameras. Control it all from the Kasa Smart app.



Learn more at tp-link.com/smarthome

Highlights

Hands-free Voice Control

Connect your devices with the Amazon Alexa or Google Assistant using simple voice command.



Schedules

Set schedules with the Kasa Smart app to automatically turn your smart outlets on or off while you're away.



Features

3 Smart Outlets

Independently control 3 smart outlets from anywhere with the Kasa Smart app.

Control From Anywhere

Control connected devices from anywhere with the Kasa Smart app.

Surge Protection

Surge protection shields sensitive electronics and appliances from sudden power surges.

2 USB Ports

Charge your smartphone, tablet or other devices using the always-on USB ports.

Voice Control

Use simple voice commands with Alexa and Google Assistant to control your connected devices.

Set Schedules



Schedule each outlet individually or altogether to turn on and off at set times throughout the day.

No Hub Required

Connect to your home's Wi-Fi network. No need for a hub or extra equipment.

Specifications

Technical Specifications

- Input: 220-250V~, 50/60Hz, 13A
- Output: 13A Maximum Load
- USB: 5V  2.4A Each & Total
- Construction of Switch: Micro-gap(μ)
-  Surge Protection Device
- U_{OC} : 6kV U_p : 1.30kV(L-N)
- U_C : 250V~ I_L : 13A

Requirements

- Mobile device running iOS 10 or higher, or Android 5.0 or higher
- 2.4GHz Wi-Fi, 802.11 b/g/n
- The free Kasa Smart app and account required

General

- Package Contents:
 - 1* Kasa Smart Wi-Fi Power Strip, 3-Outlets
 - 1* Quick Start Guide
- Dimensions:
 - 10.2*2.5*1.5 in (260*63.4*38.6 mm)
- Certifications: CE, RoHS
- Operating Temperature: 0°C~40°C (32°F~104°F)
- Operating Humidity: 10%~90%RH, Non-condensing

For support and warranty, please visit: <https://tp-link.com/support>

Specifications are subject to change without notice. © 2019 TP-Link Corporation. All rights reserved. TP-Link is a registered trademark of TP-Link Technologies Co., Ltd. App Store is a service mark of Apple Inc. Google is a trademark of Google LLC. Amazon, Alexa and all related logos are trademarks of Amazon.com, Inc. or its affiliates.

www.tp-link.com