



Kasa Cam

24/7 Recording


















Features







Easy DIY Install

Follow the easy installation process in the Kasa Smart app and get the best angle for your video.

Customizable Activity Zones

Control the alerts you receive by creating multiple custom activity zones around key areas.

Secure Local Storage

Save your footage on a Micro SD card* and play back with your Kasa Smart app.

*Micro SD card not included.

Crystal Clear Video

Sharp and clear 1080 p Full HD video makes sure you never miss a thing.

Night Vision

Detects activity up to 30 feet away even in total darkness.

Crisp Two-Way Audio

Built-in microphone and speaker connect you directly to the action.

Live View

Keep an eye on what's important to you from anywhere in real time with your phone.

Specifications

Camera

Image Sensor: 1/2.7"(Φ6.6)
Resolution: 1080p HD 30 fps
Night Vison: up to 30 feet

Lens: F/NO: 2.0; Focal Length: 3.3mm

Viewing Angle: FOV = 130°

Storage: Supports Micro SD card, up to 128 GB*

*Micro SD card not included.

Audio

Audio Communication: 2-way audio

Audio Input & Output:

Built-in microphone and speaker

Video

Video Compression: H.264

Frame Rate: 30fps

Video Streaming: 1080p **Audio Compression:** AAC

Activity Notifications

Input Trigger:

Motion detection, Audio detection

Output Notification:
Push notification

Hardware

Ports & Connections: Micro USB port

Button: RESET button

Indicator LED: System LED

Adapter Input: 100-120VAC, 50/60Hz, 0.2A

Adapter Output: 5.0VDC, 1.0A

Dimensions (W x D x H):

3.1 x 3.1 x 5.4 in. (79 x 79 x 137mm)

System

Regulatory Certification:

FCC, CE, RoHS, RCM

System Requirements:

iOS 10+, Android 5.0+

Network

Wireless Rate:

11Mbps(802.11b)

54Mbps(802.11g)

72.2Mbps(802.11n)

Frequency: 2.4GHz

Wireless Security: WEP, WPA/WPA2-PSK

Security: 128 bit AES encryption with SSL/TLS

Environment

Operating Temperature:

0°C~40°C (32°F~104°F)

Storage Temperature: -20°C~70°C (-4°F~158°F)

Operating Humidity:

10%~90%RH non-condensing

Storage Humidity:

5%~90%RH non-condensing

Package Contents

(1) Kasa Cam

(1) Camera Stand with Magnetic Base


(1) Mounting Plate

(3) Mounting Screws

(1) Power Adapter

(1) 10 ft USB Cable

(1) Quick Start Guide



Specifications are subject to change without notice. TP-Link Technologies Co., Ltd. Other brands and product names are trademarks of their respective holders. Copyright © 2020 TP-Link Technologies Co., Ltd. All rights reserved.

www.tp-link.com