


300Mbps Mini Wireless N USB Adapter

Get Fast & Reliable Wi-Fi Anywhere











Highlights

Mini, Mobile and Mighty

Smaller than a USB flash drive, enjoy a stable N300 Wi-Fi wherever you need it.







65mm

One-Button Security

With a push of the WPS button, connect the TL-WN823N to the Wi-Fi network without typing a complex password, and stay protected with reliable security.



Features



· Fast Wi-Fi – Up to 300Mbps Wi-Fi speed for joyful surfing experience



· Mini design – The TL-WN823N is very small and can be left in a computer's USB port once plugged in



 Backwards Compatibility – Supports routers utilizing 802.11 b/g/n Wi-Fi standards



- Active Defense WPA/WPA2 encryption provides your Wi-Fi network with advanced protection against security threats
- · WPS Button Easy wireless security encryption at a push of the WPS button

Specifications

Wireless

- · Wireless Standard: IEEE 802.11b/g/n 2.4GHz
- · Frequency: 2.4GHz
- · Wireless Mode: Ad-Hoc / Infrastructure Mode
- · Wireless Security: WEP, WPA/WPA2, WPA-PSK/WPA2-PSK

Hardware

· Interface: USB 2.0

· LED: Status (Internal)

· Button: WPS

• Dimensions: 1.54 × 0.72 × 0.31 in (39 × 18.35 × 7.87 mm)

Others

· Package Contents

300Mbps Mini Wireless N USB Adapter TL-WN823N

Quick Installation Guide

Resource CD

· Certification

FCC, CE, RoHS

· System Requirements

Windows10/8.1/8/7/XP, Mac OS X 10.9-10.13, Linux

Environment

Operating Temperature: 0°C~40°C (32°F~104°F)

Storage Temperature: -40 °C ~70 °C (-40 °F ~158 °F)

Operating Humidity: 10%~90% non-condensing

Storage Humidity: 5%~90% non-condensing







For more information, please visit

http://www.tp-link.com/products/details/TL-WN823N.html

or scan the QR code left

©2018 TP-Link

*Maximum wireless signal rates are the physical rates derived from IEEE Standard 802.11 specifications. Actual wireless coverage are not guaranteed and will vary as a result of 1) environmental factors, including building materials, physical objects, and obstacles, 2) network conditions, including local interference, volume and density of traffic, product location, network overhead, and 3) client limitations, including rated performance, location, connection quality, and client condition.

*To ensure compatibility, you may need to update the adapter's drivers after an OS update. You can find our latest drivers in the download-center.