



Product Guide

Meet the networking needs of all individuals with comprehensive products



CORPORATE PROFILE

Founded in 1996, TP-Link is a global provider of reliable networking devices and accessories, involved in all aspects of everyday life. The company is consistently ranked by analyst firm IDC as the No. 1 provider of Wi-Fi devices,* supplying distribution to more than 170 countries and serving billions of people worldwide.

With a proven heritage of stability, performance, and value, TP-Link has created a portfolio of consumer and SMB networking products. Now, as the connected lifestyle continues to evolve, the company is expanding its business into Smart Home, IoT, and Smartphone technologies in order to meet the demands of tomorrow.



Contents



Key Technology of This Year / 01



Whole Home Mesh Wi-Fi System / 15

Wi-Fi 6 (ax) Whole Home Mesh Wi-Fi 6 System / 17 Whole Home Mesh Wi-Fi 6 Gateway / 22 Wi-Fi 5 (ac) Whole Home Mesh Wi-Fi System / 23



Wi-Fi Routers / 29

Wi-Fi 6 (11ax) Wi-Fi Router / 31 Wi-Fi 5 (11ac) Wi-Fi Router / 35 Wi-Fi 4 (11n) Wi-Fi Router / 39 Portable Router / 39



Range Extenders / 43

Dual-Band Range Extender / 44 Single-Band Range Extender / 48



Powerline / 51

Wireless Powerline Extender / 52
Passthrough Powerline Adapter / 54
Powerline Adapter / 56



3G/4G Routers / 59

4G LTE Router / 60 4G LTE Telephony Router / 61 3G/4G Wireless Router / 61



DSL Modem Routers / 63

VDSL Modem Router / 64
Telephony VDSL Modem Router / 66
ADSL Modem Router / 66



Adapters / 69

High Gain Wireless USB Adapter / 71
Wireless USB Adapter / 72
PCI Express Adapter / 74
Bluetooth Adapter / 74



Mobile Wi-Fi / 77



High Power / 81

High Power Wireless Router / 82 High Power Wireless USB Adapter / 82



Gaming Series / 83

Gaming Router / 85
Gaming Adapter / 87



Access Points / 89



SOHO Switches / 91

JetStream Switch / 93 LiteWave Switch / 94



Accessories / 97


USB Converter / 99 USB Hub / 100 Power Bank / 100

Key Technology of This Year

TP-Link has always been committed to researching the world's cutting-edge, emerging technologies. We strive to make our products smarter and more powerful, providing truly seamless connections between devices and giving users better experiences.

Take a glance at our annual list of the key technologies which will play an important role in our products and have a profound effect on your home or business network.






Wi-Fi 6E means Wi-Fi 6 extended to the 6 GHz band. 6 GHz is the new frequency band ranging from 5.925 GHz to 7.125 GHz, allowing up to 1,200 MHz of additional spectrum. Access to the 6 GHz frequency brings more bandwidth, faster speeds, and lower latency.

> 6 GHz Band Makes a Difference

Wider Lanes for Faster Speeds

6 GHz band allows for 7 additional 160 MHz channels that double bandwidth and throughput, enabling more simultaneous transmissions at the highest possible speeds.





Improved Capacity with More Spectrum


6 GHz band offers up to 1,200 MHz of additional spectrum, fulfilling the needs of ever-increasing Wi-Fi usage. The 1.2 GHz of contiguous spectrum more than doubles the number of pathways currently available for sending and receiving data, dramatically increasing network capacity while reducing congestion.

> Wi-Fi 6E: Unlock the Full Potential of Wi-Fi 6

Wi-Fi 6 brings about upgraded performance in network efficiency and capacity. Whereas the advantages of Wi-Fi 6 are not fully realized while competing with transmissions from Wi-Fi 5. Opening the 6 GHz band changes the game for Wi-Fi 6, allowing Wi-Fi 6 to meet its intended potential.

A Greenfield Spectrum for Wi-Fi 6

Unlike the crowded 2.4 GHz and 5 GHz bands, the wide-open 6 GHz spectrum is occupied only by efficient Wi-Fi 6 connections, removing frustrations currently caused by overcrowded many Wi-Fi networks. Channels on the 6 GHz and also wouldn't overlap with each other, greatly reducing network congestion.



> The 6th Generation of Wi-Fi

Wi-Fi 6 is designed to improve the overall spectral efficiency, especially in dense usage scenarios.

Faster Speeds



1024-QAM

at the same time.













Longer OFDM Symbol

Wi-Fi 6 single stream's speed has been raised to 1.2 Gbps – 20% faster than connecting through a gigabit Ethernet. More devices can share high-speed Wi-Fi

UL/DL MU-MIMO

OFDMA and MU-MIMO make Wi-Fi sharing enjoyable by dramatically improving the efficiency of Wi-Fi transmission.

Larger Capacity

BSS Coloring Ta

Higher Efficiency

Target Wake Time

Target Wake Time schedules transmissions and allows a power saving 20 MHz stream to coexist with a high speed 160 MHz stream. BSS Color improves efficiency by avoiding unnecessary slowdown and minimizing Wi-Fi interference.



Deco units work together to form a unified Wi-Fi network with a single network name. Walk through your home and stay connected with the fastest possible speeds made possible by Deco's seamless coverage and Plug & Play Mesh Technology.

> Wi-Fi Dead-Zone Killer

Eliminate weak signal areas with a single Wi-Fi network that covers every corner with seamless roaming, adaptive path selection, and self-healing. No more searching around for a stable connection, whether you're in the basement, garage, or yard.


True Seamless Roaming

Deco units coordinate to create a single, unified network with the IEEE 802.11k/v/r Mesh protocol. Your phone or tablet automatically connects to the fastest Deco as you move through your home, delivering a truly seamless online experience.




Stays Fast

Adaptive path selection keeps your network running at top-speed by automatically choosing the fastest connection path.



Self-Healing

If one Deco has an issue, the system will automatically reroute data via the other Decos to ensure you always stay online.



No More Buffering

Tired of endless loading? With TP-Link Mesh technology, Decos provide lag-free connections for over 100 devices.





Without replacing your existing devices or buying a whole new Wi-Fi ecosystem, OneMeshTM helps you create a more flexible and cost-effective network that covers your entire home with TP-Link's OneMeshTM products.


> Eliminate Wi-Fi Dead Spots

OneMesh[™] boosts signal strength while maintaining a single Wi-Fi network that covers every corner of your home. No more searching around for a stronger signal for faster connections.



> Seamless Wi-Fi with Just One Network Name

OneMesh™ intelligently connects mobile devices to your router or extenders, whichever provides the best connection. The OneMesh™ router and extenders share a single Wi-Fi name so you stay connected to your network in every room.



Stays Fast, Always

OneMesh™ keeps your network running at top-speed by intelligently choosing the fastest connection path for your data.





➤ OneMeshTM for Every TP-Link Product Category

OneMesh[™] is coming to all TP-Link SOHO product categories with a simple firmware update. Enjoy more options for customizing your whole-home Wi-Fi. Get ready to enjoy seamless coverage and the fastest possible speeds throughout your home.






5G networks offer faster speeds and lower latency on smartphones, CPEs, and other devices than ever before.

Faster Speeds


5G's download speed has been raised to 5.0 Gbps (based on R15 Sub-6 GHz)—16.7× faster than 4G LTE-Advanced and 33× than 4G LTE. For example, a 5G device can download a 3 GB file in 35 seconds when it reaches the download speed of 700 Mbps.



Lower Latency

Taking a giant leap forward in connectivity, 5G brings fast responsive network connections to tomorrow's mobile devices, which greatly enhances the experience when you play real-time games. The low latency also helps the emerging IoT industry as shown below.

Average Latency Time



Denser Connection

As the IoT market accelerates, many more devices will be connected to cells, with a million devices per square kilometer under 5G network.

The Number of Devices per 1 km² Supports



> 5G Promises a More IoT-Friendly Ecosystem



- - -



Self-Driving Cars

Logistics

Retail



Healthcare

Smart Cities



> Al-Roaming: Always Learning

As a smart upgrade to common roaming, Al-Roaming keeps a close watch on the signal strength of your devices. After self-learning the actual network conditions influencing your Wi-Fi performance, Al-Roaming helps your devices seamlessly switch to another source when necessary to constantly create optimal connections.



Al-Driven Mesh



Router + Range Extenders

Connect to the Optimal Deco

Al-Roaming guides your device connections to the optimal Deco according to the loading conditions of each node to efficiently utilize your network bandwidth.



A Customized Mesh Solution

How a mesh network is internally bridged directly affects your Wi-Fi performance. Al-Driven Mesh comprehensively weighs factors that influence your Wi-Fi, all while establishing a mesh network. These factors include the number of your mesh nodes, their product types, and how they connect with each other. After analyzing all of these, Al-Driven Mesh custom creates the ideal mesh Wi-Fi solution for you.




> OVERVIEW

Armed with Al-Driven
Mesh Technology, Deco
automatically learns the

network environment, client quality, and user behaviors in your home. With sophisticated, multifactored algorithms, Deco customizes an ideal mesh Wi-Fi solution unique to your home.

> Perfectly Timed Roaming

Al-Roaming learns and records the roaming habits of your devices from experience, and sends well-timed roaming invitations when the devices are most likely to accept them. This greatly improves overall roaming efficiency.





Customize your home network with enhanced security using a kit of features built in TP-Link HomeShield. Whether protecting your sensitive data or limiting the access of kids and guests, HomeShield provides you the tools you need to fully manage your network.

Network Protection



Real-Time IoT Protection

Protects your IoT and other connected devices from any cyber threats and attacks.



Malicious Site Blocke

Safeguards your family by intelligently preventing access to malicious URLs.



Intrusion Prevention

Identifies and blocks potential threats and fixes vulnerabilities in the network.

Robust Parental Controls

Age-level filters and online time limits provide your family with personalized and appropriate internet access. With a detailed report of your home network, you can check the sites your children visit and how much time they spend on each. It's a great way to know your children are safe while they're having fun online.



Bedtime

07:30 PM



© Get up 06:30 AM



Quality of Service (QoS)

With QoS, assign bandwidth to the devices you use most to keep them running their best. Simple controls let you prioritize bandwidth for streaming, gaming, surfing, and video chatting.









139 Mb 55 Mbp

252 Mbps ↑ 100 Mbps ↓

214 Mbps T

Comprehensive Reports

Would like to know the online behaviors of your family members or the security performance of your network? HomeShield helps you gain insight and better control of your home network with comprehensive Wi-Fi reports.







Whole Home Mesh Wi-Fi System

Wi-Fi should just work, no matter which room you're in. Whether you listen to music as you cook, stream a movie while relaxing in bed, or video chat with a loved one on the porch, Deco keeps you connected throughout your home.

Deco is a Wi-Fi system that uses several units working together to ensure a strong Wi-Fi signal in every part of the home. Your devices automatically connect to the fastest Wi-Fi band and remain safe thanks to Deco's comprehensive network security. The integrated IoT hub connects and controls all your smart home devices without the need for an additional hub. Setup and management are simple with an easy-to-use mobile Deco app.



Whole Home Mesh Wi-Fi System 1 16

Powerful Smart Wi-Fi Wherever You Are AX7800 Tri-Band Mesh Wi-Fi 6E System Deco X96 WHERE + A Mesh + A Homeshed WI-FI 6E


> Wi-Fi 6E: Higher Efficiency, Greater Capacity

Wi-Fi 6E means Wi-Fi 6 extended to the 6 GHz band, a newly-opened frequency that brings more bandwidth, faster speeds, and lower latency. Deco X96 is TP-Link's first mesh system with the latest Wi-Fi 6E technology, taking your Wi-Fi to the next level.



Minimized Congestion

The wide-open 6 GHz band is available only for Wi-Fi 6 traffic, avoiding the overcrowding on many Wi-Fi networks.



More Throughput

Allows for 7 additional 160 MHz channels that double bandwidth and throughput, enabling more simultaneous connections with no buffering.



Improved Capacity

Provides up to 1200 MHz additional spectrum, more that doubling the number of pathways and dramatically increasing network capacity.

4804 ME

> AX7800 Tri-Band Blazing Wi-Fi

With 8 simultaneous streams, a Wi-Fi 6 powered tri-band network boosts overall speeds up to a stunning 7800 Mbps, ideal to meet the data needs of all your devices – especially for demanding applications like 8K video and cloud gaming.



Designed for More Devices

Imbued with OFDMA and MU-MIMO technology, like virtually all TP-Link Wi- Fi 6 products, Deco is aimed at dramatically improving capacity and efficiency in traffic-dense environment. No matter how many devices are running at the same time, everyone is able to enjoy immersive streaming or gaming with no drops or buffering.

200 devices

> Smart Antennas Boost Your Seamless Coverage

Deco X96's built-in smart antennas use intelligent algorithms to auto-detect other Deco units and establish a stronger backhaul between one another to deliver seamless coverage to every corner of your home.



> Al-Driven Mesh: Always Learning, Constantly Optimizing

Armed with Al-Driven Mesh, Deco X96 delivers smart Wi-Fi that follows you wherever you are, without interruption. It automatically learns your network environment, client quality, and user behaviors. Sophisticated algorithms account for various factors so that Deco X96 provides ideal mesh Wi-Fi, unique to your home. Walk through your home and enjoy seamless streaming at the fastest possible speeds.



> Powerful Network Experience in All Ways



2.5 Gbps Wired Speed

1× 2.5 Gbps port + 1×1 Gigabit port



Minimized Range and Efficiency

4 high-gain antennas + 2 smart antennas



Boosted Wi-Fi Coverage

Covers up to 6,000 ft² / 560 m²



More Connections

Connect up to 200 devices

17 | Whole Home Mesh Wi-Fi System | 18





5G: Unrivaled Speed, Feel No Lag

> The Fastest Speed Ever

5G greatly boosts the download speed up to 5.0 Gbps (based on R15 Sub-6GHz) - 16.7x faster than 4G LTE-Advanced and 33x faster than 4G LTE.



5G **Powerful Broadband Connection** 33× Faster 4G-LTE Advanced



4G-LTE

Ultra-Low Latency

5G brings fast responsive network connections to tomorrow's mobile devices, with only 1 ms latency.

Wi-Fi 6 Mesh: Faster, Broader, For More Devices



AX6000 Dual Band Wi-Fi

Speeds up to 6.0 Gbps



Connect Numerous Devices

Connect up to 200 Devices



Whole Home Mesh Wi-Fi

Covers up to 6,000 ft² (2-pack)



Seamless Roaming

Always Stay Connected While Walking Around

Save Clients' Power

Target Wake Time helps mobile devices, especially IoT devices, consume less power during data transmission cycles to prolong battery life.



Got a SIM Card? Then Plug and Play

With a integrated 5G modem and a built-in SIM card slot, all you have to do is to insert a nano SIM card and turn on the router



Outstanding Wired Performance

1× 2.5 Gbps WAN/LAN Port + 1× Gigabit LAN Port.

Wi-Fi 6 (ax) Whole Home Mesh Wi-Fi 6 System 💌



Deco X96

AX7800 Tri-Band Mesh Wi-Fi 6E System




AX7800 Tri-Band Wi-Fi

4804 Mbps (5 GHz-1) + 2402 Mbps (5 GHz-2) + 574 Mbps (2.4 GHz)



Wi-Fi Dead-Zone Killer

Covers up to 6,000 ft² / 560 m² (2-pack)



6 GHz Band Brings More Bandwidth and Higher Efficiency



Deco X90

AX6600 Tri-Band Mesh Wi-Fi 6 System



AX6600 Tri-Band Wi-Fi

4804 Mbps (5 GHz-1) + 1201 Mbps (5 GHz-2) + 574 Mbps (2.4 GHz)




Wi-Fi Dead-Zone Killer

Covers up to 6,000 ft² / 560 m² (2-pack)

- Al-Driven Mesh Provides the ideal mesh Wi-Fi unique to your home and network environment by intelligently learning and improving itself from experience.
- Smart Antennas Use intelligent algorithms to auto-detect other Deco units and establish a stronger backhaul between one another to deliver seamless coverage to every corner of your home.
- Ultra-Fast Broadband Internet Access A 2.5 Gbps port and a gigabit port allow you to take full advantage of your broadband speed.
- Higher Capacity OFDMA and MU-MIMO technologies enable simultaneous transmissions up to 200 devices.
- Ultra-Low Latency Greater reduction in latency enables more responsive gaming and video chatting.
- Minimized Wi-Fi Interference BSS Color avoids unnecessary slowdown and minimizes Wi-Fi interference from the neighborhood.
- Seamless Roaming Deco units work together to form a unified network. Walk through your home and stay connected with the fastest possible speeds.
- TP-Link HomeShield The premium security services keep your home network safe with cutting-edge features and IoT protection.

19 | Whole Home Mesh Wi-Fi System Whole Home Mesh Wi-Fi System | 20





Deco X60

AX3000 Whole Home Mesh Wi-Fi 6 System

- AX3000 Dual Band Wi-Fi 2402 Mbps (5 GHz) + 574 Mbps (2.4 GHz)
- 6 Streams, Higher Efficiency 4×4 2402 Mbps + 2×2 574 Mbps

Boosted Seamless Coverage Covers up to 7,000 ft² / 650 m² (3-pack)



Deco X50

AX3000 Whole Home Mesh Wi-Fi 6 System

- AX3000 Dual Band Wi-Fi 2402 Mbps (5 GHz) + 574 Mbps (2.4 GHz)
- 4 Streams, Less Lag
- 2×2/HT160 2402 Mbps + 2×2 574 Mbps

Boosted Seamless Coverage Covers up to 6,500 ft² / 600 m² (3-pack)



Deco X20

AX1800 Whole Home Mesh Wi-Fi 6 System

- AX1800 Dual Band Wi-Fi
- 1201 Mbps (5 GHz) + 574 Mbps (2.4 GHz)
- 4 Streams, Less Lag 2×2 1201 Mbps + 2×2 574 Mbps

Boosted Seamless Coverage Covers up to 5,800 ft² / 540 m² (3-pack)

- Improved Capacity OFDMA and MU-MIMO technologies greatly increase capacity to enable simultaneous transmissions to over 150 devices.
- · Ultra-Low Latency Greater reduction in latency enables more responsive gaming and video chatting.
- Minimized Wi-Fi Interference BSS Color technology avoids unnecessary slowdown and minimizes Wi-Fi interference from the neighborhood.
- Seamless Roaming Deco units work together to form a unified network. Walk through your home and stay connected with the fastest possible speeds.
- TP-Link HomeCare Provides a customized home network with enhanced security, protecting your sensitive data or limiting the access of your kids and guests.
- Total Security WPA3, the next-gen encryption method creates extra protection for your network.
- Setup Made Easier than Ever The Deco app walks you through setup step by step.
- Great Compatibility All Decos work together.



Deco X80-5G 5G Whole Home Wi-Fi 6 Gateway

Unrivaled Speed 5Ĝ with 5G

Brings the Download Speed up to 5.0 Gbps, 33x Faster than 4G

Ultra-Low Latency

Brings Fast Responsive Connections with Only 1ms Latency

AX6000 Dual-Band Wi-Fi

4804 Mbps (5 GHz) + 1148 Mbps (2.4 GHz)



Whole Home Mesh Wi-Fi 6 Gateway

Gateway

Super VDSL2 Speed

Support Profile 35b Tech to Deliver Downstream up to 350 Mbps

((•)) AX5400 Dual-Band

4804 Mbps (5 GHz) + 574

Supports VoIP and DECT



Deco X73-DSL

VDSL Whole Home Wi-Fi 6

Wi-Fi

Mbps (2.4 GHz)

VoIP/DECT Telephony

Base Functions



Deco X20-DSL

VDSL Whole Home Wi-Fi 6 Gateway

Super VDSL2 Speed

Support Profile 35b Tech to Deliver Downstream up to 350 Mbps

AX1800 Dual-Band ((•)) Wi-Fi

1201 Mbps (5 GHz) + 574 Mbps (2.4 GHz)

Gigabit Ethernet

Backup 4 x Gigabit WAN/LAN Ports Provide Ethernet

Access Backup



Cat6 Access

Deco X20-4G

Gateway

4G+ Whole Home Wi-Fi 6

Internet Everywhere

with 4G+ Speed

Provide Wi-Fi 6 Mesh

Coverage through 4G+


AX1800 Dual-Band

SIM Card Plug and Play

No Configuration, Unlocked, and Simply Plug

- Seamless Roaming Deco units work together to form a unified network, Keeping you stay connected from anywhere.
- TP-Link HomeShield Provides real-time IoT protection, powerful antivirus, and premium parental controls.
- Ultra-Low Latency Greater reduction in latency enables more responsive gaming and video chatting.
- Minimized Wi-Fi Interference BSS Color technology avoids unnecessary slowdowns and minimizes Wi-Fi interference.
- Improved Capacity OFDMA and MU-MIMO technologies enable simultaneous transmissions to over 150 devices.
- Flexible Internet Access Multiple Gigabit WAN/LAN ports provide flexible access and lightning-fast wired performance.
- Setup Made Easier than Ever The Deco app walks you through setup step by step.
- Great Compatibility All Decos work together.

21 | Whole Home Mesh Wi-Fi System Whole Home Mesh Wi-Fi System | 22





Wi-Fi 5 (ac) Whole Home Mesh Wi-Fi System 💌



Deco M9 Plus

AC2200 Smart Home Mesh Wi-Fi System





Covers up to 6,500 ft²/600 m² (3-pack)



Built-in Smart Hub

Connects and Controls All Your Smart Home Devices



Deco M5

AC1300 Whole Home Mesh Wi-Fi System

AC1300 Dual Band Wi-Fi 867 Mbps (5GHz) +400 Mbps (2.4 GHz)



Covers up to 5,500 ft² / 500 m² (3-pack)


Full Gigabit Ports 2× Gigabit Ports Per Unit


Quick Setup Bluetooth 4.2 for Quick Setup

- Connect More Device Deco handles traffic from even the busiest network, providing lag-free connections for over 100 devices.
- Seamless Roaming Deco units work together to form a unified network. Walk through your home and stay connected with the fastest possible speeds.
- TP-Link HomeCare Provides a customized home network with enhanced security, protecting your sensitive data or limiting the access of your kids and guests.
- Setup Made Easier than Ever The Deco app walks you through setup step by step.
- Great Compatibility All Decos work together.

Mesh Wi-Fi + Powerline Hybrid Bandwidth

Deco P9 combines dual-band Wi-Fi and powerline to transmit data between Deco units, delivering a whole home Wi-Fi coverage up to 6,000 ft² / 560 m² for you.






- Existing electrical wiring Works through Walls

Powerline technology uses your home's electrical wiring to create stronger connections between Deco units, reducing the impact of walls and other obstacles on signal.

Boosted Speeds

Deco P9 (Wi-Fi + Powerline)

Powerline and wireless connections work together to transmit data between Deco units. The total network speed is greatly improved compared with using Wi-Fi only.



- Dual-Band Wi-Fi + Powerline AC1200 dual-band Wi-Fi + AV1000 powerline combines for speeds of up to 2200 Mbps: 867 Mbps (5 GHz) and 300 Mbps (2.4 GHz) and 1000 Mbps powerline.
- Connect More Devices Deco handles traffic from even the busiest network, providing lag-free connections up to 100 devices.
- Seamless Roaming Deco units work together to form a unified network. Walk through your home and stay connected with the fastest possible speeds.
- MU-MIMO Technology Simultaneously transfers data to multiple devices for faster performance.
- Quality of Service Prioritize devices for faster performance when needed.
- Robust Parental Controls Manage content and control when each device can access the internet.
- Setup Made Easier than Ever The Deco app walks you through setup step by step.
- Great Compatibility All Decos work together.


23 | Whole Home Mesh Wi-Fi System Whole Home Mesh Wi-Fi System | 24



Deco M4

AC1200 Whole Home Mesh Wi-Fi System

((•)) AC1200 Dual-Band Wi-Fi 867 Mbps (5GHz) + 300 Mbps (2.4 GHz)



Full Gigabit Ports

2× Gigabit Ports Per Unit



Deco S4

AC1200 Whole Home Mesh Wi-Fi System

(•) AC1200 Dual Band Wi-Fi 867 Mbps (5 GHz) + 300 Mbps (2.4 GHz)



Full Gigabit Ports
2× Gigabit Ports Per Unit



Deco E4

AC1200 Whole Home Mesh Wi-Fi System

(•) AC1200 Dual-Band Wi-Fi 867 Mbps (5GHz) + 300 Mbps (2.4 GHz)



Covers up to 4,500 ft² / 420 m² (3-pack)





Deco M3

AC1200 Whole Home Mesh Wi-Fi System

((•)) AC1200 Dual-Band Wi-Fi 867 Mbps (5GHz) + 300 Mbps (2.4 GHz)



Full Gigabit Ports

2× Gigabit Ports on the Router



Deco E3

AC1200 Whole Home Mesh Wi-Fi System

(•)) AC1200 Dual-Band Wi-Fi 867 Mbps (5GHz) + 300 Mbps (2.4 GHz)



Whole Home Coverage

Covers up to 3,800 ft² / 350 m² (3-pack)



Fast Ethernet Ports

2× 10/100 Mbps Ethernet Ports on the Router

- Connect More Devices Deco handles traffic from even the busiest network, providing lag-free connections for up to 100 devices.
- Seamless Roaming Deco units work together to form a unified network. Walk through your home and stay connected with the fastest possible speeds.
- 2-in-1 Router and Access Point Modes Choose the mode for your actual demands and experience the maximum wireless flexibility.
- MU-MIMO Technology Simultaneously transfers data to multiple devices for faster performance.
- Quality of Service Prioritize devices for faster performance when needed.
- Robust Parental Controls Manage content and control when each device can access the internet.
- Setup Made Easier than Ever The Deco app walks you through setup step by step.
- $\bullet \ \ \textbf{Great Compatibility} \ \textbf{-} \ \textbf{All Decos work together}.$

WHICH IS THE RIGHT TP-Link WHOLE HOME MESH WI-FI FOR YOU?

| | | | Whole Home Me | | | |
|--|---|---|-------------------------------|--|--|--|
| | | | | | | |
| Model | Deco X80-5G | Deco X96 | Deco X90 | Deco X73-DSL | Deco X60 | Deco X50 |
| Packs | 2-pack/1-pack | 2- pack/1- pack | 2-pack/1-pack | 3-Pack/2-Pack/ 1-Pack | 3-pack/2-pack/ 1-pack | 3-pack/2-pack/ 1-pack |
| Speed | AX6000 | AX7800 | AX6600 | AX5400 | AX3000 | AX3000 |
| Wi-Fi Coverage | 6,000 ft² / 560 m² (2-pack) | 6,000 ft ² / 560 m ² (2-pack) | 6,000 ft² / 560 m² (2-pack) | 7,200 ft² / 670 m² (3-pack) 5,500 ft² / 500 m² (2-pack) | 7,000 ft² / 650 m² (3-pack) 5,000 ft² / 460 m² (2-pack) | 6,500 ft² / 600 m² (3-pack) 4,500 ft² / 420 m² (2-pack) |
| Capacity | Connect up to 200 Devices | Connect up to 200 Devices | Connect up to 200 Devices | Connect up to 200 Devices | Connect over 150 Devices | Connect over 150 Devices |
| Wi-Fi Bands | Dual-Band | Tri-Band | Tri-Band | Dual-Band | Dual-Band | Dual-Band |
| Powerline | | | | | | |
| Wi-Fi (2.4 GHz) | 1148 Mbps | 574 Mbps | 574 Mbps | 574 Mbps | 574 Mbps | 574 Mbps |
| Wi-Fi (5 GHz) | 4804 Mbps | 4804 Mbps | 4804 Mbps + 1201 Mbps | 4804 Mbps | 2402 Mbps | 2402 Mbps |
| Wi-Fi (6 GHz) | | 2402 Mbps | | | | |
| Broadband Access Standard | 5G Release 15 | | | VDSL 2 Profile 35b | | |
| Smart Home Hub | Wi-Fi | Wi-Fi | Wi-Fi | Wi-Fi | Wi-Fi | Wi-Fi |
| Interface | 1x 2.5 GE(WAN/LAN) + 1x GE(WAN/LAN) + 1x Nano SIM Card Slot | 1× 2.5 GE (WAN/LAN) + 1× GE (LAN) | 1×2.5 GE + 1× GE (WAN/LAN) | 1x DSL+2x Phone + 1* USB 3.0 + 4x GE (WAN/LAN) | 2× GE (WAN/LAN) | 2× GE (WAN/LAN) |
| 160 MHz Channel | | • | • | • | | |
| OFDMA | • | • | • | • | • | • |
| 1024-QAM | • | • | • | • | • | • |
| ми-мімо | • | • | • | • | • | • |
| Beamforming | • | • | • | • | • | • |
| Deco App | • | • | • | • | • | • |
| AP Mode | • | • | • | • | • | • |
| Parental Controls | • | • | • | • | • | • |
| Antivirus | • | • | • | • | • | • |
| QoS | • | • | • | • | • | • |
| Works with Amazon Alexa and Google Assistant | • | Only by Devices | Only by Devices | • | • | • |
| Works with Other Deco Models | • | • | • | • | • | • |
| Advanced Features | | Works on the 6 GHz Band | | VoIP & DECT Telephony | | |
| IPTV | • | • | • | • | • | • |

25 | Whole Home Mesh Wi-Fi System | 26

WHICH IS THE RIGHT TP-Link WHOLE HOME MESH WI-FI FOR YOU?

| | | | | | Wh | ole Home Mesh Wi-Fi Sys | stem | | | | |
|--|--|--|--|--|--|--|--|--|--|---|--|
| | | | | | de en | 9 | jan e | | desa | | |
| Model | Deco X20 | Deco X20-DSL | Deco X20-4G | Deco M9 Plus | Deco P9 | Deco M5 | Deco M4 | Deco S4 | Deco E4 | Deco M3 | Deco E3 |
| Packs | 3-pack/2-pack/ 1-pack | 3-Pack/2-Pack/ 1-Pack | 3-Pack/2-Pack/ 1-Pack | 3-pack/2-pack/ 1-pack | 3-pack/2-pack/ 1-pack | 3-pack/2-pack/1-pack | 3-pack/2-pack/1-pack | 3- Pack/2- Pack/1- Pack | 3-pack/2-pack/1-pack | 3-pack/2-pack/1-pack | 3-pack/2-pack/1-pack |
| Speed | AX1800 | AX1800 | AX1800 | AC2200 | AC1200 + AV1000 | AC1300 | AC1200 | AC1200 | AC1200 | AC1200 | AC1200 |
| Wi-Fi Coverage | 5,800 ft² / 540 m² (3-pack) 4,000 ft² / 370 m² (2-pack) | 5,800 ft² /540 m² (3-pack) 4,000ft² / 370 m² (2-pack) | 5,800 ft² / 540 m² (3-pack) 4,000 ft² / 370 m² (2-pack) | 6,500 ft² / 600 m² (3-pack) 4,500 ft² / 420 m² (2-pack) | 6,000 ft² / 560 m² (3-pack) 4,000 ft² / 370 m² (2-pack) | 5,500 ft² / 500 m² (3-pack) 3,800 ft² / 350 m² (2-pack) | 5,500 ft² / 500 m² (3-pack) 3,800 ft² /350m² (2-pack) | 5,500 ft² / 500 m² (3-pack) 3,800 ft² / 350 m² (2-pack) | 4,500 ft² / 420 m² (3-pack) 3,000 ft² / 280 m² (2-pack) | 4,500 ft² / 420 m² (3-pack) 3,000 ft²/ 280 m² (2-pack) | 3,800 ft²/350 m² (3-pack) 2,500 ft²/230 m² (2-pack) |
| Capacity | Connect over 150 Devices | Connect over 150 Devices | Connect over 150 Devices | Connect over 100 Devices | Connect up to 100 Devices | Connect over 100 Devices | Connect up to 100 Devices | Connect up to 100 Devices | Connect up to 100 Devices | Connect up to 100 Devices | Connect up to 100 Devices |
| Wi-Fi Bands | Dual-Band | Dual-Band | Dual-Band | Tri-Band | Dual-Band Dual-Band | Dual-Band | Dual-Band | Dual-Band | Dual-Band | Dual-Band | Dual-Band |
| Powerline | | | | | AV1000 | | | | | | |
| Wi-Fi (2.4 GHz) | 574 Mbps | 574 Mbps | 574 Mbps | 400 Mbps | 300 Mbps | 400 Mbps | 300 Mbps | 300 Mbps | 300 Mbps | 300 Mbps | 300 Mbps |
| Wi-Fi (5 GHz) | 1201 Mbps | 1201 Mbps | 1201 Mbps | 2× 867 Mbps | 867 Mbps | 867 Mbps | 867 Mbps | 867 Mbps | 867 Mbps | 867 Mbps | 867 Mbps |
| Broadband Access Standard | | VDSL 2 Profile 35b | 4G+ Cat6 | | | | | | | | |
| Smart Home Hub | Wi-Fi | Wi-Fi | Wi-Fi | Wi-Fi, Bluetooth, ZigBee | Wi-Fi | Wi-Fi | Wi-Fi | Wi-Fi | Wi-Fi | Wi-Fi | Wi-Fi |
| Interface | 2× GE (WAN/LAN) | 4× GE (WAN/LAN) | 1x Nano SIM Card Slot + 3x GE (WAN/LAN) | 2× GE (WAN/LAN) | 2× GE (WAN/LAN) | 2× GE (WAN/LAN) | 2× GE (WAN/LAN) | 2× GE (WAN/LAN) | 2× FE (WAN/LAN) | 2× GE (WAN/LAN) | 2× FE (WAN/LAN) |
| 160 MHz Channel | | | | | | | | | | | |
| OFDMA | • | • | • | | | | | | | | |
| 1024-QAM | • | • | • | | | | | | | | |
| ми-мімо | • | • | • | • | • | • | • | • | • | • | • |
| Beamforming | • | • | • | • | • | • | • | • | • | • | • |
| Deco App | • | • | • | • | • | • | • | • | • | • | • |
| AP Mode | • | • | • | • | • | • | • | • | • | • | • |
| Parental Controls | • | • | • | • | • | • | • | • | • | • | • |
| Antivirus | • | • | • | • | | • | | | | | |
| QoS | • | • | • | • | Only by Devices | • | Only by Devices | Only by Devices | Only by Devices | Only by Devices | Only by Devices |
| Works with Amazon Alexa and Google Assistant | • | • | • | • | • | • | • | • | • | | • |
| Works with Other Deco Models | • | • | • | • | • | • | • | • | • | • | • |
| Advanced Features | | | | | | | | | | | |
| IPTV | • | | | • | | • | • | • | • | • | • |

 $Note: The \ Antivirus \ function \ is \ still \ developing \ on \ models \ of \ Deco\ P9, Deco\ M4, Deco\ M3. \ The \ Google \ Assistant \ function \ is \ still \ developing.$

27 | Whole Home Mesh Wi-Fi System | 28


Wi-Fi Routers

TP-Link offers a comprehensive range of Wi-Fi routers, engineered to meet all your networking needs. For faster, stronger, and more reliable Wi-Fi, look no further than TP-Link.

TP-Link Wi-Fi routers give your home the reliable and secure network you deserve. Our range of models provide a solution to match every situation. Each one offers fast and stable Wi-Fi, while giving users the easiest management possible. App-based setup and helpful features for the whole family give you complete control. Connect and enjoy!







Wi-Fi Routers | 30

Faster. Smarter. Unstoppable.

Meet Wi-Fi 6 Technology

AX6600 Tri-Band Wi-Fi 6 Router



Archer AX90

Equipped with the latest Wi-Fi 6 technology, Archer AX90 optimizes every detail of your network connection to significantly improve network efficiency.

Unrivaled Tri-Band Speed

AX6600 Tri-Band Wi-Fi speed boosted by 1024-QAM delivers astonishing wireless speeds:4804 Mbps (5 GHz-2) + 1201 Mbps (5 GHz-1) + 574 Mbps (2.4 GHz)

5 GHz-2 4804 Mbps 5 GHz-1 2.4 GHz


Connect Numerous Devices

With tri-band Wi-Fi and MU-MIMO Technology, Archer AX90 communicates with multiple devices via 8 streams simultaneously. Advanced features like OFDMA provide a significant increase in capacity, satisfying the demands of an intensive network.




Multi-Gig Wired Performance

Don't waste your gigabit internet access. Archer AX90's 2.5 Gbps and 1 Gbps WAN/LAN ports offer you max flexibility and boosts your total internet throughput. Three gigabit LAN ports give you full control and blistering data transfer speeds for peak performance.



> Cutting-Edge Processing

1.5 GHz Quad-Core CPU eradicates latency and delivers stable performance.



Far-Reaching Wi-Fi Coverage

Eight high-gain external antennas equipped with Beamforming deliver strong Wi-Fi signals to every corner of your home.



> TP-Link HomeShield

TP-Link's premium security services keep your home network safe with cutting-edge features for network and IoT protection.





Excellent Wi-Fi, Peaceful Mind

AX5400 Dual-Band Gigabit Wi-Fi 6 Router

Archer AX73

5.4 Gbps

Wi-Fi Speed



CE CE CE

Explore the New Era of Wi-Fi

AX1800 Dual-Band Wi-Fi 6 Router

Archer AX20













Powerful Quad-Core CPU Wi-Fi Speed

4× Greater



Wi-Fi 6 (11ax) Wi-Fi Routers 💌

<u>=</u>(1)

Latency


4x Greater Ultra-Low

Capacity



Archer AX90

AX6600 Tri-Band Gigabit Wi-Fi 6 Router



Cutting-Edge Processing 1.5 GHz Quad-Core CPU



2.5 Gbps WAN/LAN + 1 Gbps WAN/LAN + 3×1 Gbps LAN Ports






Archer AX6000

AX6000 Gigabit Wi-Fi 6 Router

AX6000 Dual-Band Wi-Fi 4804 Mbps (5 GHz) + 1148 Mbps (2.4 GHz)



1.8 GHz Quad-Core CPU

Multi-Gig Ports

2.5 Gbps WAN + 8× 1 Gbps




Lighting-Fast Media Sharing USB-A 3.0 + USB-C 3.0 Ports



والأالوالوالوالوا

Archer AX73

AX5400 Gigabit Wi-Fi 6 Router



Powerful Processing 1.5 GHz Triple-Core CPU



Lighting-Fast Media Sharing USB 3.0




Archer AX50

AX3000 Gigabit Wi-Fi 6 Router

AX3000 Dual-Band Wi-Fi 2402 Mbps (5 GHz) + 574 Mbps (2.4 GHz)



Intel Gig+ Compatible Intel Home Wi-Fi Chipset








AX1800 Dual-Band Wi-Fi 6 Router









Enhanced Security TP-Link HomeShield



Archer AX10 / AX1500

AX1500 Wi-Fi 6 Router

AX1500 Dual-Band Wi-Fi 1201 Mbps (5 GHz) + 300 Mbps (2.4 GHz)



• OFDMA - Greatly increases the number of connected devices by assigning channels to more devices simultaneously.


• Gigabit Ports - All Gigabit Ethernet ports deliver lightning-fast wired performance.

• Beamforming - Concentrates signals to connected devices and delivers highly efficient wireless connections.

• Smart Connect - Automatically assigns each device to the best available band to optimize network performance.

• Works with Alexa - Control your router using voice commands with Amazon Alexa.

- HomeShield TP-Link's premium security services keep your home network safe with cutting-edge features for network and IoT protection. (Archer AX6000 supports HomeCare™ only)
- OFDMA Greatly increases the number of connected devices by assigning channels to more devices simultaneously.
- MU-MIMO Simultaneously transfers data to multiple devices for faster performance.
- Gigabit Ports All Gigabit Ethernet ports deliver lightning-fast wired performance.
- Beamforming Concentrates signal to connected devices and delivers highly efficient wireless connection.
- Smart Connect Automatically assigns each device to the best available band to optimize network performance.
- Works with Alexa Control your router using voice commands with Amazon Alexa.



Wi-Fi 5 (11ac) Wi-Fi Routers 💌



Archer C4000/A20

AC4000 MU-MIMO Tri-Band Wi-Fi Router

AC4000 Tri-Band Wi-Fi 2×1625 Mbps (5 GHz) + 750 Mbps (2.4 GHz)





Enhanced Security TP-Link HomeCare™



Archer A10

AC2600 MU-MIMO Wi-Fi Router

((•)) AC2600 Dual-Band Wi-Fi 1733 Mbps (5 GHz) + 800 Mbps (2.4 GHz)



3× External + 1× Internal Antennas



Archer C2300

AC2300 MU-MIMO Wi-Fi Router

AC2300 Dual-Band Wi-Fi 1733 Mbps (5 GHz) + 600 Mbps (2.4 GHz)



Far-Reaching Range 3× External + 1× Internal Antennas



Enhanced Security TP-Link HomeCare™



Archer C80

AC1900 Dual-Band MU-MIMO Wi-Fi Router

((•)) AC1900 Dual-Band Wi-Fi

> 1300 Mbps (5 GHz) + 600 Mbps (2.4 GHz)



3×3 MU-MIMO



Superior Coverage 4× High-Performance Antennas



Archer A9


AC1900 Dual-Band MU-MIMO Wi-Fi Router

((•)) AC1900 Dual-Band Wi-Fi

> 1300 Mbps (5 GHz) + 600 Mbps (2.4 GHz)



3×3 MU-MIMO





Archer A8

AC1900 Dual-Band MU-MIMO Wi-Fi Router

AC1900 Dual-Band Wi-Fi

> 1300 Mbps (5 GHz) + 600 Mbps (2.4 GHz)



3×3 MU-MIMO

Superior Coverage 3× High-Performance



Archer A7/C7

AC1750 Dual-Band Wi-Fi Router

AC1750 Dual-Band Wi-Fi

> 1300 Mbps (5 GHz) + 450 Mbps (2.4 GHz)

Flexible Whole-Home Wi-Fi OneMesh™ Supported

Easy Sharing USB 2.0 Port

• Guest Network - Keep your main network secure by creating a separate network for visitors.

• Access Point Mode - Transforms a wired network into a wireless one.


• IPTV - Supports IGMP Proxy/Snooping, Bridge, and Tag VLAN to optimize IPTV streaming.

• Parental Controls - Manage when and how connected devices can access the internet.

• Gigabit Ports - All Gigabit Ethernet ports deliver lightning-fast wired performance.

• TP-Link Tether App - Provides simplified control and management from your iOS or Android smartphone.

- Beamforming Concentrates signals to connected devices and delivers highly efficient wireless connections.
- MU-MIMO Simultaneously transfers data to multiple devices for 3× faster performance.
- Airtime Fairness Assigns each device the same amount of time to exchange data, getting more from your high-speed devices and improving network efficiency.
- Gigabit Ports All Gigabit Ethernet ports deliver lightning-fast wired performance.
- Smart Connect Automatically assigns each device to the best available band to optimize network performance.
- Works with Alexa Control your router using voice commands with amazon Alexa.





Archer C1200

AC1200 Dual-Band Wi-Fi Router

AC1200 Dual-Band Wi-Fi 867 Mbps (5 GHz) + 300 Mbps (2.4 GHz)



Superior Coverage

3× High-Performance Antennas

content and restricting time spent online.



Easy Sharing USB 2.0 Port



Archer C6U

AC1200 MU-MIMO Wi-Fi Router

AC1200 Dual-Band Wi-Fi 867 Mbps (5 GHz) + 300 Mbps (2.4 GHz)



Connect More Devices

More Simultaneous Connections with MU-MIMO



• Gigabit Ports - All Gigabit Ethernet ports deliver lightning-fast wired performance.

• Access Point Mode - Transforms a wired network into a wireless one.

• Guest Network - Provides separate access for guests while securing your home network.

Easy Sharing USB 2.0 Port

• Parental Controls - Manage when and how connected devices can access the internet by blocking inappropriate

• TP-Link Tether App - Provides simplifed control and management from your iOS or Android smartphone.



Archer A6/C6

AC1200 MU-MIMO Wi-Fi Router

AC1200 Dual-Band Wi-Fi 867 Mbps (5 GHz) + 300 Mbps



Connect More Devices

More Simultaneous Connections with



Flexible Whole-Home Wi-Fi

OneMesh™ Supported



Archer C60

AC1350 Dual-Band Wi-Fi Router





Connect More Devices

More Simultaneous Connections with MU-MIMO




Beamforming for Better Coverage





Archer C50

AC1200 Dual-Band Wi-Fi Router





Connect More Devices

More Simultaneous Connections with MU-MIMO



Broad Coverage


4× High-Performance Antennas



Archer C54

AC1200 Dual-Band Wi-Fi Router

AC1200 Dual-Band Wi-Fi 867 Mbps (5 GHz) + 300 Mbps (2.4 GHz)



4× Antennas with Beamforming Technology

3 Modes in 1

Router, Access Point, Range Extender



Archer C20

AC750 Dual-Band Wi-Fi Router

((•)) AC750 Dual-Band Wi-Fi 433 Mbps (5 GHz) + 300 Mbps (2.4 GHz)



3 Modes in 1

Router, Access Point, Range Extender



AC750 Dual-Band Wi-Fi Router

AC750 Dual-Band Wi-Fi



3 Modes in 1

Router, Access Point, Range Extender



433 Mbps (5 GHz) + 300 Mbps



- Parental Controls Manage when and how connected devices can access the internet by blocking inappropriate content and restricting time spent online.
- Guest Network Provides separate access for guests while securing your home network.
- IPTV Supports IGMP Proxy/Snooping, Bridge, and Tag VLAN to optimize IPTV streaming.
- TP-Link Tether App Provides simplified control and management from your iOS or Android smartphone.

Wi-Fi 4 (11n) Wi-Fi Router 💌



TL-WR940N

450 Mbps Wi-Fi Router



Faster 11N Wi-Fi

3T3R Structure Boosts Speeds for a
Single Device to 450 Mbps





3 Modes in 1

TL-WR840N

300 Mbps Wi-Fi Router

N300 Wi-Fi
300 Mbps Wi-Fi and 4× 10/100 Mbps LAN
Ports Meet Your Daily Internet Needs



Router, Access Point, Range Extender, WISP



TL-WR845N

300 Mbps Wi-Fi Router

N300 Wi-Fi
300 Mbps Wi-Fi and 4× 10/100 Mbps LAN
Ports Meet Your Daily Internet Needs

4 Modes in 1

Router, Access Point, Range Extender, WISP



TL-WR841N

300 Mbps Wi-Fi Router

N300 Wi-Fi
300 Mbps Wi-Fi and 4× 10/100 Mbps LAN

4 Modes in 1

Router, Access Point, Range Extender, WISP

Ports Meet Your Daily Internet Needs



TL-WR844N

300 Mbps Wi-Fi Router

√ N3

N300 Wi-Fi 300 Mbps Wi-Fi and 4× 10/100 Mbps LAN



4 Modes in 1

Router, Access Point, Range Extender,

Ports Meet Your Daily Internet Needs



TL-WR820N

300 Mbps Wi-Fi Router

 \odot

N300 Wi-Fi 300 Mbps Wi-Fi and 2× 10/100 Mbps LAN Ports Meet Your Daily Needs

公

4 Modes in 1

Router, Access Point, Range Extender, WISP

- WPS One-step wireless WPS encryption provides simplified security for your network.
- $\bullet \ \textbf{IPTV} \textbf{Supports IGMP Proxy/Snooping, Bridge, and Tag VLAN to optimize IPTV streaming.} \\$
- IPv6 Compatible with IPv6 (Internet Protocol version 6).
- Parental Controls Manage when and how connected devices can access the internet .
- Guest Network Provides separate access for guests while securing your home network.
- TP-Link Tether App Provides simplified control and management from your iOS or Android smartphone.

Portable Router 💌



TL-WR902AC

AC750 Wi-Fi Travel Router

((•)) AC750 Wi-Fi

Strong, Fast Connection for HD Streaming on All Your Devices



 ${\it Multifunctional\, USB\, Port\, for\, File\, Sharing\, and\, Charging}$

One Switch for Multiple Modes

Perfect for Wi-Fi at Home, Your Hotel Room, or on the Road



TL-WR802N

300 Mbps Wireless N Nano Router



N300 Wi-Fi

Ideal for Video Streaming and Online Calling



Power It with a Power Bank

Flexibly Turn It into a Mobile Router with a Power Bank



Nano Design

Slim and Small, Easy to Carry Anywhere

• Multi-Mode - Supports Wireless Router, Client, Range Extender, Access Point, and Hotspot modes.

WHICH IS THE RIGHT TP-LINK WI-FI 6 (AX) WIRELESS ROUTER FOR YOU?

| | | Tri-Band | | | | Dual-Band | | |
|-------------------|------------------------------|--|--|------------------------------|--------------------------|--------------------------|--------------------------|--------------------------|
| | | | Щ | | | | 111 | Щ |
| Model | AX11000 | GX90 | AX90 | AX6000 | AX73 | AX50 | AX20 | AX10/AX1500 |
| Version | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.20 | 1.20 |
| Wi-Fi Class | AX11000 | AX6600 | AX6600 | AX6000 | AX5400 | AX3000 | AX1800 | AX1500 |
| Wi-Fi (2.4 GHz) | 1148 Mbps | 574 Mbps | 574 Mbps | 1148 Mbps | 574 Mbps | 574 Mbps | 574 Mbps | 300 Mbps |
| Wi-Fi (5 GHz) | 4804 Mbps + 4804 Mbps | 4804 Mbps + 1201 Mbps | 4804 Mbps + 1201 Mbps | 4804 Mbps | 4804 Mbps | 2402 Mbps | 1201 Mbps | 1201 Mbps |
| CPU | 1.8 GHz Quad-Core | 1.5 GHz Quad-Core | 1.5 GHz Quad-Core | 1.8 GHz Quad-Core | 1.5 GHz Triple-Core | Dual Processor | 1.5 GHz Quad-Core | 1.5 GHz Triple-Core |
| Antenna | 8× | 8× | 8× | 8× | 6× | 4× | 4× | 4× |
| Ethernet Ports | 1× 2.5 GE WAN + 8× GE LAN | 1× 2.5 GE WAN/LAN + 1× GE WAN/LAN + 3× GE LAN | 1× 2.5 GE WAN/LAN + 1× GE WAN/LAN + 3× GE LAN | 1× 2.5 GE WAN + 8× GE LAN | 1× GE WAN + 4× GE LAN |
| USB Port | USB-C 3.0 + USB-A 3.0 | USB 3.0 + USB 2.0 | USB 3.0 + USB 2.0 | USB-C 3.0 + USB-A 3.0 | USB 3.0 | 1× USB 3.0 | 1× USB 2.0 | |
| MU-MIMO | 4×4 | 4×4 | 4×4 | 4×4 | 4×4 | | | |
| OFDMA | • | • | • | • | • | • | • | • |
| Beamforming | • | • | • | • | • | • | • | • |
| Smart Connect | • | • | • | • | • | • | • | • |
| Antivirus | • | • | Subscription | • | Subscription | • | | |
| Parental Controls | • | • | • | • | • | • | • | • |
| QoS | • | • | • | • | • | • | • | • |
| AP Mode | • | • | • | • | • | • | • | • |
| Tether App | • | • | • | • | • | • | • | • |
| Others | Bluetooth 4.1 Alexa | Alexa | Alexa | Bluetooth 4.1 Alexa | Alexa | Alexa | Alexa | Alexa |

39 | Wi-Fi Routers | 40

WHICH IS THE RIGHT TP-LINK WIRELESS ROUTER FOR YOU?

| | Tri-l | Band | | | | Dual- | Band | | | | | | | | | | | | Single | e-Band | | |
|-----------------------|--------------------------|----------------------------|------------------------------|------------------------------|------------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|------------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|---------------------------|
| | | | Щ | Щ | Ш | Ш | Ш | Ш | | Ш | Ш | | | | | | Щ | | | 7 | | |
| Model | C5400X | C4000/A20 | A10 | C2300 | А9 | C80 | A8 | C7/A7 | C60 | C1200 | C6U | C6/A6 | C50 | C54 | C20 | C24 | TL-WR940N | TL-WR845N | TL-WR841N | TL-WR840N | TL-WR844N | TL-WR820N |
| Version | 1.0 | 3.0 | 1.0 | 2.0 | 6.0 | 1.0 | 1.0 | 5.0 | 3.0 | 3.0 / 2.0 | 1.0 | 2.0 | 6.0 | 1.0 | 5.0 | 1.0 | 6.0 | 4.0 | 14.0 | 6.20 | 1.0 | 2.0 |
| Wi-Fi Class | AC5400 | AC4000 | AC2600 | AC2300 | AC1900 | AC1900 | AC1900 | AC1750 | AC1350 | AC1200 | AC1200 | AC1200 | AC1200 | AC1200 | AC750 | AC750 | N450 | N300 | N300 | N300 | N300 | N300 |
| Wi-Fi (2.4G) | 1000 Mbps | 750 Mbps | 800 Mbps | 600 Mbps | 600 Mbps | 600 Mbps | 600 Mbps | 450 Mbps | 450 Mbps | 300 Mbps | 300 Mbps | 300 Mbps | 300 Mbps | 300 Mbps | 300 Mbps | 300 Mbps | 450 Mbps | 300 Mbps |
| Wi-Fi (5G) | 2× 2167 Mbps | 2× 1625 Mbps | 1733 Mbps | 1733 Mbps | 1300 Mbps | 1300 Mbps | 1300 Mbps | 1300 Mbps | 867 Mbps | 867 Mbps | 867 Mbps | 867 Mbps | 867 Mbps | 867 Mbps | 433 Mbps | 433 Mbps | | | | | | |
| Ethernet Ports | 1× GE WAN + 8× GE LAN | 1× GE WAN + 4× GE LAN | 1× GE WAN + 4× GE LAN | 1× GE WAN + 4× GE LAN | 1× GE WAN + 4× GE LAN | 1× GE WAN + 4× GE LAN | 1× GE WAN + 4× GE LAN | 1× GE WAN + 4× GE LAN | 1× FE WAN + 4× FE LAN | 1× GE WAN + 4× GE LAN | 1× GE WAN + 4× GE LAN | 1× GE WAN + 4× GE LAN | 1× FE WAN + 4× FE LAN | 1× FE WAN + 4× FE LAN | 1× FE WAN + 4× FE LAN | 1× FE WAN + 4× FE LAN | 1× FE WAN + 4× FE LAN | 1× FE WAN + 4× FE LAN | 1× FE WAN + 4× FE LAN | 1× FE WAN + 4× FE LAN | 1× FE WAN + 4× FE LAN | 1× FE WAN + 2 × FE LAN |
| USB Port ¹ | 2× USB 3.0 | 1× USB 3.0 + 1× USB 2.0 | | 1× USB 3.0 | 1× USB 2.0 | | | 1× USB 2.0 | | 1× USB 2.0 | 1× USB 2.0 | | | | | | | | | | | |
| Antenna | 8× | 6× | 3× External + 1× Internal | 3× External + 1× Internal | 3× External + 1× Internal | 4× | 3× | З× | 5× | 3× | 4× | 4× External + 1× Internal | 4× | 4× | 3× | 4× | 3× | 3× | 2× | 2× | 2× | 2× |
| ми-мімо | 4×4 | 3×3 | 4×4 | 4×4 | 3×3 | 3×3 | 3×3 | | 2×2 | | 2×2 | 2×2 | 2×2 | 2×2 | | | | | | | | |
| Beamforming | | • | | • | | | | | | | | | | | | | | | | | | |
| Antivirus | • | • | | • | | | | | | | | | | | | | | | | | | |
| NitroQAM™ | | • | | | | | | | | | | | | | | | | | | | | |
| Tether App | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • |
| Parental Controls | | • | • | • | | | | | • | | | | | | | • | • | • | | • | • | • |
| QoS | | • | • | • | | | | | | | | | | | | | • | | | • | • | • |
| AP Mode | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • |
| IPTV | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • |
| IPv6 | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • |
| Others | Bluetooth 4.1 Alexa | Alexa | Alexa | Alexa | Alexa | | | Alexa | | | | | | Multi-Mode |

^{1.} For Storage Sharing, Media Server, and FTP Server.

41 | Wi-Fi Routers | 42

Range Extenders

With walls, floors, and extra space, weak signals and dead zones are common in today's homes. The ever-increasing number of devices under one roof also requires families to have Wi-Fi networks able to deliver high-speed and stable connections in every room.

TP-Link Wi-Fi Range Extenders help eliminate dead zones by boosting your wireless networks in your home and office. This ensures that your mobile, media, and computer devices are always connected and ready for wireless action.





> Wi-Fi Dead-Zone Killer

Eliminate Wi-Fi dead zones with extended Wi-Fi coverage at a combined speed of up to 1.8 Gbps.



Cutting-Edge Wi-Fi 6

The latest Wi-Fi technology makes annoying lag, endless loading, and dead spots a thing of the past, Enjoy the future of faster network loads and more connections.







Higher

ow Larg

> Built-In Access Point Mode

RE605X are more than just range extenders. Simply plug an Ethernet cable into their ports to easily turn wired connections into high-speed dual-band wireless signals.



Uninterrupted Streaming

Create a Mesh network by connecting to a OneMeshTM router for seamless whole home coverage.



43 | Range Extenders | 44









Wi-Fi 6 (11ax) Wi-Fi Range Extenders 💌



RE600X


AX1800 Wi-Fi 6 Range Extender

AX1800 **Dual-Band Wi-Fi**

Simultaneous 574 Mbps on 2.4 GHz + 1201 Mbps on 5 GHz



Stable Signals 2× Internal Antennas



45 | Range Extenders

Connection 1× Gigabit Ethernet Port



RE500X

AX1500 Wi-Fi 6 Range Extender


AX1500 **Dual-Band Wi-Fi** Simultaneous 300 Mbps

on 2.4 GHz + 1201 Mbps on 5 GHz



• AP Mode - Supports AP mode to create a new Wi-Fi access point.

Stable Signals 2× Internal Antennas



1× Gigabit Ethernet Port

• Wi-Fi Dead-Zone Killer - Keep your entire home connected with powerful Wi-Fi extensions at top speeds. • Faster Wi-Fi 6 Speed - Enjoy a great boost in wireless speeds ideal for streaming, gaming and more. • Large Capacity - Wi-Fi 6 increases the average throughput by 4 times and serves more devices.

• Ultra-Low Latency - Greater reduction in latency enables more responsive and smoother online experience.

OneMesh™ - Connect with a OneMesh™ router to create a mesh network for seamless whole-home coverage.



RE605X

AX1800 Wi-Fi 6 Range Extender

AX1800 **Dual-Band Wi-Fi**

Simultaneous 574 Mbps on 2.4 GHz + 1201 Mbps on 5 GHz



Stable Signals



Connection 1× Gigabit Ethernet Port



RE505X

AX1500 Wi-Fi 6 Range Extender

AX1500 **Dual-Band Wi-Fi**

Simultaneous 300 Mbps on 2.4 GHz + 1201 Mbps on 5 GHz



Stable Signals 2× External Antennas



Stronger Wired Connection

1× Gigabit Ethernet Port

> Blazing-Fast AC2600 Dual Band Wi-Fi

Using 4-Stream technology to boost its Wi-Fi capability, the RE650 reaches industry-leading maximum speeds of up to 800 Mbps on 2.4GHz, 1733 Mbps on 5GHz. This provides the speed and elite performance necessary to support your most demanding online applications, including simultaneous 4K streaming and lag-free gaming.



Great Wi-Fi Extension

RE650 establishes a stable wireless connection to any Wi-Fi router and boost the network's coverage by up to 14,000 square feet*.

4-Stream MU-MIMO

Improve overall speed and Wi-Fi throughput with 4x faster performance by simultaneous communication to multiple devices.



> High-Speed Gigabit Wired Connection











Range Extenders | 46

^{*}Maximum extended Wi-Fi coverage specification is based on performance test results. Actual Wi-Fi coverage may vary due to different environment, building material and wireless interferences

Wi-Fi 5 (11ac) Wi-Fi Range Extenders 💌



RE650

AC2600 MU-MIMO Wi-Fi Range Extender

AC2600 **Dual-Band Wi-Fi**

Simultaneous 800 Mbps on 2.4 GHz + 1733 Mbps on 5 GHz



4×4 MU-MIMO



AP Mode Supports AP Mode to Create a New Wi-Fi Access Point



RE550

AC1900 Wi-Fi Range Extender

AC1900 **Dual-Band Wi-Fi**

Simultaneous 600 Mbps on 2.4 GHz + 1300 Mbps on 5 GHz



AP Mode

Supports AP Mode to Create a New Wi-Fi Access Point



RE450

AC1750 Wi-Fi Range Extender

AC1750 **Dual-Band Wi-Fi**

Simultaneous 450 Mbps on 2.4 GHz + 1300 Mbps on 5 GHz.



AP Mode

Supports AP Mode to Create a New Wi-Fi Access Point



RE365

AC1200 Wi-Fi Range Extender

AC1200

AP Mode

Supports AP Mode to Create a New Wi-Fi Access Point

Integrated Power Socket



with AC Passthrough

Dual-Band Wi-Fi

Simultaneous 300 Mbps on 2 4 GHz + 867 Mbns on 5 GHz.

No Power Outlet Waste



RE315

AC1200 Wi-Fi Range Extender

AC1200 **Dual-Band Wi-Fi**

Simultaneous 300 Mbps on 2.4 GHz + 867 Mbps on 5 GHz



Supports AP Mode to Create a New Wi-Fi Access Point



RE305

AC1200 Wi-Fi Range Extender

AC1200 ((•)) **Dual-Band Wi-Fi**

Simultaneous 300 Mbps on 2.4 GHz + 867 Mbps on 5 GHz



Supports AP Mode to Create a New Wi-Fi Access Point



RE300

AC1200 Mesh Wi-Fi

AC1200

Simultaneous 300 Mbps on 5 GHz



Range Extender

Dual-Band Wi-Fi

on 2.4 GHz + 867 Mbps



- OneMesh™ Connect with a OneMesh™ router to create a mesh network for seamless whole-home coverage.
- Smart Signal Indicator Helps find the best location for optimal Wi-Fi coverage by showing signal strength.
- Access Control Flexibly restricts / allows access via Black / Whitelisting.
- Ultimate Compatibility Extend the range of any Wi-Fi router or wireless access point.
- TP-Link Tether App Provides simplified control and management from your iOS or Android phone.



RE230

AC750 Wi-Fi Range Extender

AC750 ((•))

Dual-Band Wi-Fi Simultaneous 300 Mbns on 2.4 GHz + 433 Mbps on 5 GHz

AP Mode

Supports AP Mode to Create a New Wi-Fi Access Point

RE215

AC750 Wi-Fi Range Extender

AC750 ((•))

Dual-Band Wi-Fi Simultaneous 300 Mbps on 2.4 GHz + 433 Mbps on 5 GHz

AP Mode

Supports AP Mode to Create a New Wi-Fi Access Point

RE205

AC750 Wi-Fi Range Extender

AC750 ((•)) **Dual-Band Wi-Fi**

on 5 GHz

Supports AP Mode

Simultaneous 300 Mbps on 2.4 GHz + 433 Mbps

AP Mode

to Create a New Wi-Fi Access Point

AC750 Wi-Fi Range Extender

AC750 **((•))**

Dual-Band Wi-Fi Simultaneous 300 Mbps

on 2.4 GHz + 433 Mbps on 5 GHz

RE200 / RE220

AP Mode **?**

Supports AP Mode to Create a New Wi-Fi Access Point

- Wi-Fi Dead-Zone Killer Keep your entire home connected with powerful Wi-Fi extensions at top speed
- OneMesh™ Connect with a OneMesh™ router to create a mesh network for seamless whole-home coverage.
- Smart Signal Indicator Helps find the best location for optimal Wi-Fi coverage by showing signal strength.
- Access Control Flexibly restricts / allows access via Black / White listing.
- Ultimate Compatibility Extend the range of any Wi-Fi router or wireless access point.
- TP-Link Tether App Provides simplified control and management from your iOS or Android phone.

Single-Band Range Extender



TL-WA860RE

300 Mbps Wi-Fi Range Extender with AC Passthrough

N300 Wi-Fi

300 Mbps Wi-Fi Speed Meets Your Daily Internet Needs

Integrated Power Socket

No Power Outlet Waste



AP Mode

Supports AP Mode to Create a New Wi-Fi



TL-WA855RE

300 Mbps Wi-Fi Range Extender

N300 Wi-Fi

300 Mbps Wi-Fi Speed Meets Your Daily Internet Needs

AP Mode Supports AP Mode to Create a New Wi-Fi

Access Point

300 Mbps Wi-Fi

TL-WA854RE

Range Extender

N300 Wi-Fi

300 Mbps Wi-Fi Speed Meets Your Daily Internet Needs



TL-WA850RE

300 Mbps Wi-Fi Range Extender

N300 Wi-Fi

300 Mbps Wi-Fi Speed Meets Your Daily Internet Needs



Supports AP Mode

to Create a New Wi-Fi Access Point

- Wi-Fi Dead-Zone Killer Keep your entire home connected with powerful Wi-Fi extensions at top speeds.
- Smart Signal Indicator Helps find the best location for optimal Wi-Fi coverage by showing signal strength.
- Access Control Flexibly restricts / allows access via Black / Whitelisting.
- Ultimate Compatibility Extend the range of any Wi-Fi router or wireless access point.
- TP-Link Tether App Provides simplified control and management from your iOS or Android phone.

47 | Range Extenders Range Extenders | 48

WHICH IS THE RIGHT TP-Link RANGE EXTENDER FOR YOU?

| | | | | | | | Dual-Band | | | | | | | | | | Single | e-Band | |
|---------------------------------|--|--|--|--|---|--------------------------------|--------------------------------|--|--------------------------------|--------------------------------|--------------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|--|----------------------------------|----------------------------------|----------------------------------|
| | due | <i>0</i> | | | (C) 11 to | (a) | 7 (2 0 (2 | | - | | | | | | 1 | | | | |
| Model | RE600X | RE500X | RE605X | RE505X | RE650 | RE550 | RE450 | RE365 | RE315 | RE305 | RE300 | RE230 | RE215 | RE205 | RE200/RE220 | TL-WA860RE | TL-WA855RE | TL-WA854RE | TL-WA850RE |
| Description | AX1800 Mesh Wi-Fi Range Extender | AX1500 Mesh Wi-Fi Range Extender | AX1800 Mesh Wi-Fi Range Extender | AX1500 Mesh Wi-Fi Range Extender | AC2600 MU-MIMO Wi-Fi Range Extender | AC1900 Wi-Fi Range Extender | AC1750 Wi-Fi Range Extender | AC1200 Wi-Fi Range Extender with AC Passthrough | AC1200 Wi-Fi Range Extender | AC1200 Wi-Fi Range Extender | AC1200 Wi-Fi Range Extender | AC750 Wi-Fi Range Extender | AC750 Wi-Fi Range Extender | AC750 Wi-Fi Range Extender | AC750 Wi-Fi Range Extender | 300 Mbps Wi-Fi Range Extender with AC Passthrough | 300 Mbps Wi-Fi Range Extender | 300 Mbps Wi-Fi Range Extender | 300 Mbps Wi-Fi Range Extender |
| Wi-Fi Speed (2.4 GHz) | 574 Mbps | 300 Mbps | 574 Mbps | 300 Mbps | 800 Mbps | 600 Mbps | 450 Mbps | 300 Mbps | 300 Mbps | 300 Mbps | 300 Mbps | 300 Mbps | 300 Mbps | 300 Mbps | 300 Mbps | 300 Mbps | 300 Mbps | 300 Mbps | 300 Mbps |
| Wi-Fi Speed (5 GHz) | 1201 Mbps | 1201 Mbps | 1201 Mbps | 1201 Mbps | 1733 Mbps | 1300 Mbps | 1300 Mbps | 867 Mbps | 867 Mbps | 867 Mbps | 867 Mbps | 433 Mbps | 433 Mbps | 433 Mbps | 433 Mbps | | | | |
| Ethernet Ports | 1× Gigabit Ethernet | 1× Gigabit Ethernet | 1× Gigabit Ethernet | 1× Fast Ethernet | 1× Fast Ethernet | 1× Fast Ethernet | | 1× Fast Ethernet | 1× Fast Ethernet | | 1× Fast Ethernet |
| Antennas | 2× Internal | 2× Internal | 2× External | 2× External | 4× External | 3× External | 3× External | 2× External | 2× External | 2× External | 2× Internal | 2× Internal | 2× External | 2× External | 3× Internal | 2× External | 2× External | 2× Internal | 2× Internal |
| MU-MIMO with Beamforming | • | | • | | • | • | | | | | | | | | | | | | |
| 4-Stream | | | | | | | | | | | | | | | | | | | |
| OneMesh™ | | | • | • | • | | | • | • | • | | | • | • | • | | | | |
| APS (Adaptive Path Selection) | • | • | • | • | ٠ | | | • | • | • | • | | • | • | • | | | | |
| Smart Signal Indicator Light | • | • | • | • | • | • | • | | | | | | • | | ٠ | • | • | • | • |
| Tether App | • | • | • | • | • | • | • | • | • | • | • | • | • | | • | • | • | • | • |
| AP Mode | • | • | • | • | | | • | | | | | | • | • | • | • | • | | • |
| WPS Button | • | • | • | • | | • | • | | | | • | • | • | | | • | • | • | • |
| Multi-Language | • | • | • | • | | • | • | | | | • | | • | | • | • | • | • | • |
| High Speed Mode | • | • | • | • | | | • | • | • | • | • | • | • | | • | | | | |
| Access Control | • | • | • | • | | • | • | | | | • | | • | | | | • | • | • |

^{1.} Maximum extended Wi-Fi coverage specification is based on performance test results. Actual Wi-Fi coverage may vary due to particular environment, building material, and wireless interference.

2. The Onemesh™ function is still developing on models of RE650, RE450.


Powerline

With TP-Link's Powerline adapters, there's no need for drilling or wire installation. You can turn your home's electrical wiring into a high-speed network with ease.

Every single adapter acts as a portable LAN port, transmitting the wired and wireless network to any place in your home where there's a power socket, regardless of thick walls and floors.

Simply Plug and Play and enjoy simple network management with our user-friendly tpPLC app, tpPLC Utility, and Web Interface.





> Faster over the Powerline

The latest HomePlug AV2 technology delivers speeds of up to 1300 Mbps over Powerline, preventing you from losing speed during transfers. TL-WPA8631P extends 2.4 GHz (300 Mbps) + 5 GHz (867 Mbps) dual-band Wi-Fi to any area in your home and shares that connection with all of your favorite wired and wireless devices.



> Enjoy a Stable, Seamless Wi-Fi

With OneMeshTM Technology, the TL-WPA8631P KIT works with your existing OneMeshTM Router to form a unified Mesh network. No more switching Wi-Fi network names, enjoy uninterrupted streaming when moving around your home and manage your wireless network all with the tpPLC app.



More Gigabit Ethernet Ports, More Devices

Equipped with three gigabit Ethernet ports, the TL-WPA8631P provides ultra-fast wired connections.



Plug and Play

Ditch complicated setup processes for good. Connect TL-PA8010P to your router, then plug in the TL-WPA8631P wherever you need extra coverage. Then you're all good!



51 | Powerline | 52

Internet Goes Further with Your Home's Electrical System

AV600 Powerline Wi-Fi Kit TL-WPA4220 KIT

















Gigabit Network Goes Further with AV1000 Powerline

AV1000 Gigabit Passthrough Powerline Starter Kit

TL-PA7017P KIT













Wireless Powerline Extenders



TL-WPA8631P KIT

AV1300 Gigabit Passthrough Powerline ac Wi-Fi Kit


*TL-WPA8631P + TL-PA8010P



Supports All Online Needs

AC1200 Dual-Band Wi-Fi

> 867 Mbps (5 GHz) and 300 Mbps (2.4 GHz)



Creates Faster Connections

Extra Power Socket Ensures No Power Outlet

Goes to Waste



TL-WPA7617 KIT

AV1000 Gigabit Powerline ac Wi-Fi Kit

*TL-WPA7617 + TL-PA7017P

HomePlug AV2 1000 Mbps

Supports All Online Needs

AC1200 Dual-Band Wi-Fi 867 Mbps (5 GHz) and 300

Mbps (2.4 GHz)

1+1 Gigabit Ethernet Ports

Creates Faster Connections

Extra Power Socket Ensures No Power Outlet

Goes to Waste



TL-WPA7517 KIT

AV1000 Gigabit Powerline ac Wi-Fi Kit

*TL-WPA7517 + TL-PA7017

HomePlug AV2

1000 Mbps Supports All Online Needs

AC750 Dual-Band

Wi-Fi 433 Mbps (5 GHz) and 300 Mbps (2.4 GHz)

> 1+1 Gigabit Ethernet **Ports**

Creates Faster Connections



TL-WPA4226 KIT

AV600 Powerline Wi-Fi Kit

*TL-WPA4220 + TL-PA4020P

HomePlug AV2 600 Mbps

Ideal for Lag-Free Streaming

N300 Wi-Fi 300 Mbps (2.4 GHz)




2+2 Fast Ethernet Ports

> Provides High-Speed Connections



Extra Power Socket Ensures No Power Outlet

Goes to Waste



- Plug and Play Set up your powerline network and start enjoying fast, seamless wired/wireless connections in minutes. • OneMesh™- Works with your OneMesh™ router to form a unified mesh network for seamless streaming while moving around your home.*
- One-Button Security Press the Pair button on each adapter to instantly secure your network.
- One-Touch Wi-Fi Configuration One press of the Wi-Fi button copies the network name and password from your router. Any setting changes will be automatically applied to the entire Powerline network.
- Easy Management Gives you easy control of your network through a powerful web interface, the user-friendly tpPLC Utility and the intuitive tpPLC mobile app.

The Perfect Companion for Bandwidth Demanding Activities

With advanced HomePlug AV2 technology, TL-PA7017P KIT provides high-speed data transfer rates of up to 1000 Mbps—ideal for bandwidth intensive applications. A Gigabit Ethernet port ensures smooth transmissions and provides reliable high-speed connection for PCs, game consoles, STB, and more.



Plug and Play, No Configuration Required

Connect a powerline adapter to your router, plug another powerline adapter into a wall socket in another room, and connect it to your internet-enabled device via Ethernet—now you're all done!



Don't Worry about Occupying an Outlet

Simply plug into your TL-PA7017P KIT as though it were a normal wall socket. Feel free to plug in PCs, smart TVs, or other wired appliances without any performance differences.



53 | Powerline Powerline | 54

^{*} The OneMesh™ Function is still developing on TL-WPA7617/7517/4226/4220 KIT, and will be worked on the new version

Passthrough Powerline Adapters



TL-PA9020P KIT

AV2000 2-Port Gigabit Passthrough Powerline Starter Kit

*2× TL-PA9020P



HomePlug AV2 2000 Mbps Supports All Online Needs



2×2 MIMO Technology

Simultaneous Connections for Numerous Devices



2+2 Gigabit Ethernet Ports

Creates Faster Connections



TL-PA8033P KIT

AV1300 3-Port Gigabit Passthrough Powerline Starter Kit

*TL-PA8010P + TL-PA8030P



HomePlug AV2 1300 Mbps Supports All Online Needs



2×2 MIMO Technology

Simultaneous Connections for Numerous Devices



1+3 Gigabit Ethernet Ports

Creates Faster Connections



TL-PA8030P KIT

AV1300 3-Port Gigabit Passthrough Powerline Starter Kit

*2×TL-PA8030P



HomePlug AV2 1300 Mbps Supports All Online Needs



2×2 MIMO Technology

Simultaneous Connections for Numerous Devices



3+3 Gigabit Ethernet Ports

Creates Faster Connections



TL-PA8010P KIT

AV1300 Gigabit Passthrough Powerline Starter Kit

*2× TL-PA8010P



HomePlug AV2 1300 Mbps

Supports All Online Needs



2×2 MIMO Technology Simultaneous Connections for Numerous Devices



1+1 Gigabit Ethernet Ports

Creates Faster Connections



TL-PA7027P KIT

AV1000 2-port Gigabit Passthrough Powerline Starter Kit

*2× TL-PA7027P



HomePlug AV2 1000 Mbps Supports All Online Needs



2+2 Gigabit Ethernet Ports

Creates Faster Connections



TL-PA7017P KIT

AV1000 Gigabit Passthrough Powerline Starter Kit

*2× TL-PA7017P




HomePlug AV2 1000 Mbps Supports All Online Needs





1+1 Gigabit Ethernet Ports Creates Faster Connections



- One-Button Security Press the Pair button on each adapter to instantly secure your network.
- Extra Power Socket Ensures no power outlet goes to waste.
- Patented Power-Saving Mode Automatically reduces power consumption by up to 85%.



TL-PA4022P KIT

AV600 2-Port Passthrough Powerline Starter Kit

*TL-PA4010P + TL-PA4020P



HomePlug AV2 600 Mbps

Ideal for Lag-Free Streaming



1+2 Fast Ethernet Ports

Provides High-Speed Connections



TL-PA4020P KIT

AV600 2-Port Passthrough Powerline Starter Kit

*2× TL-PA4020P



HomePlug AV2 600 Mbps Ideal for Lag-Free Streaming



2+2 Fast Ethernet Ports

Provides High-Speed Connections



TL-PA4010P KIT

AV600 Passthrough Powerline Starter Kit

*2×TL-PA4010P



HomePlug AV2 600 Mbps Ideal for Lag-Free Streaming



1+1 Fast Ethernet Ports

Provides High-Speed Connections

- Plug and Play Set up your powerline network and start enjoying fast wired connections in minutes.
- One-Button Security Press the Pair button on each adapter to instantly secure your network
- Extra Power Socket Ensures no power outlet goes to waste.
- Patented Power-Saving Mode Automatically reduces power consumption by up to 85%.

Powerline Adapters



TL-PA7017 KIT

AV1000 Gigabit Powerline Starter Kit

*2× TL-PA7017



HomePlug AV2 1000 Mbps Supports All Online Needs



1+1 Gigabit Ethernet Ports

Creates Faster Connections



TL-PA4010 KIT

AV600 Powerline Starter Kit

*2×TL-PA4010



HomePlug AV2 600 Mbps Ideal for Lag-Free Streaming



1+1 Fast Ethernet Ports Provide High-Speed Connections

- Plug and Play Set up your powerline network and start enjoying fast wired connections in minutes.
- One-Button Security Press the Pair button on each adapter to instantly secure your network.
- Patented Power-Saving Mode Automatically reduces power consumption by up to 85%.

55 | Powerline Powerline | 56

WHICH IS THE RIGHT TP-Link **POWERLINE FOR YOU?**

| | | | Powerline | e Extender | | | | | | | | Р | owerline Adapt | er | | | | |
|---|---|--|--|--|---------------------------------|---------------------------------|---|---|---|--|---|---|--|---|--|--|--|-----------------------------------|
| | AV1300 | | AV1000 | | AV | 600 | AV2000 | | AV1 | 1300 | | | AV1000 | | | AV | 600 | |
| | | C. | | | | | 27 | 27 | | 27 | 27 | | | Ser l | 1000 | | 1000 | |
| Model | TL-WPA8631P KIT | TL-WPA7617 KIT | TL-WPA7517 KIT | TL-WPA7510 KIT | TL-WPA4226 KIT | TL-WPA4220 KIT | TL-PA9020P KIT | TL-PA8033P KIT | TL-PA8030P KIT | TL-PA8010P KIT | TL-PA8010 KIT | TL-PA7027P KIT | TL-PA7017P KIT | TL-PA7017 KIT | TL-PA4022P KIT | TL-PA4020P KIT | TL-PA4010P KIT | TL-PA4010 KIT |
| Description | AV1300 Gigabit Passthrough Powerline ac Wi-Fi Kit | AV1000 Gigabit Powerline ac Wi-Fi Kit | AV1000 Gigabit Powerline ac Wi-Fi Kit | AV1000 Gigabit Powerline ac Wi-Fi Kit | AV600 Powerline Wi-Fi Kit | AV600 Powerline Wi-Fi Kit | AV2000 2-Port Gigabit Passthrough Powerline Starter Kit | AV1300 3-Port Gigabit Passthrough Powerline Starter Kit | AV1300 3-Port Gigabit Passthrough Powerline Starter Kit | AV1300 Gigabit Passthrough Powerline Starter Kit | AV1300 Gigabit Powerline Starter Kit | AV1000 2-Port Gigabit Passthrough Powerline Starter Kit | AV1000 Gigabit Passthrough Powerline Starter Kit | AV1000 Gigabit Powerline Starter Kit | AV600 2-Port Passthrough Powerline Starter Kit | AV600 2-Port Passthrough Powerline Starter Kit | AV600 Passthrough Powerline Starter Kit | AV600 Powerline Starter Kit |
| Speed over Powerline | 1300 Mbps | 1000 Mbps | 1000 Mbps | 1000 Mbps | 600 Mbps | 600 Mbps | 2000 Mbps | 1300 Mbps | 1300 Mbps | 1300 Mbps | 1300 Mbps | 1000 Mbps | 1000 Mbps | 1000 Mbps | 600 Mbps | 600 Mbps | 600 Mbps | 600 Mbps |
| Wi-Fi Speed | 1200 Mbps | 1200 Mbps | 750 Mbps | 750 Mbps | 300 Mbps | 300 Mbps | | | | | | | | | | | | |
| No. of Ethernet Ports | 1+3 | 1+1 | 1+1 | 1+1 | 2+2 | 1+2 | 2+2 | 1+3 | 3+3 | 1+1 | 1+1 | 2+2 | 1+1 | 1+1 | 1+2 | 2+2 | 1+1 | 1+1 |
| Gigabit Connection | • | • | • | • | | | | | • | • | | • | | • | | | | |
| Extra Power Socket | • | • | | | • | | | • | • | • | | • | • | | • | • | • | |
| TP-Link OneMesh™ Technology* | • | • | • | | | • | | | | | | | | | | | | |
| One-Touch Wi-Fi Configuration / Auto-Sync Wi-Fi Settings | • | • | • | • | • | • | | | | | | | | | | | | |
| 2×2 MIMO | • | | | | | | • | • | • | • | • | | | | | | | |
| LED On/Off Button | • | • | • | • | | | | | | | | | | | | | | |
| tpPLC App | • | • | • | • | • | • | | | | | | | | | | | | |
| tpPLC Utility | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • |
| Power-Saving Mode | | | | | | | • | | • | • | • | • | • | • | • | • | • | • |
| Multiplayer Gaming / 4K Video Streaming | • | • | • | • | | | | • | • | | • | | • | • | | | | |

^{*} The theoretical maximum channel data transfer rate is derived from HomePlug AV2 specifications. Actual data transfer rate will vary from network environment including: distance, network traffic, noise on electrical

57 | Powerline Powerline | 58

wires, building material and construction, quality of electrical installation, and other adverse conditions.

*The OneMesh™ Function is still developing on TL-WPA7617/7517/4226/4220 KIT, and will be worked on the new version.

3G/4G Routers

Share the freedom of 3G/4G data at home! No need to rely on a Wi-Fi hotspot, just enjoy the flexibility of a wireless connection. Improve the value of your dongle or SIM card with a 3G/4G router. Compatibility with SIM cards in 100+ countries is assured by years of field tests. Simply plug in your SIM card and start using your devices without any enable you to share a single 3G/4G connection with multiple friends, family members or colleagues at the same time.





4G LTE Routers ▼



Archer MR600

4G+ Cat6 AC1200 Wireless **Dual-Band Gigabit Router**



of up to 300 Mbps

AC1200 **Dual-Band Wi-Fi** 867 Mbps (5 GHz) and

300 Mbps (2.4 GHz)

High Efficiency Network 2×2 MU-MIMO

Capacity

Access for up to 64 Devices Simultaneously



Archer MR500

4G+ Cat6 AC1200 Wireless **Dual-Band Gigabit Router**

4G LTE-Advanced Cat6 Enjoy Download Speeds

of up to 300 Mbps

300 Mbps (2.4 GHz)

AC1200 **Dual-Band Wi-Fi** 867 Mbps (5 GHz) and

High Efficiency Network

• OneMesh™ - Flexibly create a whole home Wi-Fi with truly seamless online experience.

2×2 MU-MIMO

Capacity Access for up to 64 Devices Simultaneously



Archer MR400

4G LTE Cat4

AC1200 Wireless **Dual-Band 4G LTE Router**

Enjoy Download Speeds

Dual-Band Wi-Fi

867 Mbps (5 GHz) and

300 Mbps (2.4 GHz)

High Efficiency

Access for up to 64 Devices Simultaneously

Network

Capacity

2×2 MU-MIMO

of up to 150 Mbps

AC1200



Archer MR200



Enjoy Download Speeds of up to 150 Mbps

Dual-Band 4G LTE Router

AC750 Wireless

AC750 ((•)) **Dual-Band Wi-Fi**

433 Mbps (5 GHz) and 300 Mbps (2.4 GHz)

Capacity

Access for up to 64 Devices Simultaneously

- Plug a SIM Card and Play No configuration needed, compatibility with SIM cards in 100+ countries is assured by years of field tests.
- Detachable LTE Antennas Detachable LTE antennas provide high performance and stable cellular network connections.
- Multiple Modes With a fully functional WAN/LAN port, works as a router compatible with cable, fiber, and DSL modems.
- Available WAN Connection Backup WAN and 3G/4G failover backup strategy for a sustained internet connection.
- 3G/4G Network Support FDD-LTE/TDD-LTE/DC-HSPA+/SPA+/HSPA/UMTS.
- TP-Link Tether App Provides simplified control and management from your iOS or Android smartphone.
- Advanced Software Equipped with various software functions including parental controls and traffic management.

59 | 3G/4G Routers 3G/4G Routers | 60



TL-MR6400 / TL-MR150

300 Mbps Wireless N 4G LTE Router







N300 Wi-Fi Speed 300 Mbps Wi-Fi for Daily Needs



Capacity

Access for up to 32 Devices Simultaneously



TL-MR100

300 Mbps Wireless N 4G LTE Router



LTE Cat4

Enjoy Download Speeds of up to 150 Mbps



N300 Wi-Fi Speed 300 Mbps Wi-Fi for Daily Needs



Capacity

Access for up to 32 Devices Simultaneously

- Plug a SIM Card and Play No configuration needed, compatibility with SIM cards in 100+ countries with years of field tests.
- Detachable LTE Antennas Detachable LTE antennas provide high performance and stable cellular network connections.
- Multiple Modes With a fully functional WAN/LAN port, works as a router compatible with cable, fiber, and DSL modems.
- Available WAN Connection Backup WAN and 3G/4G failover backup strategy for a sustained internet connection.
- 3G/4G Network Support FDD-LTE/TDD-LTE/DC-HSPA+/SPA+/HSPA/UMTS.
- Easy Setup and Management Enjoy simplified control and management with the free Tether app.

4G LTE Telephony Router ▼





300 Mbps Wireless N 4G LTE Telephony Router

TL-MR6500v

- LTE Cat4 Enjoy Download Speeds of up to 150 Mbps.
- N300 Wi-Fi Speed 300 Mbps Wi-Fi for Daily Needs.
- HD Quality Telephony Support VoIP | VoLTE | CSFB and 100 Min Storage for Voicemail.









Support



Better Reliability





Connect up to 32

3G/4G Wireless Routers



(TDD and FDD) Wireless Speed



TL-MR3420

3G/4G Wireless N Router

((•)) Desktop Design Designed for Flat Surfaces



Tether App Supported


Easy Usage

Works with 3G/4G USB Modems



TL-MR3020

Portable 3G/4G Wireless N Router



3G/4G Router, WISP Client Router, and AP Modes



Portable Design

Small and Light Enough to Take on the Road



Works with 3G/4G USB Modems

• Easy Wi-Fi Sharing - Share 3G/4G mobile broadband with wireless speeds of up to 300 Mbps.

WHICH IS THE RIGHT TP-Link **3G/4G ROUTER FOR YOU?**

| | | | | 4G LTE Route | r | | | 3G/4G Wire | eless Router |
|----------------------------|---|---|---|---|---|--|--|--|---|
| | | | - | - | | | | | |
| Model | Archer MR600 | Archer MR500 | Archer MR400 | Archer MR200 | TL-MR6400 /TL-MR150 | TL-MR100 | TL-MR6500v | TL-MR3420 | TL-MR3020 |
| Description | 4G+ Cat6 AC1200 Wireless Dual-Band Gigabit Router | 4G+ Cat6 AC1200 Wireless Dual-Band Gigabit Router | AC1200 Wireless Dual-Band 4G LTE Router | AC750 Wireless Dual-Band 4G LTE Router | 300 Mbps Wireless N 4G LTE Router | 300 Mbps Wireless N 4G LTE Router | 300 Mbps Wireless N 4G LTE Router | 3G/4G Wireless N Router | Portable 3G/4G Wireless N Router |
| Wireless Standards | IEEE 802.11a/n/ ac 5 GHz, IEEE 802.11b/g/n 2.4 GHz | IEEE 802.11a/n/ ac 5 GHz, IEEE 802.11b/g/n 2.4 GHz | IEEE 802.11a/n/ ac 5 GHz, IEEE 802.11b/g/n 2.4 GHz | IEEE 802.11a/n/ ac 5 GHz, IEEE 802.11b/g/n 2.4 GHz | IEEE 802.11b/g/n 2.4 GHz | IEEE 802.11b/g/n 2.4 GHz | IEEE 802.11b/g/n 2.4 GHz | IEEE 802.11b/g/n 2.4 GHz | IEEE 802.11b/g/n 2.4 GHz |
| Wi-Fi Speed & Frequency | 300 Mbps 2.4 GHz + 867 Mbps 5 GHz | 300 Mbps 2.4 GHz + 867 Mbps 5 GHz | 300 Mbps 2.4 GHz + 867 Mbps 5 GHz | 300 Mbps 2.4 GHz + 433 Mbps 5 GHz | 300 Mbps 2.4 GHz | 300 Mbps 2.4 GHz | 300 Mbps 2.4 GHz | 300 Mbps 2.4 GHz | 300 Mbps 2.4 GHz |
| LTE Standard | Cat6 300 Mbps Downlink 50 Mbps Uplink | Cat6 300 Mbps Downlink 50 Mbps Uplink | Cat4 150 Mbps Downlink 50 Mbps Uplink | Cat4 150 Mbps Downlink 50 Mbps Uplink | Cat4 150 Mbps Downlink 50 Mbps Uplink | Cat4 150 Mbps Downlink 50 Mbps Uplink | Cat4 150 Mbps Downlink 50 Mbps Uplink | | |
| Wireless Mode | 3G/4G Router, Wi-Fi Router | 3G/4G Router, Wi-Fi Router | 3G/4G Router, Wi-Fi Router | 3G/4G Router, Wi-Fi Router | 3G/4G Router, Wi-Fi Router | 3G/4G Router, Wi-Fi Router | 3G/4G Router, Wi-Fi Router | 3G/4G Router, Wi-Fi Router | 3G/4G Router, Travel Router (AP), WISP Client Router |
| Ethernet Ports | 1× 10/100/1000 Mbps LAN/WAN 3× 10/100/1000 Mbps LAN | 1× 10/100/1000 Mbps LAN/WAN 3× 10/100/1000 Mbps LAN | 3× 10/100 Mbps LAN 1× 10/100 Mbps LAN/WAN | 3× 10/100 Mbps LAN 1× 10/100 Mbps LAN/WAN | 3× 10/100 Mbps LAN 1× 10/100 Mbps LAN/WAN | 1× 10/100 Mbps LAN 1× 10/100 Mbps LAN/WAN | 2× 10/100 Mbps LAN 1× 10/100 Mbps LAN/WAN 1× Phone Port | 1× 10/100 Mbps WAN 4× 10/100 Mbps LAN | 1× 10/100 Mbps WAN/LAN Port |
| Antennas | 2× Detachable LTE Antennas | 2× Detachable LTE Antennas | 2× Detachable LTE Antennas (V1/V3) 2× Internal LTE Antennas(V2) | 2× Detachable LTE Antennas (V1/V2/V4) 2× Internal LTE Antennas(V3) | 2× Detachable LTE Antennas (V1/V2/V4) 2× Internal LTE Antennas (V3/APAC) | 2× Detachable LTE Antennas | 2× Detachable LTE Antennas | 2× External Fixed Antennas(V3/V4) 2× Detachable Antennas(V1/V2) | 2× Internal Antenna |
| Button | WPS Button, Reset Button, Wi-Fi On/Off Button, Power On/Off Button | WPS Button, Reset Button, Wi-Fi On/Off Button, Power On/Off Button | WPS/Reset Button, Wi-Fi On/Off Button, Power On/Off Button | WPS/Reset Button, Wi-Fi On/Off Button, Power On/Off Button | WPS/Reset Button, Wi-Fi On/Off Button, Power On/Off Button | WPS/Reset Button | WPS/Reset Button | WPS/Reset Button Wi-Fi On/Off Switch, Power On/Off Button | Reset Button, Mode Switch |
| Tether APP | • | • | • | • | • | | • | • | |
| OneMesh™ | • | • | • | • | | | | | |
| MU-MIMO | • | • | • | | | | | | |
| Telephony | | | | | | | • | | |
| Network Support | 4G: FDD-LTE: B1/B3/B5/B7/ B8/B20/B28 (2100/1800/850/ 2600/900/ 800/700 MHz) TDD-LTE: B38//B40/B41 (2600/2300/ 2500 MHz) 3G: DC-HSPA+/ HSPA/ UMTS: B1/B5/B8 (2100/850/900 MHz) | 4G: FDD-LTE: B1/B3/B5/B7/ B8/B20/B28 (2100/1800/850/ 2600/900/800/7 00MHz) TDD-LTE: B38/B40/B41 (2600/2300/ 2500 MHz) 3G: DC-HSPA+/ HSPA/UMTS: B1/B5/B8 (2100/850/ 900 MHz) | 4G: FDD-LTE: B1/B3/B7/B8/ B20(2100/1800/ 2600/ 900/800 MHz) TDD-LTE: B38/B39/B40/ B41 (2600/1900/ 2300/2500 MHz) 3G: DC-HSPA+/ HSPA+/ HSPA/UMTS: B1/B8 (2100/900 MHz) | 4G: FDD-LTE: B1/B3/B7/B8/ B20(2100/1800/ 2600/ 900/800 MHz) TDD-LTE: B38/B39/B40/ B41 (2600/1900/ 2300/2500 MHz) 3G: DC-HSPA+/ HSPA+/ HSPA/UMTS: B1/B8 (2100/900 MHz) | 4G: FDD-LTE: B1/B3/B7/B8/ B20(2100/1800/ 2600/ 900/800 MHz) TDD-LTE: B38/B39/B40 B41 (2600/1900/ 2300/2500 MHz) 3G: DC-HSPA+/ HSPA+/ HSPA/UMTS: B1/B8 (2100/900 MHz) *APAC Version supports | 4G: FDD-LTE: B1/B3/B5/ B7/B8/B20 (2100/1800/ 850/2600/ 900/800 MHz) TDD-LTE: B38/B40/B41 (2600/2300/ 2500 MHz) 3G: HSPA+/ UMTS: B1/B5/B8 (2100/850/ 900 MHz) | 4G: FDD-LTE: B1/B3/B7/ B8/B20 (2100/1800/ 2600/ 900/800 MHz) TDD-LTE: B38/B40/B41 (2600/2300/ 2500 MHz) 3G: DC-HSPA+/ HSPA/UMTS: B1/B8 (2100/900 MHz) | LTE/HSPA+/ HSPA/ UMTS/EVDO 3G/4G USB modems | LTE/HSPA+/ HSPA/ UMTS/EVDO 3G/4G USB modems |

61 | 3G/4G Routers 3G/4G Routers | 62

DSL Modem Routers

The world moves quicker every day. More homes now have multiple devices requiring strong, steady wireless signals. Luckily, faster internet is just a broadband modem away.

TP-Link's family of DSL modem routers are compatible with the leading DSL service providers to meet all your networking needs. TP-Link offers a wide range of innovative DSL modem routers that allow you to easily access and manage your network through our own app. Moreover, TP-Link's family of DSL modem routers can be used for your advanced landline calls and empower your home entertainment. Featuring a variety of features and rich functionality, they act as the perfect space-saving hub for your home or business network.





Super VDSL - the Future of Internet Access

The Archer VR2100 features Super VDSL (VDSL2 Profile 35b), the latest generation of DSL technology. Downstream is increased by up to 350 Mbps, 3.5× faster than its VDSL2 predecessor. The integrated DSL port also supports all standard DSL connections.

Super VDSL

350_{Mbps}

100

100_{Mbps}

24_{Mbps}



Supports TP-Link OneMesh™ for Whole-Home Coverage

TP-Link OneMesh products work together to provide a more flexible and cost-effective Mesh network with a single Wi-Fi name for seamless whole-home coverage.



> Enjoy Your Network at Full Speed

The Archer VR2100 makes full use of its dual-band Wi-Fi abilities, reaching speeds of up to 1733 Mbps on 5 GHz band and 300 Mbps on 2.4 GHz band. Enjoy a total speed of up to 2.1 Gbps to eliminate latency and buffering from your HD streams and lag from online games.



DSL Modern Routers 64



VDSL Modem Routers ▼



Archer VR2800

AC2800 Wireless MU- MIMO VDSL/ADSL **Modem Router**

AC2800 Dual-Band Wi-Fi

> 2167 Mbps (5 GHz) and 600 Mbps (2.4 GHz)



High-Efficiency Network 4×4 MU-MIMO

65 | DSL Modem Routers



Archer VR2100

AC2100 Wireless MU- MIMO VDSL/ADSL **Modem Router**

AC2100 Dual-Band Wi-Fi

> 1733 Mbps (5 GHz) and 300 Mbps (2.4 GHz)

Super VDSL

350 Mbps VDSL Access

High-Efficiency Network 4×4 MU-MIMO

OneMesh™

Flexibly Create a Whole- Home Wi-Fi



Archer VR600

AC2100 Wireless MU-MIMO VDSL/ADSL **Modem Router**

AC2100 Dual-Band Wi-Fi

> 1733 Mbps (5 GHz) and 300 Mbps (2.4 GHz)

Super VDSL 350 Mbps VDSL Access

High-Efficiency Network 4×4 MU-MIMO

OneMesh™ Flexibly Create a

Whole-Home Wi-Fi

High-Efficiency Network 2×2 MU-MIMO

Archer VR400

Dual-Band Wi-Fi

867 Mbps (5 GHz) and

High-Speed VDSL

100 Mbps VDSL Access

300 Mbps (2.4 GHz)

MU- MIMO VDSL/ADSL

AC1200 Wireless

Modem Router

AC1200

Access

OneMesh™ Flexibly Create a

Whole- Home Wi-Fi

- Superior Coverage High-performance antennas provide maximum omni-directional wireless coverage.
- Compatibility Fully compatible with VDSL2/ADSL2+/ADSL2/ADSL standards.
- Versatile Connectivity Equipped with DSL and LAN/WAN ports for full compatibility with DSL connections and Fiber/Cable access.
- Full Gigabit Ports Provide rapid, reliable wired connections to computers, TVs, and game consoles.
- IPTV Port VLAN binds specific LAN ports to PVCs for an enjoyable IPTV experience.
- Multi-Function Software Varied software functions such as Parental Controls, QoS, and Guest Network for safety and effectiveness. **TP-Link Tether App** - Provides simplified control and management from your iOS or Android smartphone.
- Easy Installation Integrated mainstream ISP profiles with the most common provider information built into the Tether and Web UI.
- 6KV Lightning Protection Provides shields against electrical damage caused by thunderstorms. Enjoy your life even in bad weather.



Archer VR300

AC1200 Wireless VDSL/ **ADSL Modem Router**

AC1200 Dual-Band Wi-Fi 867 Mbps (5 GHz) and 300 Mbps (2.4 GHz)

Fast Wired Connections

Fast Ethernet Ports



TD-W9970

300 Mbps Wireless N USB VDSL/ADSL Modem Router

N300 Wi-Fi 300 Mbps (2.4 GHz)

Fast Wired Connections

Fast Ethernet Ports and USB 2.0

N300 Wi-Fi 300 Mbps (2.4 GHz)

Fast Wired Connections

300 Mbps Wireless N VDSL/

Fast Ethernet Ports

TD-W9960

ADSL Modem Router

- Superior Coverage High-Performance antennas provide maximum omni-directional wireless coverage
- Compatibility Fully compatible with VDSL2/ADSL2+/ADSL2/ADSL standards.
- Versatile Connectivity Equipped with DSL and LAN/WAN ports for full compatibility with DSL connections and Fiber/Cable access.
- TP-Link Tether App Provides simplified control and management from your iOS or Android smartphone.

Telephony VDSL Modem Routers ▼



Archer VR2100v

AC2100 Wireless MU-MIMO VDSL/ **ADSL Telephony Modem Router**

AC2100 Dual-Band Wi-Fi 1733 Mbps (5 GHz) + 300 Mbps (2.4 GHz)

Lightning-Fast Wired

Connections Full Gigabit Ports and USB 3.0

HD Quality Telephony 6x DECT + 2x Analog Telephone + 270 Min Storage for Voicemail

1300 Mbps (5 GHz) + 300 Mbps (2.4 GHz)

Lightning-Fast Wired

AC1600 Dual-Band Wi-Fi

Archer VR600v

ADSL Modem Router

Connections

Full Gigabit Ports and USB 2.0


HD Quality Telephony 6x DECT + 2x Analog Telephone + 270 Min Storage for Voicemail

AC1600 Wireless Gigabit VolP VDSL/




TD-W9960v

DSL Internet Box



300 Mbps (2.4 GHz)





HD Quality Telephony



6x DECT + 1x Analog Telephone

- Superior Coverage High-Performance antennas provide maximum omni-directional wireless coverage.
- Compatibility Fully compatible with VDSL2/ADSL2+/ADSL2/ADSL standards.
- Versatile Connectivity Equipped with DSL and LAN/WAN ports for full compatibility with DSL connections and Fiber/Cable access. • TP-Link Tether App - Provides simplified control and management from your iOS or Android smartphone.
- Easy Installation Integrated mainstream ISP profiles with the most common provider information built into the Tether and Web UI.
- 6KV Lightning Protection Provides shields against electrical damage caused by thunderstorms. Enjoy your life even in bad weather.

ADSL Modem Router ▼



300 Mbps Wireless N ADSL2+ Modem Router

TD-W8961N

- N300 Wi-Fi 300 Mbps wireless speed for multi-user HD video streaming
- Great Coverage 2× fixed high-performance antennas provide maximum omni-directional wireless coverage
- Compatibility Fully compatible with ADSL2+/ADSL2/ADSL standards



DSL Modem Routers | 66

WHICH IS THE RIGHT TP-Link DSL MODEM ROUTER FOR YOU?

| | | | | VDSL Modem Router | | | | | Telephony VDSL Modem Router | | ADSL2+ Modem Router |
|--|--|--|--|--|---|--|---|--|--|---|--|
| | | | | | | | | | | | |
| Model | Archer VR2800 | Archer VR2100 | Archer VR600 | Archer VR400 | Archer VR300 | TD-W9970 | TD-W9960 | Archer VR2100v | Archer VR600v | TD-W9960v | TD-W8961N |
| Description | AC2800 Wireless MU-MIMO Gigabit VDSL/ADSL Modem Router | AC2100 Wireless MU-MIMO VDSL/ADSL Modem Router | AC2100 Wireless MU- MIMO VDSL/ADSL Modem Router | AC1200 Wireless MU-MIMO VDSL/ADSL Modem Router | AC1200 Wireless VDSL/ADSL Modem Router | 300 Mbps Wireless N USB VDSL/ADSL Modem Router | 300 Mbps Wireless N VDSL/ADSL Modem Router | AC2100 Wireless MU-MIMO VDSL/ADSL Telephony Modem Router | AC1600 Wireless Gigabit VoIP VDSL/ADSL Modem Router | DSL Internet Box | 300 Mbps Wireless N ADSL2+ Modem Router |
| Wireless Standards | IEEE 802.11a/b/g/n/ac | IEEE 802.11a/b/g/n/ac | IEEE 802.11a/ b/g/n/ac | IEEE 802.11a/b/g/n/ac | IEEE 802.11a/b/g/n/ac | IEEE 802.11b/g/n | IEEE 802.11b/g/n | IEEE 802.11a/ b/g/n/ac | IEEE 802.11a/b/g/n/ac | IEEE 802.11b/g/n | IEEE 802.11b/g/n |
| Wi-Fi Speed & Frequency | 600 Mbps 2.4 GHz + 2167 Mbps 5 GHz | 300 Mbps 2.4 GHz + 1733 Mbps 5 GHz | 300 Mbps 2.4 GHz + 1733 Mbps 5 GHz | 300 Mbps 2.4 GHz + 867 Mbps 5 GHz | 300 Mbps 2.4 GHz + 867 Mbps 5 GHz | 300 Mbps 2.4 GHz | 300 Mbps 2.4 GHz | 300 Mbps 2.4 GHz + 1733 Mbps 5 GHz | 300 Mbps 2.4 GHz + 1300 Mbps 5 GHz | 300 Mbps 2.4 GHz | 300 Mbps 2.4 GHz |
| DSL Standard | Profile 17a Annex A Download: 100 Mbps Upload: 60 Mbps | Profile 35b Annex A&B Download: 350 Mbps Upload: 60 Mbps | Profile 35b Annex A&B Download: 350 Mbps Upload: 60 Mbps | Profile 17a Annex A&B Download: 100 Mbps Upload: 60 Mbps | Profile 30a Annex A&B Download: 100 Mbps Upload: 100 Mbps | Profile 17a Anne xA Download: 100 Mbps Upload: 60 Mbps | Profile 30a Annex A&B Download: 100 Mbps Upload: 100 Mbps | Profile 35b Annex A&B Download: 350 Mbps Upload: 60 Mbps | Profile 17a Annex A&B Download: 100 Mbps Upload: 60 Mbps | Profil e 30a Anne xB Download: 100 Mbps Upload: 60 Mbps | Anne xA Download: 24 Mbps Upload: 3.3 Mbps |
| Telephony (VoIP+DECT ¹) | | | | | | | | • | • | • | |
| Ethernet Ports | 3x Gigabit LAN 1x Gigabit WAN/LAN | 3x Gigabit LAN 1x Gigabit WAN/LAN | 3x Gigabit LAN 1x Gigabit WAN/LAN | 3x Gigabit LAN 1x Gigabit WAN/LAN | 3x 10/100 Mbps LAN 1x 10/100 Mbps WAN/LAN | 3x 10/100 Mbps LAN 1x 10/100 Mbps WAN/ LAN | 3x 10/100 Mbps LAN 1x 10/100 Mbps WAN/ LAN | 3x Gigabit LAN 1x Gigabit WAN/LAN | 3x Gigabit LAN 1x Gigabit WAN/LAN | 3x 10/100 Mbps LAN 1x 10/100 Mbps WAN/ LAN | 4x 10/100 Mbps LAN |
| USB Ports | 2x USB 3.0 | 1x USB 3.0 | 1x USB 3.0 | 1x USB 2.0 | | 1x USB 2.0 | | 1x USB 3.0 | 1x USB 2.0 | | |
| Antennas | 4x Detachable | 3x Detachable | 3x Detachable | 2x Fixed | 4x Fixed | 2x Fixed | 2x Fixed | 3x Detachable | 3x Detachable | 2x Fixed | 2x Fixed |
| NitroQAM™ | • | | | | | | | | | | |
| MU-MIMO | • | • | • | • | | | | • | | | |
| QoS/Bandwidth Control | • | • | • | • | • | • | • | • | | • | • |
| Parental Controls | • | • | • | • | • | • | • | • | • | • | |
| Tether App | • | • | • | • | • | • | • | • | • | • | |
| tpPhone App | | | | | | | | • | • | • | |
| WPS | • | • | • | • | • | • | • | • | • | • | • |
| 6000 V Lightning Protection | • | • | • | • | • | • | • | • | • | • | |
| OneMesh™ | | • | • | • | | | | • | *Available for DE version | | |

Adapters

Turn wired into wireless with our impressive range of Wi-Fi Adapters. Designed to easily upgrade your computer or laptop, our adapters put the fun in functional and are a cool addition to our wireless innovation. Install, connect, enjoy.





69 | Adapters | 70

Boost Your PC's Network Speed

AC1300 Dual Antennas High-Gain Wireless USB Adapter

Archer T4U Plus




Dual-Band Wi-Fi











AC1300 Nano Wireless MU-MIMO USB Adapter Archer T3U Nano



Dual-Band Wi-Fi











Nano Size

High-Gain Wireless USB Adapters 💌



Archer T9UH

AC1900 High-Gain Wireless **Dual-Band USB Adapter**

- AC1900 Dual-Band Wi-Fi 1300 Mbps (5 GHz) and 600 Mbps (2.4 GHz)
- Superior Coverage 4× High-Gain Antennas with Beamforming
- **Ultra-Fast Transfer Speeds**



Archer T2U Plus

AC600 High-Gain Wireless **Dual-Band USB Adapter**

- ((•)) AC600 Dual-Band Wi-Fi 433 Mbps (5 GHz) and 200 Mbps (2.4 GHz)
- **Great Coverage** High-Gain Antenna
- Fast Transfer Speeds



Archer T4U

AC1300 High-Gain Wireless MU-MIMO USB Adapter

- ((•)) AC1300 Dual-Band Wi-Fi 867 Mbps (5 GHz) and 400 Mbps (2.4 GHz)
- Superior Coverage 2× High-Gain Antennas with Beamforming
- Ultra-Fast Transfer Speeds
- **High-Efficiency Network**



TL-WN822N

300 Mbps High-Gain Wireless **USB** Adapter

- N300 Wi-Fi 300 Mbps (2.4 GHz)
- **Great Coverage** 2× High-Gain Antennas
- Fast Transfer Speeds



Archer T3U Plus

AC1300 High-Gain Wireless **Dual-Band USB Adapter**

- AC1300 Dual-Band Wi-Fi 867 Mbps (5 GHz) and 400 Mbps (2.4 GHz)
- **Great Coverage** High-Gain Antenna
- **Ultra-Fast Transfer Speeds**
- **High-Efficiency Network** 2×2 MU-MIMO




TL-WN722N

150 Mbps High-Gain Wireless **USB** Adapter

- N150 Wi-Fi 150 Mbps (2.4 GHz)
- **Great Coverage** High-Gain Antenna
- Fast Transfer Speeds

Upgrade to AC1300 Dual-Band Wi-Fi Speeds


As a Nano Wi-Fi USB adapter, Archer T3U Nano is also excellent in its networking performance. It separates Wi-Fi signal on two individual bands and delivers high speed AC1300 Wi-Fi (up to 867Mbps over the 5GHz band and 400 Mbps over the 2.4GHz band). Enjoy ultimate Wi-Fi experience for all your application from surfing, social media to HD streaming and lag-free gaming.



Ultra-Compact Size for Wi-Fi Wherever

Its ultra-small design makes it easy to take and convenient to use. Not only you can insert it into most devices without taking up the room for other ports, and you can also enjoy stable and fast Wi-Fi wherever you need it.





MU-MIMO for High Efficiency Network

Archer T3U Nano provides two simultaneous data streams for data transmission, improving the network throughput and efficiency when working with a compatible MU-MIMO router.




Compatible Operating System

Supports Windows 10/8.1/8/7 and macOS



macOS



• Easy Installation - Upgrade your desktop system easily via USB connector.

Adapters | 72

Wi-Fi and Bluetooth All in One AC600 Nano Wi-Fi Bluetooth 4.2 USB Adapter Archer T2UB Nano 旦 **((•))** AC600 Bluetooth 4.2 USB 2.0 Nano Size Supports macOS

Wireless USB Adapters •



Archer T3U

AC1300 Mini Wireless MU-MIMO USB Adapter

((•)) AC1300 Dual-Band

867 Mbps (5 GHz) and 400 Mbps (2.4 GHz)



USB 3.0





TL-WN823N

300 Mbps Mini Wireless N USB Adapter

N300 Wi-Fi 300 Mbps (2.4 GHz)

Fast Transfer Speeds

USB 2.0

Personalized Security WPS Button

Speeds

USB 2.0

Archer T2U

AC600 Mini Wireless

AC600 Dual-Band

433 Mbps (5 GHz) and

200 Mbps (2.4 GHz)

Fast Transfer

Dual-Band USB Adapter

TL-WN821N 300 Mbps Wireless N

USB Adapter

N300 Wi-Fi 300 Mbps (2.4 GHz)

Fast Transfer Speeds USB 2.0

Personalized Security



NANO

Archer T3U Nano

AC1300 Nano Wireless MU-MIMO USB Adapter

AC1300 Dual-Band Wi-Fi

867 Mbps (5 GHz) and 400 Mbps (2.4 GHz)

Ultra-Fast Transfer Speeds USB 3.0



Archer T2U Nano

AC600 Wireless Nano **USB** Adapter

AC600 Dual-Band

433 Mbps (5 GHz) and 200 Mbps (2.4 GHz)

Fast Transfer Speeds USB 2.0



TL-WN725N

150 Mbps Wireless N Nano USB Adapter

N150 Wi-Fi 150 Mbps (2.4 GHz)





150 Mbps Wireless N

USB Adapter



Fast Transfer Speeds USB 2.0

WPS Button





• Supporting System - Windows 10/8.1/8/7 and macOS. • Easy Installation - Upgrade your desktop system easily via USB connector.

PCI Express Adapters



Archer TX50E

AX3000 Wi-Fi 6 Bluetooth 5.0 PCle Adapter

AX3000 Dual-Band Wi-Fi

2402 Mbps (5 GHz) + 574 Mbps (2.4 GHz)

Superior Coverage 2× High-Gain Antennas

Bluetooth 5.0 Faster Speed and Broader Coverage



Archer T6E

AC1300 Wireless Dual-Band PCI Express Adapter

AC1300 Dual-Band ((•)) Wi-Fi 867 Mbps (5 GHz) and

Superior Coverage 2× High-Gain Antennas with

Beamforming

400 Mbps (2.4 GHz)



Archer T5E

AC1200 Wi-Fi Bluetooth 4.2 PCIe Adapter

AC1200 Dual-Band ((•)) Wi-Fi 867 Mbps (5 GHz) and

300 Mbps (2.4 GHz)

Superior Coverage 2× High-Gain Antennas

> Bluetooth 4.2 Low Latency and Stable

> > Connection



Archer T4E

AC1200 Wireless Dual-Band PCI Express Adapter

> AC1200 Dual-Band ((•)) Wi-Fi 867 Mbps (5 GHz) and

300 Mbps (2.4 GHz) **Superior Coverage**

2× High-Gain Antennas with Beamforming



Archer T2E

AC600 Wireless Dual-Band PCI Express Adapter

AC600 Dual-Band Wi-Fi

> 433 Mbps (5 GHz) and 200 Mbps (2.4 GHz)



TL-WN881ND

300 Mbps Wireless N PCI Express Adapter

N300 Wi-Fi 300 Mbps (2.4 GHz)



TL-WN781ND

150 Mbps Wireless N PCI Express Adapter

N150 Wi-Fi 150 Mbps (2.4 GHz)




TG-3468

Gigabit PCI Express Network Adapter



Supports 10/100/1000 Mbps Network



Remotely Power on/off your computer

- Easy Installation Upgrade your desktop system easily by plugging the adapter into an available PCI-E slot.
- Supporting System Windows 10/8.1/8/7.
- Low-Profile and Full-Height Brackets In addition to the full-height bracket, a low-profile bracket is also provided for mini tower computer cases.



Bluetooth Adapter •



Bluetooth 4.0 Nano USB Adapter

UB400

- Bluetooth 4.0 Standard Low latency and stable connection.
- Nano Size Compact design allows you to plug it in and forget it's there.
- Plug and Play Driver-free Windows 10/8.1/8.



Bluetooth



USB 2.0

Port

Nano Size

Supports

73 | Adapters Adapters | 74

WHICH IS THE RIGHT TP-Link ADAPTER FOR YOU?

| | Wireless USB Adapters | | | | | | | | | | Wir | eless PCI E | xpress Adap | oters | | | Wired PCI Express Adapter | | | | | | | | |
|----------------------------|---|---|---|---|---|--|--|---|---|--|---------------------------------------|--|---|--|---|---------------------------------------|--|--|---|--|---|--|--|--|--|
| | La | | | 1 | •• | | ** * | | | | 1 | Ų, | P spins | | 1.10 | (4) | | | | | | 4 | K | 4 | |
| Model | Archer T9UH | Archer T4U Plus | Archer T4U | Archer T3U Plus | Archer T3U | Archer T2U Plus/Archer T600U Plus | Archer T2U | Archer T2UB Nano | Archer T3U Nano | Archer T2U Nano/Archer T600U Nano | TL-WN821N | TL-WN822N | TL-WN823N | TL-WN722N | TL-WN725N | TL-WN727N | Archer TX3000E | Archer TX50E | Archer T6E | Archer T5E | Archer T4E | Archer T2E | TL-WN881ND | TL-WN781ND | TG-3468 |
| Description | AC1900 High-Gain Wireless Dual-Band USB Adapter | AC1300 Dual Antennas High-Gain Wireless USB Adapter | AC1300 High-Gain Wireless MU-MIMO USB Adapter | AC1300 High-Gain Wireless Dual-Band USB Adapter | AC1300 Mini Wireless MU-MIMO USB Adapter | AC600 High-Gain Wireless Dual-Band USB Adapter | AC600 Wireless Dual-Band USB Adapter | AC600 Nano Wi-Fi Blue- tooth 4.2 USB Adapter | AC1300 Nano Wireless MU-MIMO USB Adapter | AC600 Wireless Nano USB Adapter | 300 Mbps Wireless N USB Adapter | 300 Mbps High-Gain Wireless USB Adapter | 300 Mbps Mini Wireless N USB Adapter | 150 Mbps High-Gain Wireless USB Adapter | 150 Mbps Wireless N Nano USB Adapter | 150 Mbps Wireless N USB Adapter | AX3000 Wi-Fi 6 Blue- tooth 5.0 PCle Adapter | AX3000 Wi-Fi 6 Blue- tooth 5.0 PCle Adapter | AC1300 Wireless Dual-Band PCI Express Adapter | AC1200 Wi-Fi Bluetooth 4.2 PCle Adapter | AC1200 Wireless Dual-Band PCI Express Adapter | AC600 Wireless Dual-Band PCI Express Adapter | 300 Mbps Wireless N PCI Express Adapter | 150 Mbps Wireless N PCI Express Adapter | Gigabit PCI Express Network Adapter |
| Wireless Standards | IEEE802.11 a/b/g/n/ac | IEEE802.11 a/b/g/n/ac | IEEE802.11 a/b/g/n/ac | IEEE802.11 a/b/g/n/ac | IEEE802.11 a/b/g/n/ac | IEEE802.11 a/b/g/n/ac | IEEE802.11 a/b/g/n/ac | IEEE802.11 a/b/g/n/ac | IEEE802.11 a/b/g/n/ac | IEEE802.11 a/b/g/n/ac | IEEE802.11 b/g/n | IEEE802.11 b/g/n | IEEE802.11 b/g/n | IEEE802.11 b/g/n | IEEE802.11 b/g/n | IEEE802.11 b/g/n | IEEE802.11 b/g/n/ac/ax | IEEE802.11 b/g/n/ac/ax | IEEE802.11 a/b/g/n/ac | IEEE802.11 a/b/g/n/ac | IEEE802.11 a/b/g/n/ac | IEEE802.11 a/b/g/n/ac | IEEE802.11 b/g/n | IEEE802.11 b/g/n | |
| Wi-Fi Speed & Frequency | 600 Mbps on 2.4 GHz 1300 Mbps on 5 GHz | 400 Mbps on 2.4 GHz 867 Mbps on 5 GHz | 400 Mbps on 2.4 GHz 867 Mbps on 5 GHz | 400 Mbps on 2.4 GHz 867 Mbps on 5 GHz | 400 Mbps on 2.4 GHz 867 Mbps on 5 GHz | 200 Mbps on 2.4 GHz 433 Mbps on 5 GHz | 200 Mbps on 2.4 GHz 433 Mbps on 5 GHz | 200 Mbps on 2.4 GHz 433 Mbps on 5 GHz | 400 Mbps on 2.4 GHz 867 Mbps on 5 GHz | 200 Mbps on 2.4 GHz 433 Mbps on 5 GHz | 300 Mbps on 2.4 GHz | 300 Mbps on 2.4 GHz | 300 Mbps on 2.4 GHz | 150 Mbps on 2.4 GHz | 150 Mbps on 2.4 GHz | 150 Mbps on 2.4 GHz | 2402 Mbps on 5 GHz 574 Mbps on 2.4 GHz | 2402 Mbps on 5 GHz 574 Mbps on 2.4 GHz | 400 Mbps on 2.4 GHz 867 Mbps on 5 GHz | 867 Mbps on 5 GHz 300 Mbps on 2.4 GHz | 300 Mbps on 2.4 GHz 867 Mbps on 5 GHz | 200 Mbps on 2.4 GHz 433 Mbps on 5 GHz | 300 Mbps on 2.4 GHz | 150 Mbps on 2.4 GHz | |
| USB Port | USB 3.0 | USB 3.0 | USB 3.0 | USB 3.0 | USB 3.0 | USB 2.0 | USB 2.0 | USB 3.0 | USB 2.0 | USB 2.0 | USB 2.0 | Mini USB 2.0 | USB 2.0 | USB 2.0 | USB 2.0 | USB 2.0 | | | | | | | | | |
| High-Gain Antenna | ٠ | • | • | | | | | | | | | | | | | | • | • | | • | | • | • | • | |
| USB Cable | 1.2 m | 1 m | | | | | | | | | 1 m | 1.5 m | | 1 m | | 1 m | | | | | | | | | |
| ми-мімо | | • | • | • | • | | | | • | | | | | | | | | | | | | | | | |
| Beamforming | • | • | • | | | | | | | | | | | | | | | | • | | | | | | |
| WPS | ٠ | | • | | | | | | | | • | • | • | • | | • | | | | | | | | | |
| Wake-on-LAN | | | | | | | | | | | | | | | | | | | | | | | | | |
| Bluetooth | | | | | | | | 4.2 | | | | | | | | | 5.0 | 5.0 | | 4.2 | | | | | |
| Support Windows | • | • | • | • | | • | • | • | | • | | • | • | | • | • | • | • | | • | • | | • | | • |
| Support macOS | ٠ | • | • | • | • | • | • | ٠ | • | • | ٠ | ٠ | • | • | ٠ | • | | | | | | | | | |
| Support Linux | | | | | | | | | | | • | • | • | • | • | | | | | | | | • | • | |

75 | Adapters | 76

Mobile Wi-Fi

Share the freedom of 3G/4G on the go! With this convenient companion, you can share your Wi-Fi with your friends everywhere, especially when you are traveling. Multiple wireless devices like tablets, laptops, and mobile phones can access this Wi-Fi connection at the same time. No longer be afraid of draining your phone's battery to open a hotspot.





Do More with a Faster Mobile Connection of up to 300 Mbps

The M7450 supports the 4G LTE network LTE-A Cat.6, which is uses Carrier Aggregation. This advanced technology merges the fragmented LTE band into a "virtual" wider band to increase the data rate to provide fast 4G speeds of up to 300 Mbps.



Power to Keep Working All Day Long for ~15 Hours

M7450 is equipped with a powerful 3000 mAh battery. On its own, it can work effortlessly up to 15 hours at full capacity and stand by for over 900 hours.





Advanced Screen & Menu for Easy Usage

The screen displays information of battery life, signal strength, Wi-Fi status, connected users, and more.



Supports Multi-Bands

Increase compatibility by adding B5 and B28 bands.

*Version 1 is not supported.

77 | Mobile Wi-Fi | 78



600 Mbps LTE-Advanced Mobile Wi-Fi

M7650



- LTE-Advanced Cat11 Up to 600 Mbps for downloads and 50 Mbps for uploads with Qualcomm chipset 256-QAM technology.
- AC1200 Selectable Dual-Band Wi-Fi Two separate Wi-Fi bands combine for speeds of up to 1167 Mbps: 300 Mbps (2.4 GHz) and 867 Mbps (5 GHz).
- Battery 3000 mAh battery provides up to 15 hours of service.
- Easy Wi-Fi Sharing Share Wi-Fi with up to 32 devices simultaneously.
- Storage microSD card slot for up to 32GB of storage space.
- The TP-Link tpMiFi App Provides simplified control and management from your iOS or Android
- Network Support Supports 4G (FDD-LTE/TDD-LTE), 3G (DC-HSPA+/HSPA/UMTS), and 2G (EDGE/ GPRS/GSM) network.











4G LTE-A 300 Mbps or 867



M7350

4G LTE Mobile Wi-Fi



Screen Display

Shows Real-Time Data Transfer and Electricity Usage.



SD Card Sharing

Share Profiles on the SD Card to Anyone Linked to the Network



M7200

4G LTE Mobile Wi-Fi



8 Hours Working Time



2000 mAh Battery



M7000

4G LTE Mobile Wi-Fi



Supports Multi-Band Increase Compatibility by Adding B5 FDD Band

- 4G LTE Cat4 Speeds Up to 150 Mbps for downloads and 50 Mbps for uploads.
- Easy Wi-Fi Sharing Share Wi-Fi with up to 10 devices simultaneously.
- Battery 2000 mAh battery provides up to 8 hours of service.
- $\bullet \ The \ TP-Link \ tpMiFi \ App \ \ Provides \ simplified \ control \ and \ management \ from \ your \ iOS \ or \ Android \ smartphone.$

WHICH IS THE RIGHT TP-Link **MOBILE WI-FI FOR YOU?**

| | Mobile Wi-Fi | | | | | | | | | |
|--------------------|---|---|--|--|---|--|--|--|--|--|
| | 201 | | | | | | | | | |
| Model | M7650 | M7450 | M7350 | M7200 | M7000 | | | | | |
| Description | 600 Mbps LTE-Advanced Mobile Wi-Fi | 300 Mbps LTE-Advanced Mobile Wi-Fi | 4G LTE Mobile Wi-Fi | 4G LTE Mobile Wi-Fi | 4G LTE Mobile Wi-Fi | | | | | |
| Wireless Standards | 802.11ac/a/b/g/n | 802.11ac/a/b/g/n | 802.11b/g/n | 802.11b/g/n | 802.11b/g/n | | | | | |
| Speed & Frequency | 300 Mbps 2.4 GHz or 867 Mbps 5 GHz | 300 Mbps 2.4 GHz or 867 Mbps 5 GHz | 300 Mbps 2.4 GHz | 300 Mbps 2.4 GHz | 300 Mbps 2.4 GHz | | | | | |
| Standard | Cat11 | Cat6 | Cat4 | Cat4 | Cat4 | | | | | |
| Battery | 3000 mAh 15 hours | 3000 mAh 15 hours | 2000 mAh 8 hours | 2000 mAh 8 hours | 2000 mAh 8 hours | | | | | |
| Concurrent Devices | 32 | 32 | 10 | 10 | 10 | | | | | |
| Built-in Screen | | | | | | | | | | |
| Storage | 32 GB | 32 GB | 32 GB | | | | | | | |
| tpMiFi | | | | | • | | | | | |
| Network Support | 4G (FDD-LTE/TDD-LTE): B1/B3/B7/B8/B20/B38/B40/B41 3G (DC-HSPA+/HSPA/UMTS): B1/B8 2G (EDGE/GPRS/GSM): B50/900/1800/1900MHz | 4G (FDD-LTE/TDD-LTE): B1/B3/B7/B8/B2/0/B38/B40/B41 3G (DC-HSPA+/HSPA/UMTS): B1/B8 2G (EDGE/GPRS/GSM): 850/900/1800/1900MHz * Only V1.0 supports 2G network * V2.0 supports B5/B28 | 4G (FDD-LTE): B1/B3/B7/B8/B20 3G (DC-HSPA+/HSPA/UMTS): B1/B8 2G (EDGE/GPRS/GSM): 850/900/1800/1900MHz | 4G (FDD-LTE/TDD-LTE): B1/B3/B7/B8/ B20/B38/B40/B41 3G (DC-HSPA+/HSPA/UMTS): B1/B8 | 4G (FDD-LTE/TDD-LTE): B1/B3/B5/B7/B8/ B20/B38/ B40/B41 3G (HSPA+/HSPA/UMTS): B1/B5/B8 | | | | | |

79 | Mobile Wi-Fi Mobile Wi-Fi | 80

High Power

These High-Power wireless products provide a stronger and more powerful signals than mainstream Wi-Fi devices. Greater transmission distances and increased stability provide the perfect home or office solution for those who take their Wi-Fi seriously.



Boost Your Power, Boost Your Coverage

300 Mbps High-Power Wireless N Router

TL-WR841HP

High Power Wireless Routers



TL-WR841HP

300 Mbps High-Power Wireless N Router



N300 Wi-Fi

300 Mbps Wireless Speed for Multi-User HD Video Streaming



Fast Internet Access

Fast Ethernet Port



TL-WR941HP

450 Mbps High-Power Wireless N Router



N450 Wi-Fi

450 Mbps Wireless Speed for Multi-User HD Video Streaming



Fast Internet Access

Fast Ethernet Port



Archer C58HP

AC1350 High-Power Wireless **Dual-Band Router**







Fast Internet Access

Fast Ethernet Port

- Superior Coverage High-power amplifiers and 9 dBi antennas provide a wireless range of up to 10,000 ft².
- Dead-Zone Elimination Enhanced Wi-Fi signals cut through walls, eliminating network dead zones.
- Multi-Mode Supports wireless router, repeater, and access point modes.
- The TP-Link Tether App Provides simplified control and management from your iOS or Android smartphone.
- Parental Controls Manage when and how connected devices access the internet.
- WPS One-step wireless WPS encryption provides simplified security for your network.

High-Power Wireless USB Adapter



300 Mbps High-Power Wireless USB Adapte

TL-WN8200ND

- N300 Wi-Fi 300 Mbps receiving rate ideal for bandwidth-heavy tasks.
- Maximized Range High power and receiver sensitivity to allow ultra-long transmission distances.
- Flexible Deployment Equipped with a USB cable for flexible deployment.
- WPS One-step wireless WPS encryption provides simplified security for your network.











Supports Windows

81 | High Power High Power | 82







Archer AX11000

10 Gbps Fastest Wi-Fi

gaming rigs

LAN ports

AX11000 Tri-Band speeds deliver

Cutting-Edge Power for

Multi-Gig Wired Speed

1× 2.5 Gbps WAN port + 8× Gigabit

USB-C Extensive Sharing

1× USB-C 3.0 Port + 1× USB-A 3.0 Port

1.8 GHz Quad-Core CPU + 1 GB RAM

the unstinted bandwidth for all your

AX11000 Tri-Band Wi-Fi 6 Gaming Router



Archer GX90

AX6600 Tri-Band Wi-Fi 6 Gaming Router



Archer C5400X



AC5400 MU-MIMO Tri-Band Gaming Router



Unrivaled Gaming Wi-Fi

AX6600 Tri-Band speeds create dedicated next-gen gaming band experiences to the gaming rigs in need



Powerful Processing Ability

1.5 GHz Quad-Core CPU + 512 MB RAM



Multi-Gig Wired Speed

1× 2.5 Gbps WAN/LAN port + 1× Gigabit WAN/LAN port + 3× Gigabit LAN ports



Easy Sharing

1× USB-A 3.0 Port + 1× USB-A 2.0 Port

Ultra-Fast Gaming Wi-Fi

AC5400 Tri-Band, providing the fastest Wi-Fi 5 gaming router speed, streamlines your network and makes you stay competitive in the heat of battle



Abundant Processing Ability 1.8 GHz Quad-Core CPU + 512 MB RAM



Gigabit Wired Speed

1× Gigabit WAN Port + 8× Gigabit LAN



Easy Sharing

2× USB-A 3.0 Ports

Game Center Crafted for Winning

Game Center on Archer AX11000 and GX90 focuses on what professional gamers care about—extremely low latency and wired-level reliability—and provides a wide range of tools to help you win more.

Game Accelerator

Automatically detects and optimizes gaming streams to ensure your gaming stays immersive and keep your network as fast as your reaction speed.1



GeForce NOW™ QoS Mode

Prioritize your GeForce NOW™ streaming over other internet immersive cloud gaming experience.2





Game Statistics

See the real-time latency, system utilization, and game duration at a glance on a redesigned dashboard to ensure every detail is tweaked the way you like.

Game Protector

Keep your accounts and system safe with Game Protector. Comprehensive HomeCare™ antivirus protection ensures your total security while gaming online.



1 Game Accelerator supports games including GTA, LOL, DotA, StarCraft 2, and Minecraft. Please visit product pages for more information. Actual 2 GeForce NOW QoS mode feature on Archer AX11000 and Archer GX90 requires further firmware upgrades.

activities. This specially-tuned QoS mode delivers a smooth and





Hardware Forged for Gaming

>> Unrivaled Wi-Fi and Connectivity

TP-Link Gaming Series routers, equipped with 12-stream tri-band, fuel your need for high-speed downloading and streaming. Wi-Fi 6 gaming routers effortlessly connect up to 256 devices running games—all with minimal latency.†



Battle-Tested Processing

Equipped with a powerful CPU and high RAM to handle huge throughput and demolish lag. A specially designed heatsink rapidly reduces temperature, enabling full clock speeds on each core even under heavy loads.


1.8 GHz Quad-Core CPU

1 GB

2.5 Gbps Wired Connections

Unleash the potential of your next-level bandwidth network. The Multi-Glg solution-a 2.5 Gbps port for extremely fast wired connections-is available on Archer AX11000 and GX90.

2.5 Gbps





> Gaming Anytime, Anywhere

The very latest Wi-Fi 6 standard guarantees extreme speed, ultra-low latency, and uninterrupted connectivity for gaming thrills and more.


3× Faster Speed

Powerful and consistent signals to perfectly pair with Wi-Fi 6 routers supporting 160 MHz bandwidth.



75% Lower Latency

More responsive gaming and seamless video conferencing.



Improved Security - WPA3™

The latest security enhancements provide enhanced protection for personal password safety.



> Bluetooth 5.0

Archer TX3000E is compatible with the latest Bluetooth 5.0 Tech, achieving 2× faster speeds and 4× broader coverage than Bluetooth 4.2 to connect more devices and enjoy the smoothest experience ever.



Broader Coverage than Ever

Two multi-directional and high-performance antennas with a magnetized base make it incredibly easy to find the best location for optimum signal reception.



Arm Your PC with the Latest 10G Speeds PCle 3.0 Slot to 10 Gigabit Ethernet Network Adapter

TX401

Upgrade to 10G Networking

10 Gigabit Ethernet reaches blazing-fast data rates up to 10 billion bits per second—10× faster than standard Gigabit Ethernet. It's a brandnew era for all your bandwidth-intensive tasks from local data transfers to internet access.



> Play Never Ends with 10G

With 10 Gbps internet access, your gaming will be fully optimized with a large boost in speed, latency, and responsiveness. Large-sized game downloads, seamless live streaming, and massive data backups via the cloud are as easy as choosing your character.

Local Data Transmissions in Seconds

For local connections, a 10G PCle adapter helps build a lightning fast transport channel between a central server and other working machines in your local network. Local data transmissions will be a breeze for you as you handle bandwidth-intensive tasks easily at your home or office.



87 | Garning Series | 88

Access Points

TP-Link Access Points help your existing wired network turn into a wireless network, allowing you t connect all of your favorite wireless devices.







TL-WA1201
AC1200 Wireless Access Point

((•)) AC1200 Dual-Band Wi-Fi 867 Mbps (5 GHz) and 300 Mbps (2.4 GHz)

Superior Coverage

4× High-Gain Antennas with Beamforming

High-Speed Internet Access
Gigabit Ethernet Port

Heightened Marketing
Captive Portal Supported



TL-WA901N 450 Mbps Wireless N Access Point

N450 Wi-Fi Speed
450 Mbps Wi-Fi for Reliable Connections

Great Coverage

3× High-Performance Antennas

Fast Internet Access
Fast Ethernet Port

Simplified Security
One-Step Wireless WPS Encryption



TL-WA801N 300 Mbps Wireless N Access Point

s N300 Wi-Fi Speed
300 Mbps Wi-Fi for Daily Needs

Great Coverage

2× High-Performance Antennas

Fast Internet Access
Fast Ethernet Port

Simplified Security
One-Step Wireless WPS Encryption

- Passive PoE Use an Ethernet cable to simultaneously send data and electricity to wherever your AP may be located, even up to 100 feet away.
- Multi-Mode Supports Range Extender, Access Point, Multi-SSID, and Client modes.


89 | Access Points | 90

SOHO Switches

TP-Link SOHO switches easily connect to multiple devices and increase your network speed. Plug-and-play setup and green technology allow you to enjoy a smooth, reliable, and energy-efficient network experience instantly.



Stream and LiteWave Unmanaged Switches



91 | SOHO Switches | 92

Experience Future Networking with Lightning-Fast Connections

10G / 2.5G Multi-Gigabit Unmanaged Switches

TL-SX1008 / TL-SX105

TL-SG108-M2 / TL-SG105-M2





TP-Link 10G and 2.5G switches deliver reliable, lightning-fast connections with the lowest latency possible and unlock the highest potentials of your Multi-Gig bandwidth and devices. Ideal for gaming, LAN party, home entertainment, and backup and restore as well as use in small offices and home offices. Don't hesitat to enjoy the highest performance of your NAS, server, gaming computer, workstation, 8K video, Wi-Fi 6 AP, USB to Ethernet adapter, and more.

JetStream 10G & 2.5G Switches




TL-SX1008

8-Port 10G Multi-Gigabit Desktop/Rackmount Switch



Lightning-Fast Connections



100Mbps/1G/2.5G/5G/ auto-negotiation



Intelligent fan speed adjustment




TL-SX105

5-Port 10G Multi-Gigabit Desktop Switch



Lightning-Fast Connections



100Mbps/1G/2.5G/5G/ 10G auto-negotiation



Industry-leading fanless design



TL-SG108-M2

8-Port 2.5G Multi-Gigabit **Desktop Switch**



Eight 2.5G Ports

Super-Fast

Connections



Hassle-Free

Upgrade to 2.5G without changing cables*



Silent Operation

Industry-leading fanless design



Five 2.5G Ports

Desktop Switch

TL-SG105-M2

5-Port 2.5G Multi-Gigabit

Super-Fast Connections



Hassle-Free Cabling

Upgrade to 2.5G without changing cables*



Silent Operation

Industry-leading fanless design

- Plug and Play Easy to use with no configuration needed.
- Metal Casing Durable metal casing and desktop/wall-mounting design are well-suited for different environments.**
- Auto-Negotiation and Auto MDI/MDIX Adjust for optimal speed with no need for crossover cable.
- Flow Control and Back Pressure Reliable date transfer by alleviating traffic congestion.
- Traffic Prioritization 802.1p and DSCP QoS ensure smooth traffic.
- Lower Latency Fast and reliable online gaming and streaming experience.
- * Only Cat5e or better cables do not need to be replaced
- **TL-SX1008 doesn't support wall-mounting

JetStream Switches



TL-SG105 (5 Ports) TL-SG108 (8 Ports)



Supports 10/100/1000 Mbps Speeds








Multi-Cast Optimization Supports IGMP Snooping



TL-SG1005D (5 Ports) **TL-SG1008D (8 Ports)**



Supports 10/100/1000 Mbps Speeds



Compact Plastic Housing Plastic Casing and Desktop Design



Traffic Prioritization Supports 802.1p/DSCP QoS



TL-SF1005D (5 Ports) TL-SF1008D (8 Ports)



Supports 10/100 Mbps Speeds



Compact Plastic Housing



- Plug and Play Easy to use with no configuration needed.
- Green Technology Less power consumption by detection of cable length and link status.
- Auto-Negotiation and Auto MDI/MDIX Adjust for optimal speed with no need for crossover cable.
- Flow Control and Back Pressure Reliable date transfer by alleviating traffic congestion.
- Fanless Design Quiet operation with no noise.

LiteWave Switches



LS105G (5 Ports) LS108G (8 Ports)



Gigabit Ethernet

Supports 10/100/1000 Mbps Speeds



Compact Metal Housing Steel Casing and Desktop Design



Traffic Prioritization

Supports 802.p/DSCP QoS



LS1005G (5 Ports) **LS1008G (8 Ports)**



Gigabit Ethernet

Supports 10/100/1000 Mbps Speeds



Compact Plastic Housing Plastic Casing and Desktop Design



LS1005 (5 Ports) LS1008 (8 Ports)





Compact Plastic Housing Plastic Casing and Desktop Design

- Plug and Play Easy to use with no configuration needed.
- Green Technology Less power consumption by detection of cable length and link status.
- Auto-Negotiation and Auto MDI/MDIX Adjust for optimal speed with no need for a crossover cable.
- Flow Control and Back Pressure Reliable date transfer by alleviating traffic congestion.
- Fanless Design Quiet operation with no noise.

93 | Access Points SOHO Switches | 94

WHICH IS THE RIGHT TP-Link SOHO SWITCH FOR YOU?

| | | | JetStream 10G & 2.5G | Multi-Gigabit Switches | | | | | |
|----------------------|-------------------------|--|---|--|---|--|--|--|--|
| | | 2000 | | ρ = | · (1111) | | | | |
| | Model | TL-SX1008 | TL-SX105 | TL- SG108- M2 | TL- SG105- M2 | | | | |
| Prod | uct Description | 8-Port 10G Multi-Gigabit Desktop/Rackmount Switch | 5-Port 10G Multi-Gigabit Desktop Switch | 8-Port 2.5G Multi-Gigabit Desktop Switch | 5-Port 2.5G Multi-Gigabit Desktop Switch | | | | |
| | 10G RJ45 Ports | 8 | 5 | - | - | | | | |
| | 2.5G RJ45 Ports | - | - | 8 | 5 | | | | |
| | Fanless | 1 Fan | 1Fan • | | | | | | |
| | Auto- Negotiation Ports | 100Mbps/1Gbps/2.5Gbps/5Gt | pps/10Gbps Auto-Negotiation | 100Mbps/1Gbps/2.5Gbps Auto-Negotiation | | | | | |
| Hardware | Casing | Metal | Metal | Metal | Metal | | | | |
| | Dimensions (W × D ×H) | 11.6×7.1×1.7 in (294×180×44 mm) | 8.9×5.2×1.4 in (226×131×3 5 mm) | 8.9×5.2×1.4 in (226×131 ×35 mm) | 8.2×4.9×1.0 in (209×126×26 mm) | | | | |
| | Installation | Rackmount/Desktop | Desktop/Wall-Mounting | Desktop/Wa | all-Mounting | | | | |
| | Operating Temperature | 0-50 °C (32-122 °F) | 0-40 °C (32-104 °F) | 0-40 °C (; | 32–104°F) | | | | |
| | Environment | Operating | Storage Temperature: Humidity: 10–90% RH Non-Condensin | -40–70 °C (-40–158 °F) g; Storage Humidity: 5–90% RH Non-Condensing | | | | | |
| | Switch Capacity | 160 Gbps | 100 Gbps | 40 Gbps | 25 Gbps | | | | |
| Performance | Forwarding Rate | 119.0 Mbps | 74.4 Mbps | 29.8 Mbps | 18.6 Mbps | | | | |
| renormance | MAC Address Table | 32 | К | 16 K | | | | | |
| | Jumbo Frame | | 10 KB | | | | | | |
| | QoS | | • | | | | | | |
| Software Features | Flow Control | | | • | | | | | |
| | MAC Address Learning | | | | | | | | |

| | | Gigabit & Fast Ethernet Switches | | | | | | | | | |
|----------------------|-----------------------|---|---|---|--|--|---|--|--|--|--|
| | | J | letStream Switche | es | | LiteWave Switches | | | | | |
| | | ******* | | | annan. | 000000 | ****** | | | | |
| | Model | TL- SG108/TL- SG105 | TL- SG1008D/ TL- SG1005D | TL-SF1008D/ TL-SF1005D | LS108G/LS105G | LS1008G/LS1005G | LS1008/LS1005 | | | | |
| Product Description | | 8/5-Port 10/100/1000 Mbps Desktop Switch | 8/5-Port 10/100/1000 Mbps Desktop Switch | 8/5-Port 10/100 Mbps Desktop Switch | 8/5-Port 10/100/1000 Mbps Desktop Switch | 8/5-Port 10/100/1000 Mbps Desktop Switch | 8/5-Port 10/100 Mbps Desktop Switch | | | | |
| | Ethernet Ports | 8/5× Gigabit ports | 8/5× Gigabit ports | 8/5× 10/100 Mbps ports | 8/5× Gigabit ports | 8/5× Gigabit ports | 8/5× 10/100 Mbps ports | | | | |
| | Fanless | • | • | • | • | • | • | | | | |
| | Casing | Metal | Plastic | Plastic | Metal | Plastic | Plastic | | | | |
| Hardware | Dimensions (W × D ×H) | TL- SG108: 6.2×4.0 ×1.0 in (158×101×25 mm) TL- SG105: 3.9×3.9 ×1.0 in (100×98×25 mm) | TL- SG1008D: 7.1×3.5 ×1.0 in (180×90×25.5 mm) TL- SG1005D: 5.5×3.5 ×0.9 in (140×8 8×23 mm) | TL- SF1008D: 5.3×3.1 ×0.9 in (135×79×23 mm) TL- SF1005D: 4.1×2.8 ×0.9 in (103×7 0×22 mm) | LS108G: 6.2×3.9×1.0 in (158×99. 1×25 mm) LS105G: 3.9×3.9×1.0 in (99.8×98×25 mm) | LS1008G: 5.0×2.6×0.9 in (127×66.5 ×23 mm) LS1005G: 3.5×2.8×0.9 in (90×72×23 mm) | LS1008: 4.9×1.9×0.9 in (124.6×48.7×22.8 mm) LS1005: 3.3×1.8×0.9 in (83.6×45.7×22.8 mm) | | | | |
| | Installation | Desktop/ Wall-Mounting | Desktop/ Wall-Mounting | Desktop | Desktop/ Wall-Mounting | Desktop/ Wall-Mounting | Desktop | | | | |
| | Environment | Operating Temperature: 0–40 °C (32–104 °F); Storage Temperature: -40–70 °C (-40–158 °F) Operating Humidity: 10–90% RH Non-Condensing; Storage Humidity: 5–90% RH Non-Condensing | | | | | | | | | |
| | Switch Capacity | 16/10 Gbps | 16/10 Gbps | 1.6/1.0 Gbps | 16/10 Gbps | 16/10 Gbps | 1.6/1.0 Gbps | | | | |
| Performance | Forwarding Rate | 11.9/7. 4 Mpps | 11.9/7. 4 Mpps | 1.2/0.7 Mpps | 11.9/7.4 Mpps | 11.9/7.4 Mpps | 1.2/0.7 Mpps | | | | |
| renormance | MAC Address Table | 4/2 K | 4/2 K | 2/2 K | 4/2 K | 4/2 K | 2/2 K | | | | |
| | Jumbo Frame | 16 KB | 16 KB | 2 KB | 16 KB | 16 KB | 2 KB | | | | |
| | 802.1p / DSCP QoS | • | • | - | • | - | - | | | | |
| | Green Technology | | | | | | | | | | |
| Software Features | Flow Control | | • | | | | | | | | |
| | Auto Negotiation | | | , | • | | | | | | |
| | MAC Address Learning | | | | • | | | | | | |

95 | SOHO Switches | 96

Accessories

TP-Link offers a collection of connected solutions for daily necessities—including Power Banks, USB Hubs, and USB Converters—to help users conveniently connect and efficiently utilize their electronic products. Plug in, connect, and enjoy.

HA100

Bluetooth Audio Receiver

- Wider Wireless Range: Enable your high-quality speakers or stereo system Bluetooth compatibility to stream music from up to 20 meters (66 feet) with your own smartphone/tablet/laptop or any Bluetooth-enabled devices.
- **High-Quality Music Performance**: Equipped with a built-in amplifier chip and a CSR chip supporting Bluetooth 4.1 and A2DP v1.2.
- Multipoint Technology: Stay connected with two of your most frequently used
- Bluetooth-enabled devices, seamlessly switching audio sources.
- NFC Quick Pairing & Easy Setup: connect with your NFC-enabled devices using the HA100 or NFC tag.


 Connect to a stored system supporting 3.5 mm or PCA inches.







97 | Accessories | 98



USB Converters **▼**



UE330

USB 3.0 3-Port Hub & **Gigabit Ethernet Adapter**



Ultra-Fast Transfer Speed

3× USB 3.0 Ports



Great Compatibility Supports Windows 10/8.1/8/7, macOS, Linux

OS and Chrome OS



Plug and Play Supports Windows 10/8.1/8/7, macOS (10.9 and later), Chrome OS and Linux OS



UE300C

Ethernet Adapter

USB 3.0 Type-C to Gigabit



Ultra-Fast Transfer Speed

1× USB 3.0 Type-C Port



Great Compatibility Supports Windows

10/8.1/8/7, macOS, Linux (Ubuntu) and Chrome OS



Plug and Play

Supports Windows 10, macOS (10.9 and later), Chrome OS and Linux OS



Foldable Design Foldable USB Plug Design



UE305

USB 3.0 to Gigabit **Ethernet Adapter**



Ultra-Fast Transfer Speed

1× USB 3.0 Port



Great Compatibility

Supports Nintedo Switch. Windows 10/8.1/8/7, Linux and macOS



Plug and Play

Supports Nintendo Switch, Windows 10/8.1, and Linux OS



Foldable Design Foldable USB Plug Design



UE300

USB 3.0 to Gigabit **Ethernet Adapter**



Ultra-Fast Transfer Speed

1× USB 3.0 Port



Great Compatibility

Supports Windows 10/8.1/8/7, macOS, Linux OS and Chrome OS




Plug and Play

Supports Windows 10/8.1/8, macOS (10.9 and later), Chrome OS and Linux OS



Foldable Design Foldable USB Plug Design



• Supports Hot Plugging - Has no influence on your system working when you plug it in or not.



USB 2.0 to 10/100 Mbps Fast Ethernet Adapter

UE200

- Fast Transfer Speed 1× USB 2.0 port.
- 100 Mbps Ethernet Port Equipped with a fast Ethernet port to provide network speeds up to 100 Mbps.
- Great Compatibility Supports Windows XP & later version, macOS (10.6 and later), Chrome OS and Linux OS.
- Plug and Play Supports Windows 10/8.1/8/7, macOS (10.9 and later), Chrome OS and Linux OS.

USB Hubs ♥



UH720

USB 3.0 7-Port Hub with 2 **Charging Ports**



Super Speed Data Transfer 7 Additional USB 3.0 Ports



Ultra Fast Smart Charging 2× 2.4 A Smart Charging USB Ports



• Supported Systems - Windows, macOS, macOS Sierra, Chrome OS, and Linux OS.

• Supports Hot Plugging - No influence on your system working when you plug it in or out.

• Multiple Electronic Protections - Built-In Surge Protection for Data Safety. (For UH720 and UH700).

Super Speed Data Transfer 7 Additional USB 3.0 Ports

USB 3.0 7-Port Hub

UH700



Ultra Fast Smart Charging

3 of 7 Ports Are 1.5A Smart Charging Port



UH400

USB 3.0 4-Port Ultra Compact Hub



Super Speed Data Transfer 4 Additional USB 3.0 Ports



Foldable Design

Foldable USB Plug Design

Power Banks *



TL-PB10000

10000mAh Li-Polymer Power Bank



10000 mAh Capacity

High-Power Density Li-Polymer Battery



Holds More Charges

2.5× iPhone 11 Charges or 1.5× iPad mini 5 Charges



TL-PB20000

20000mAh Li-Polymer Power Bank



20000 mAh Capacity

High-Power Density Li-Polymer Battery



Holds More Charges

4.7× iPhone 11 Charges or 2.8× iPad mini 5 Charges

- Charges Faster 2× smart adaptive fast charging ports with total output of 5V/2.1A, 10.5W max.
- Multiple Electronic Protections Avoids short-circuit, over-voltage, over-current, over-charge, over-discharge, and overheating.
- Universal Compatibility Works great for smart devices running iOS, Android, Windows, and most other USB-charged devices.

99 | Accessories Accessories | 100

