



Kasa Spot Pan Tilt

24/7 Recording



3 MP
HD Video



Night
Vision



Motion
Tracking



Micro SD
Card Slot



KC115



Highlights


Up, Down, All-Around

Get the full picture of any space in your apartment, dorm or home with Kasa Spot® Pan Tilt. With a 360° horizontal view and 113° vertical view, the Pan Tilt has everything covered. With Motion Tracking and Patrol Mode, track activity from beginning to end and set multiple distinct viewpoints for your camera to monitor at set intervals.



Your Home. One App.

Turn your home into a true smart home with Kasa Smart. Automate your lights and appliances with smart plugs, bulbs, and switches. Secure your home with Kasa Cameras. Control it all from the Kasa Smart app.



Features



Crystal Clear Video

Sharp and clear 3 MP high resolution offers greater detail and colors, even when you zoom in.

Pan Tilt in Real Time

Swipe up, down, left, and right on your phone to rotate and set your camera's point of view. Receive live feedback from anywhere.

Motion Tracking

When motion activity is detected, Kasa Spot® Pan Tilt tracks and follows the subject to keep it within the camera's field of view.



Secure Local Storage

Save your footage on a microSD card* and play back with your Kasa Smart app.

Two-Way Audio

Built-in microphone and speaker connect you directly to the action.

Patrol Mode

Set multiple distinct viewpoints and program your pan tilt camera to keep an eye on each region at intervals of your choosing.



Night Vision

Kasa camera detects activity up to 30 feet away even in total darkness.

Activity Zones

Control what alerts you receive by creating up to 16 custom activity zones, at no charge, around areas that are important to you.

*The microSD card not included.

Specifications

Camera

Image Sensor: 1/2.8"

Resolution: 3 MP HD (2304 × 1296 pixels)

Night Vision: 850 nm IR LED, up to 30 ft

Lens: F/NO: 2.4; Focal Length: 3.83mm

View Range: 360° horizontal and 113° vertical

Storage: Supports microSD cards, up to 128 GB*

*The microSD card is not included.

Audio

Audio Communication: 2-way audio

Audio Input & Output:

Built-in microphone and speaker

Video

Video Compression: H.264

Frame Rate: 15fps

Video Streaming: 3 MP

Activity Notifications

Input Trigger:

Motion detection, Audio detection

Output Notification:

Push notification

Hardware

Button: RESET button

Indicator LED: System LED

Adapter Input: 100-240VAC, 50/60Hz, 0.2A

Adapter Output: 5.0VDC, 1.0A

Dimensions (W x D x H):

3.2 x 3.2 x 4.4 in. (82 x 82 x 112.6 mm)

Network

Wireless Rate:

11Mbps(802.11b)

54Mbps(802.11g)

72.2Mbps(802.11n)

Frequency: 2.4 GHz Only

Wireless Security: WEP, WPA/WPA2-PSK

Security: 128 bit AES encryption with SSL/TLS

Package Contents

Kasa Spot® PanTilt

Power Adapter

10 ft USB Cable

Quick Start Guide

Mounting Screws

Mounting Plate

Environment

Operating Temperature: 0°C~40°C (32°F~104°F)

Storage Temperature: -20°C~70°C (-4°F~158°F)

Operating Humidity: 10%~90%RH non-condensing

Storage Humidity: 5%~90%RH non-condensing

Regulatory Certification: FCC, IC, CE, RCM, RoHS



Specifications are subject to change without notice. All brands and product names are trademarks or registered trademarks of their respective holders.

© 2021 TP-Link

www.tp-link.com