


# AC600 High Gain Wireless Dual Band USB Adapter

Increased Range for a Smooth Online Experience












# Highlights


### AC600 Dual Band Wi-Fi

The Archer T2UH receives Wi-Fi signals on two separate bands for all your online needs. Choose the 2.4GHz band for up to 150Mbps of surfing, emailing and social media, or switch to 5GHz for up to 433Mbps of HD streaming, lag-free gaming and large file downloads.



## Increased Range with High Gain Antenna

A high gain antenna reaches your router from farther with more precise directional range, sustaining faster and more stable wireless connections.



## Features




- Fast Wi-Fi 150Mbps + 433Mbps wireless speeds are ideal for HD streaming video, lag-free gaming and large file downloads
- · 802.11ac Support Wi-Fi technology that is 3 times faster than 802.11n



## Wi-Fi Range

· Broad Wireless Range – External high gain antenna remarkably strengthens the signal power of the USB adapter



 Dual Band – Selectable 2.4GHz and 5GHz bands to avoid wireless signal interference



 Backwards Compatibility – Supports routers utilizing 802.11 a/b/g/n Wi-Fi standards



## Security

- Active Defense WPA/WPA2 encryption provides your Wi-Fi network with advanced protection against security threats
- · WPS Button Easy wireless security encryption at a push of the WPS button

# **Specifications**

#### Wireless

- · Wireless Standard: IEEE 802.11b/g/n 2.4GHz, IEEE 802.11a/n/ac 5GHz
- · Wireless Mode: Ad-Hoc / Infrastructure Mode
- · Wireless Security: WEP, WPA/WPA2(Enterprise), WPA-PSK/WPA2-PSK (Personal)
- Modulation Technology: DBPSK, DQPSK, CCK, OFDM, 16-QAM, 64-QAM, 256-QAM

#### Hardware

· Interface: USB 2.0

· Antenna: 1 Detachable High Gain External Antenna

· LED: Status

· Button: WPS

• Dimensions: 3.7 × 1.0 × 0.4 in. (93.5 × 26 × 11mm)

#### Others

· Package Contents

AC600 High Gain Wireless Dual Band USB Adapter Archer T2UH

Quick Installation Guide

Resource CD

· Certification

FCC, CE, RoHS

· System Requirements

Windows10/8.1/8/7/XP, Mac OS X 10.7-10.11, Linux

· Environment

Operating Temperature: 0°C~40°C (32°F~104°F)

Storage Temperature: -40 °C ~70 °C (-40 °F ~158 °F)

Operating Humidity: 10%~90% non-condensing

Storage Humidity: 5%~90% non-condensing





For more information, please visit

http://www.tp-link.com/en/products/details/Archer-T2UH.html

or scan the OR code left

Specifications are subject to change without notice. TP-Link is a registered trademark of TP-Link Technologies Co., Ltd. Other brands and product names are trademarks of their respective holders. Copyright ©2017 TP-Link Technologies Co., Ltd. All rights reserved.