



AC 1300

High Gain Wireless Dual Band USB Adapter

Archer T4UH

Highlights

- 400 + 867Mbps Wireless Speed Ideal for online gaming, ultra HD streaming and large file downloads
- · 2.4GHz and 5GHz Dual Band Avoid interference for a better online experience
- Superspeed USB 3.0 Port Transfers data up to 10x faster than USB 2.0 port
- WPS Button Easy wireless security encryption at a push of the WPS button
- Backward Compatibility With support for 802.11 a/b/g/n standards







Support



Support



Features



Speed

- Fast Wi-Fi Ultra-fast 400 + 867Mbps wireless speeds are ideal for streaming video, online gaming and internet calls
- **802.11ac Support** Wi-Fi technology that is 3 times faster than 802.11n



Wi-Fi Range

 Broad Wireless Range – Omni directional antenna delivers maximized performance for wireless connections



Reliability

- Dual Band Selectable 2.4GHz and 5GHz bands to avoid wireless signal interference
- Soft AP Function Provides additional options when developing your local wireless network



Ease of Use


- TP-LINK Utility Utility bundle makes management easier than ever
- Backwards Compatibility Supports routers utilizing 802.11 a/b/g/n Wi-Fi standards



Security

- Active Defense WPA/WPA2 encryption provides your Wi-Fi network with advanced protection against security threats
- WPS Button Easy wireless security encryption at a push of the WPS button

Diagram



Specifications

Wireless

· Wireless Standards: IEEE 802.11b/g/n 2.4GHz, IEEE 802.11a/n/ac 5GHz

• Frequency: 2.4GHz or 5GHz

· Signal Rate: 400Mbps at 2.4GHz, 867Mbps at 5GHz

· Wireless Modes: Ad-Hoc / Infrastructure mode

• Wireless Security: Support 64/128 bit WEP, WPA-PSK/WPA2-PSK, 802.1x

Hardware

• **Dimensions (W x D x H):** $3.7 \times 1.6 \times 0.6$ in. (93 x 32 x 14 mm)

· Antenna: Omni Directional

Interface: USB 3.0

Others

Package Contents

- · AC1300 High Gain Wireless Dual Band USB Adapter Archer T4UH
- · Quick Installation Guide
- · USB 3.0 Cradle
- · Resource CD

Certification

· CE, FCC, RoHS

System Requirements

· Windows XP/7/8/8.1/10, Mac 10.7-10.10, Linux

Environment

- Operating Temperature: 0° C ~40 $^{\circ}$ C (32 $^{\circ}$ F ~104 $^{\circ}$ F)
- Storage Temperature: $-40^{\circ}\text{C} \sim 70^{\circ}\text{C} (-40^{\circ}\text{F} \sim 158^{\circ}\text{F})$
- · Operating Humidity: 10%~90% non-condensing
- · Storage Humidity: 5%~90% non-condensing



■ For more information, please visit

http://www.tp-link.com/en/products/details/?model=Archer+T4UF

or scan the OR code left

Attention: This device may only be used indoors in all EU member states and EFTA countries.

Specifications are subject to change without notice. TP-LINK TECHNOLOGIES CO., LTD. Other brands and product names are trademarks of their respective holders. Copyright © 2017 TP-LINK TECHNOLOGIES CO., LTD. All rights reserved.