



AC 750 Wireless Dual Band Router Archer C20

Highlights

- Fast Wi-Fi 300Mbps on 2.4GHz + 433Mbps on 5GHz totals 733Mbps Wi-Fi speeds
- Superior Coverage 2 dual band fixed antennas provide incredible
 Omni-directional wireless coverage and reliability
- USB Port shares a printer locally as well as your files & media with networked devices locally or remotely.
- Tether App TP-LINK Tether provides the easiest way to access and manage the router on your iOS and Android devices



Dual Band 2.4 & 5 GHz



pps+ Guest bps Network




USB 2.0 Port







Features



Speed

- Fast Wireless Speed Combined wireless speeds up to 733Mbps at 2.4GHz & 5GHz band concurrently
- Support 802.11 ac Offering 3 times faster data rate than 802.11n in a single stream



Wi-Fi Range

2 Dual Band Antennas – 2 dual band fixed antennas provide maximum Omni-directional wireless coverage



Reliability

- · Simultaneous Dual Band Reduces interference for more stable connections
- IP QoS Advanced QoS automatically recognizes
 & prioritizes streaming & gaming applications

Features



Easy Sharing

- USB Port for Fast Sharing With one USB 2.0 port, you can access and share a printer as well as your files and media locally. Via the router's FTP server, you can also have access to your files & media with networked devices remotely
- · Built-in FTP Server Allows users to visit remotely
- Built-in Media Server Allows users to play music, video and view photos
- Built-in Print Server Supports wireless printing from multiple computers (works in conjunction with a USB Printer)



Ease of Use

- 3-Step Quick Installation Easy Setup Assistant supporting multiple languages provides a quick & hassle free installation
- Fast Encryption Easy one-touch WPA wireless security encryption with the WPS button
- Easy On/Off Wi-Fi On/Off Button allows users to turn wireless radio on or off
- · Power On/Off Convenient power saving
- Hassle-free Management with Tether App –
 Tether App allows easy network management at your fingertips



Security

- Access Control Guest Network Access provides secure Wi-Fi access for guests
- Parental Control Establish restricted access policies for all connected devices
- Easy Bandwidth Management IP-based Bandwidth Control makes it easier for you to manage the bandwidth of connected devices
- Encryptions for Secure Network WPA-PSK/WPA2-PSK encryptions provide active defense against security threats for user networks

Tether App

Easy Network Management at Your Fingertips

TP-LINK Tether provides the easiest way to access and manage the router on your iOS and Android devices. From Setup to Parental Control, Tether provides a simple, intuitive user interface to see what the status of your router is, who's online and what their privileges are. TP-LINK Tether is going to be adaptable to more router models.



Specifications

Hardware

• Ethernet Ports: 4 10/100Mbps LAN Ports & 1 10/100Mbps WAN Port

• USB Port: 1 USB 2.0 Port


· Button: WPS/Reset Button, Wireless On/Off Button, Power On/Off Button

External Power Supply: 12V/1A

• **Dimensions (W x D x H):** 9.1 x 5.7 x 1.4 in. (230 x 144 x 35mm)

· Antenna: 2 dual band fixed antennas

4 10/100Mbps LAN Ports Connect to computers, TVs and game consoles



Wireless

· Wireless Standards: IEEE 802.11ac/n/a 5GHz, IEEE 802.11b/g/n 2.4GHz

• Frequency: 2.4GHz and 5GHz

· Signal Rate: 433Mbps at 5GHz, 300Mbps at 2.4GHz

· Transmit Power: EU version 2.4GHz<20dBm, 5GHz<23dBm

Reception Sensitivity: 5GHz: 11a 6Mbps: -91Bm

11a 54Mbps: -74dBm 11ac HT20: -66dBm 11ac HT40: -64dBm 11ac HT80: -61dBm

2.4G: 11g 54Mbps: -74dBm

11n HT20: -72dBm 11n HT40: -69dBm

 Wireless Function: Enable/Disable Wireless Radio, WDS Bridge, WMM, Wireless Statistics

 Wireless Security: 64/128-bit WEP, WPA/WPA2, WPA-PSK/WPA-PSK2 encryptions

Specifications

Software

- WAN Type: Dynamic IP/Static IP/PPPoE/PPTP(Dual Access)/L2TP(Dual Access)/Bigpond
- · DHCP: Server, Client, DHCP Client List, Address Reservation
- · Quality of Service: WMM, Bandwidth Control
- · Port Forwarding: Virtual Server, Port Triggering, UPnP, DMZ
- · Dynamic DNS: DynDns, Comexe, NO-IP
- · VPN: PPTP, L2TP, IPSec
- Access Control: Parental Control, Local Management Control, Host list, Access Schedule, Rule Management
- Firewall Security: DoS, SPI Firewall, IP Address Filtering/MAC Address Filtering/Domain Filtering, IP and MAC Address Binding
- Protocols: Supports IPv4 and IPv6
- USB Sharing: Supports Samba(Storage)/FTP Server/Media Server/Printer Server
- · Management: Access Control, Local Management, Remote Management
- Guest Network: 2.4GHz guest network x 1, 5GHz guest network x 1

Others

Package Contents

- · AC750 Wireless Dual Band Router, Archer C20
- · Power Supply Unit
- · Resource CD
- · Ethernet Cable
- · Quick Installation Guide

Certification

· CE, RoHS

System Requirements

· Windows 8.1/8/7/Vista/XP, Mac OS or Linux-based operating system


Environment

- · Operating Temperature: 0°C ~40°C (32°F ~104°F)
- Storage Temperature: $-40^{\circ}\text{C} \sim 70^{\circ}\text{C}$ ($-40^{\circ}\text{F} \sim 158^{\circ}\text{F}$)
- · Operating Humidity: 10%~90% non-condensing
- · Storage Humidity: 5%~90% non-condensing


Others

Ideal to use with





Similar Products











For more information, please visit

http://www.tp-link.com/en/products/details/?categoryid=&model=Archer+C20

or scan the QR code left

Specifications are subject to change without notice. TP-LINK is a registered trademark of TP-LINK TECHNOLOGIES CO., LTD. Other brands and product names are trademarks or registered trademarks or r

www.tp-link.com