TP-LINK®
The Reliable Choice

EAC

Quick Installation Guide

 For Mac OS X

® 201-150339

Ⓣ D15 0095 201

150Mbps Wireless N Nano USB Adapter
MODEL NO. TL-WN725N

7106506565 REV5.0.0

1 Connect to a Computer

Insert the adapter into a USB port on your computer directly.

2 Install Driver and Utility

a. Insert the CD.

Note:
You can also download the driver and utility at http://www.tp-link.com.

b. Browse the CD, go to TL-WN725N_WN723N > Mac OS X Driver, unzip the Mac OS X version zip file and run the Installer.

c. Follow the wizard to complete the installation.

Installer.pkg   uninstall.command

3 Join a Wireless Network

Via TP-LINK Utility

a. Click   (TP-LINK Wireless Configuration Utility) on the menu bar.

b. Select your Wi-Fi network and enter the Wi-Fi password when prompted.

USB-WiFi: On
Turn USB-WiFi Off
TP-LINK_XXXX
TP-LINK_0001
TP-LINK_0903
TP-LINK_TEST_Device
Join Other Network
WPS
Open Wireless Utility

For Windows

1 Connect to a Computer

Insert the adapter into a USB port on your computer directly.

Note:
In Windows XP or Windows Vista, a **Found New Hardware Wizard** window will appear when the adapter is detected. Please click **Cancel**.

This USB Adapter can only be powered by computers that comply with Limited Power Source (LPS).

2 Install Driver and Utility

a. Insert the CD and run the **Autorun.exe** from the pop-up Autoplay window.

Notes:
1. You can also download the driver and utility at **http://www.tp-link.com**.
2. In some operating systems, the CD screen will pop up automatically. Otherwise, run the CD manually.

b. Select **TL-WN725N** and click **Install Driver**, then follow the InstallShield Wizard to complete the installation.

Note:
During the installation, select **TP-LINK Wireless Configuration Utility and Driver** if you want to use TP-LINK Utility and WPS function.

TP-LINK Setup Wizard

TL-WN723N

TL-WN725N
Install Driver
User Guide

▶ Browse CD   ⏻ EXIT

3 Join a Wireless Network

Option 1: Via Windows Wireless Utility

Click 📶 or 📶 (Network icon) on the task bar, select your Wi-Fi network, and click **Connect**.

Note:
In Windows XP, you need to close the TP-LINK Utility before using the Windows Wireless Utility.

Networks	
Wi-Fi	
TP-LINK_TEST_Device	📶
TP-LINK_0903	🔒 📶
TP-LINK_XXXX	🔒 📶
☑ Connect automatically	Connect

Option 2: Via TP-LINK Utility

Select your Wi-Fi network from the utility window and click **Connect**. The symbol indicates a successful connection.

TP-LINK

Status	WPS	Network	Profile	Advanced	

Network Name(SSID) ▼	Security ▼	Channel ▼	Signal ▼
TP-LINK_XXXX 🔒	WPA/WPA2-Personal	6 (2.4G)	📶
☐ Connect automatically		Connect	
TP-LINK_0903 🔒	WPA/WPA2-Personal	2 (2.4G)	📶
TP-LINK_TEST_Device	None	11 (2.4G)	📶
TP-LINK_0001	None	5 (2.4G)	📶

Network
TP-LINK_X
TP-LINK

For more information, please visit our website
http://www.tp-link.com
©2016 TP-LINK