



150Mbps Wireless N PCI Express Adapter

N150 Desktop Wi-Fi with
Proven Reliability


TL-WN781ND



150Mbps Wi-Fi



Advanced Security




Low-Profile Bracket

Highlights


N150 Stability for Your Daily Needs

The TL-WN781ND reaches Wi-Fi speed of up to 150Mbps, ideal for surfing, emailing and posting social media.



Extra Low-Profile Bracket for Better Compatibility

The extra low-profile bracket provided allows for installation in slim desktop towers through the changing of the bracket.



Features

Speed

- **Fast Wi-Fi** – Up to 150Mbps Wi-Fi speed for joyful surfing experience

Wi-Fi Range

- **Better Coverage** – One detachable antenna provides wider wireless coverage, delivering a stable connection to your Wi-Fi network

Reliability

- **Roaming Technology** – Guarantees efficient and reliable client wireless connections

Ease of Use

- **Easy Installation** – Simply insert the adapter into a free PCI-E slot in your desktop and connect to an available Wi-Fi network
- **System Compatibility** – Supported operating systems include Windows 10/8.1/8/7, Linux (kernel 2.6.24 ~ 4.3)

Security

- **Encryptions for Secure Network** – WPA/WPA2 encryptions provide active protection against security threats

Specifications

Wireless

- Wireless Standard: IEEE 802.11b/g/n
- Frequency: 2.4-2.4835GHz
- Signal Rate: 150Mbps at 2.4GHz
- Wireless Mode: Ad-Hoc/Infrastructure Mode
- Wireless Security: WEP, WPA/WPA2, WPA-PSK/WPA2-PSK
- Modulation Technology: DBPSK, DQPSK, CCK, OFDM, 16-QAM, 64-QAM

Hardware

- Interface: PCI Express 2.0
- Antenna: 1 Detachable External Antenna
- LED: Status
- Dimensions: 4.8 × 3.1 × 0.8 in. (120.8 × 78.5 × 21.5 mm)

Others

- Package Contents
 - 150Mbps Wireless N PCI Express Adapter TL-WN781ND
 - Low-Profile Bracket
 - Quick Installation Guide
 - Resource CD
- Certification
 - FCC, CE, RoHS
- System Requirements
 - Windows10/8.1/8/7
- Environment
 - Operating Temperature: 0°C~40°C (32°F ~104°F)
 - Storage Temperature: -40°C~70°C (-40°F ~158°F)
 - Operating Humidity: 10%~90% non-condensing
 - Storage Humidity: 5%~90% non-condensing



For more information, please visit

<http://www.tp-link.com/en/products/details/?model=TL-WN781ND>

or scan the QR code left

Specifications are subject to change without notice. TP-Link is a registered trademark of TP-Link Technologies Co., Ltd. Other brands and product names are trademarks or registered trademarks of their respective holders. Copyright ©2017 TP-Link Technologies Co., Ltd. All rights reserved.

www.tp-link.com