

Kasa Cam Outdoor 24/7 Recording







2K HD Video



Color Night View



IP65 Weatherproof

Highlights

See Color in the Night

Kasa Cam Outdoor offers sharp and full-color views day and night, rain or shine. Simply install on your home to ensure maximum coverage of your front or back yard. Receive instant notifications of potential dangers, then use the siren to scare away intruders.

Protect Your Outdoors

The Kasa Cam Outdoor has an IP65 rating that ensures your device is protected against rain and dust. Have peace of mind with your outdoors under watch.



*The app screen depicted is for visual reference only and does not necessarily represent actual product operation or app appearance.




Highlights


Watch from Anywhere

Watch live video at any time on your smartphone with the free Kasa Smart app. Even stream live video to any Alexa or Google Assistant supported display, like a Fire TV or Google Chromecast.


Your Home. One App.

Turn your home into a true smart home with Kasa Smart. Automate your lights and appliances with smart plugs, bulbs, and switches. Secure your home with Kasa Cameras. Control it all from the Kasa Smart app.





Features





2K HD Video

Sharp and clear 4 MP high-resolution video delivers more delicate details.

Live View from Anywhere

See, hear, and talk like you're there via your phone or any supported display.

Instant Notifications

With motion and sound detection, the Kasa Smart app alerts you of activity that matters and sends notifications straight to your smartphone.

Full-Time Color

Enhance your security view with vivid colors even at night with the integrated spotlights.

Secure Storage Options

Save footage 24/7 on a microSD card or subscribe to a Kasa Care plan for cloud storage.

See Who's There

Know what's happening as soon as the camera detects people passing by.



Starlight Night Vision

The highly-sensitive starlight sensor captures higher-quality images even in low-light conditions.

All-Weather All-Star

IP65 certified weatherproofing ensures your camera stay protected against rain and dust.

Smart Actions

With Smart Actions, your Kasa devices can work together to create a smarter smart home.

Specifications

Camera

Image Sensor: 1/3" **Resolution:** 4 MP HD (2560 x 1440 pixels) Lens: F/NO: 1.61; Focal Length: 3.18 mm Viewing Angle: FOV = 110° Night Vision: 850 nm IR LED, up to 98 ft 3000 K white LED, up to 98 ft Weatherproof Rating: IP65 Storage: Supports microSD cards, up to 256 GB* *microSD card required.

Hardware

Button: RESET button Indicator LED: System LED Adapter Input: 100-240 VAC, 50/60 Hz, 0.2 A Adapter Output: 5.0 VDC, 1.0 A Product Dimensions ($W \times D \times H$): 2.8 x 5.0 x 2.8 in. (70.3*126.3*70.3 mm)

Activity Notifications

Input Trigger: Motion detection, person detection, audio detection, camera on/off **Output Notification:** Notification, snapshot (only for Kasa Care), clips (only for Kasa Care)

Audio

Audio Communication: 2-way audio Audio Input & Output: Built-in microphone and speaker **Mic:** Picks up sounds clearly up to 20 feet away Siren Audio: 80dB at one meter Audio Compression: G.711

Video

Video Compression: H.264 Frame Rate: 15 fps Video Streaming: 4 MP Video Zoom: 6X for 720p, 8X for 1080p, 12X for 4 MP

Network

Wireless Rate: 11Mbps(802.11b) 54Mbps(802.11g) 72Mbps(802.11n) Frequency: 2.4 GHz Wireless Security: WEP, WPA/WPA2-PSK Security: 128 bit AES encryption with SSL/TLS

Specifications are subject to change without notice. All brands and product names are trademarks or registered trademarks of their respective holders. *Kasa Care Plans vary by country and region © 2021 TP-Link

www.tp-link.com

Package Contents

1× Kasa Cam Outdoor with 10 ft USB Cable 1 × Power Adapter (Weatherproof outlet needed for the outdoors) 1 × Mounting Hardware Pack 1× Mounting Template 1× Quick Start Guide

Environment

Operating Temperature: -20°C~43°C (-4°F~109.4°F) **Storage Temperature:** -20°C~70°C (-4°F~158°F) **Operating Humidity:** 10%~90%RH non-condensing **Storage Humidity:**

5%~90%RH non-condensing

System

Regulatory Certification: RoHS, IP65, FCC, IC Hub Required: No