

# AC 1200

## Wireless Dual Band Gigabit ADSL2+ Modem Router *Archer D5*

### Highlights

- **Superfast Wi-Fi** – 300Mbps on 2.4GHz + 867Mbps on 5GHz
- **Maximum Range** – Two external dual band detachable antennas provide maximum omni-directional wireless coverage and reliability
- **Gigabit Wired Speed** – Full gigabit ports ensure ultrafast data transfer speeds
- **Dual USB Ports** – Easily share printers, files or media with your friends or family locally or over the Internet
- **ADSL/EWAN** – ADSL port supports ADSL connections via phone cable and the LAN/WAN port supports cable/fiber modem connections via Ethernet cable
- **Tether App** – TP-LINK Tether provides the easiest way to access and manage the router on your iOS and Android devices




300Mbps+  
867Mbps



Dual Band  
2.4 & 5 GHz




Gigabit  
Ports



2 x USB  
2.0 Ports



EWAN  
Connection



Tether  
APP



# Features



## Speed

- **Superfast Wireless Speed** – Combined wireless speeds of up to 1.2Gbps on the simultaneous 2.4GHz and 5GHz bands
- **Support 802.11 ac** – Data rates up to three times faster than single stream 802.11n
- **Gigabit Wired Speed** – Full gigabit ports ensure ultrafast data transfer speeds



## Wi-Fi Range

- **Two Dual Band Antennas** – Two dual band detachable antennas provide maximum Omni-directional wireless coverage



## Reliability

- **Simultaneous Dual Band** – Reduces interference for more stable connections
- **QoS** – Advanced QoS automatically recognizes & prioritizes streaming & gaming applications

# Features



## Easy Sharing

- **Two USB Ports for Fast Sharing** – Easily access and share printers and files on the network. The router's FTP server function also allows you to remotely access to your files and media on networked devices
- **Built-in Print Server** – Supports wireless printing from multiple computers
- **Built-in Media Server** – Allows users to access music, videos, and photos



## Ease of Use

- **Hassle-free Management with Tether App** – Tether App allows easy network management at your fingertips
- **New Web UI** – TP-LINK's innovative web UI allows users to connect, monitor, and control their network with ease
- **Fast Encryption** – WPS button provides easy, one-touch wireless encryption



## Security

- **Guest Network Access** – Guest Network Access provides secure Wi-Fi access for guests
- **Parental Control** – Establish restricted access policies for all connected devices
- **Easy Bandwidth Management** – Bandwidth Control makes it easier for you to manage the bandwidth of connected devices
- **VPN Support** – Secure access to your home or office network from remote devices
- **SPI and NAT Firewall** – Protects end-user devices from potential attacks from the Internet

## Versatile Connectivity

As a complete integrated modem router, the Archer D5 provides versatile connectivity options including ADSL and fiber/cable connections. This makes it easier when users need to choose among different Internet service providers when necessary.



## Tether App

## Easy Network Management at Your Fingertips

TP-LINK Tether provides the easiest way to access and manage the router on your iOS and Android devices. From Setup to Parental Control, Tether provides a simple, intuitive user interface to see what the status of your router is, who's online and what their privileges are. TP-LINK Tether is going to be adaptable to more router models.




# Specifications

## Hardware

- **Ethernet Ports:** 3 10/100/1000Mbps RJ45 LAN Ports, 1 10/100/1000Mbps RJ45 WAN/LAN Port, 1 RJ11 Port
- **USB Ports:** 2 USB 2.0 Ports
- **Button:** WPS Button, Reset Button, Wi-Fi On/Off Button, Power On/Off Button
- **External Power Supply:** 12V/2.5A
- **Dimensions (W x D x H):** 9.0 x 6.3 x 1.5 in. (229 x 160 x 37mm)
- **IEEE Standards:** IEEE 802.3, 802.3u, 802.3ab
- **ADSL Standards:** Full-rate ANSI T1.413 Issue 2, ITU-T G.992.1(G.DMT), ITU-T G.992.2(G.Lite), ITU-T G.994.1 (G.hs), ITU-T G.995.1
- **ADSL2 Standards:** ITU-T G.992.3 (G.DMT.bis), ITU-T G.992.4 (G.lite.bis)
- **ADSL2+ Standards:** ITU-T G.992.5
- **Antenna Type:** 2 external detachable dual band antennas (RP-SMA)
- **Antenna Gain:** 2 x 2dBi for 2.4GHz and 2 x 3dBi for 5GHz

## Wireless

- **Wireless Standards:** IEEE 802.11 a/n/ac 5GHz, IEEE 802.11b/g/n 2.4GHz
- **Frequency:** 2.4GHz and 5GHz
- **Signal Rate:** 867Mbps at 5GHz, 300Mbps at 2.4GHz
- **Transmit Power:** EU version 2.4GHz<20dBm, 5GHz<23dBm
- **Wireless Function:** Enable/Disable Wireless Radio, WDS Bridge, WMM, Wireless Statistics
- **Wireless Security:** 64/128-bit WEP, WPA/WPA2, WPA-PSK/WPA-PSK2 encryptions, Wireless MAC Filtering
- **Wireless Schedule:** Support 2.4GHz and 5GHz Wireless Schedule



# Specifications

---

## Software

---

- **Operation Modes:** ADSL Modem Router, Wireless Router
- **DHCP:** Server, Client, DHCP Client List, Address Reservation, DHCP Relay
- **Quality of Service:** ATM QoS, Traffic Control(IP QoS)
- **Port Forwarding:** Virtual Server, Port Triggering, DMZ, ALG, UPnP
- **Dynamic DNS:** DynDns, NO-IP
- **VPN Passthrough:** PPTP, L2TP, IPSec Passthrough
- **ATM/PPP Protocols:** ATM Forum UNI3.1/4.0, PPP over ATM (RFC 2364), PPP over Ethernet (RFC2516), IPoA (RFC1577/2225), MER\IPoE (RFC 1483 Routed), Bridge (RFC1483 Bridge), PVC – Up to 8 PVCs
- **Security:** NAT Firewall, Access Control, MAC / IP / URL Filtering, Denial of Service (DoS), SYN Flooding, Ping of Death, IP and MAC Address Binding
- **Advanced Functions:** Parental Control, Network Address Translation(NAT), Port Mapping(Grouping), Static Routing, RIP v1/v2(optional), DNS Relay, DDNS, IGMP V1/V2/V3
- **USB Sharing:** Support Samba(Storage)/FTP Server/Media Server/Printer Server
- **Management:** Web Based Configuration(HTTP), Remote management, command Line Interface, SSL for TR-069, SNMP v1/2c, Web Based Firmware Upgrade, Diagnostic Tools
- **Guest Network:** 2.4GHz guest network x 1, 5GHz guest network x 1
- **IPSec VPN:** Supports up to 10 IPSec VPN tunnels
- **Protocols:** Supports IPv4 and IPv6

## Others

---

### Package Contents

- AC 1200 Wireless Dual Band Gigabit ADSL2+ Modem Router Archer D5
- External Splitter
- RJ-11 Telephone Cable
- RJ-45 Ethernet Cable
- Power Adapter
- Quick Installation Guide

### Certification

- CE, RCM, RoHS

### System Requirements

- Microsoft Windows XP/Vista/7/8/8.1/10, MAC OS, NetWare, UNIX or Linux
- Internet Explorer 11, Firefox 12.0, Chrome 20.0, Safari 4.0, or other Java-enabled browser
- Cable or DSL Modem
- Subscription with an Internet Service Provider (for Internet access)

### Environment

- Operating Temperature: 0°C ~40°C (32°F ~104°F)
- Storage Temperature: -40°C ~70°C (-40°F ~158°F)
- Operating Humidity: 10%~90% non-condensing
- Storage Humidity: 5%~90% non-condensing

# Others

## Ideal to use with



- AC1300 Wireless Dual Band PCI Express Adapter Archer T6E



- AC1200 Wireless Dual Band USB Adapter Archer T4U

## Similar Products



- AC1900 Wireless Dual Band Gigabit ADSL2+ Modem Router Archer D9



- AC1750 Wireless Dual Band Gigabit ADSL2+ Modem Router Archer D7



Compatible with Windows 8



For more information, please visit

[http://www.tplink.com/test/products/details/cat-15\\_Archer-D5.html](http://www.tplink.com/test/products/details/cat-15_Archer-D5.html)

or scan the QR code left

Specifications are subject to change without notice. TP-LINK is a registered trademark of TP-LINK Technologies CO., Ltd. Other brands and product names are trademarks or registered trademarks of their respective holders. No part of the specifications may be reproduced in any form or by any means or used to make any derivative such as translation, transformation, or adaptation without permission from TP-LINK Technologies CO., Ltd.

[www.tp-link.com](http://www.tp-link.com)