

150Mbps Mini Wireless N USB Adapter TL-WN723N

⦿ Features:

- Wireless N speed up to 150Mbps
- Seamlessly compatible with 802.11b/g/n products
- Easy one-touch wireless security encryption with the WPS button
- Supports Soft AP function for Wireless Internet Sharing
- Advanced Security: Supports WEP, WPA/WPA2, WPA-PSK/WPA2-PSK
- Supports Windows 8.1/8 32/64bits, Windows 7 32/64bits, Windows XP 32/64bits, Windows Vista 32/64bits, Mac OS X 10.7~10.10, Linux
- Bundled utility provides quick & hassle free installation
- Supports ad-hoc and infrastructure modes




⦿ Description:

TP-LINK's Mini Wireless N USB Adapter, TL-WN723N allows users to connect a desktop or notebook computer to a wireless network and access a high-speed Internet connection. The TL-WN723N is designed to be as convenient for users as possible, so there's no need to worry that one USB interface will be blocked by its neighbor with the adapter being so small. A device the size of a fingertip designed to keep the workspace neat and tidy.

⦿ Specifications:

HARDWARE FEATURES	
Interface	USB 2.0
Button	WPS Button
Dimensions (W X D X H)	1.4 × 0.7 × 0.3 in. (36.8 × 17 × 8.4mm)
Antenna Type	On Board
Antenna Gain	1.36dBi
WIRELESS FEATURES	
Wireless Standards	IEEE 802.11b, IEEE 802.11g, IEEE 802.11n
Frequency	2.4-2.4835GHz
Signal Rate	11b: Up to 11Mbps (dynamic)
	11g: Up to 54Mbps (dynamic)
	11n: Up to 150Mbps (dynamic)
EIRP	<20dBm
Reception Sensitivity	130M: -68dBm@10% PER
	108M: -68dBm@10% PER
	54M: -68dBm@10% PER
	11M: -85dBm@8% PER
	6M: -88dBm@10% PER 1M: -90dBm@8% PER
Wireless Modes	Ad-Hoc / Infrastructure mode
Wireless Security	Supports 64/128 WEP, WPA/WPA2, WPA-PSK/WPA2-PSK (TKIP/AES), Supports IEEE 802.1X
Modulation Technology	DBPSK, DQPSK, CCK, OFDM, 16-QAM, 64-QAM
OTHERS	
Certifications	CE, FCC, RoHS
System Requirements	Windows 8.1/8(32/64bits), Windows 7(32/64bits), Windows XP(32/64bits), Windows Vista(32/64bits), Mac OS X 10.7~10.10, Linux
Environment	Operating Temperature: 0°C~40°C (32°F~104°F) Storage Temperature: -40°C~70°C (-40°F~158°F) Operating Humidity: 10%~90% non-condensing Storage Humidity: 5%~90% non-condensing

Diagram:**Package:**

- 150Mbps Mini Wireless N Adapter TL-WN723N
- Resource CD
- Quick Installation Guide

Related Products:

- 150Mbps Wireless N Router TL-WR741ND/TL-WR740N
- ADSL2+ Modem TD-8616