TP-LINK®

150Mbps Wireless N USB Adapter TL-WN727N

• Features:

- Up to 150Mbps wireless speed, ideal for video streaming, online gaming and Internet calls
- Easily setup an encrypted secure connection at a push of the WPS button
- Supports Sony PSP X-link for online gaming for Windows XP
- Supports Soft AP function for wireless Internet sharing
- Supports WEP, WPA/WPA2, WPA-PSK/WPA2-PSK encryption
- · Supports Infrastructure and Ad-Hoc modes
- Supports Windows 8/7/XP 32/64bits



• Description:

TP-LINK's 150Mbps Wireless N USB Adapter TL-WN727N is designed to connect your laptop or desktop to a wireless network and enjoy high speed wireless performance. The TL-WN727N features Soft AP Mode, one-button security setup (WPS), easy-to-use configuration software, making it a great choice for enjoying fast wireless network.

• Specifications:

HARDWARE FEATURES	
Interface	USB 2.0
Button	Wi-Fi Protected Setup (WPS)
Dimensions (W X D X H)	2.3 x 0.7 x 0.3 in (69 x 21 x 9.5mm)
Antenna Type	On-Board
Antenna Gain	1.32dBi
WIRELESS FEATURES	
	IEEE 802.11n, IEEE 802.11g, IEEE 802.11b
Frequency	2.4-2.4835GHz
	11n: Up to 150Mbps(dynamic)
Signal Rate	11g: Up to 54Mbps(dynamic)
	11b: Up to 11Mbps(dynamic)
EIRP	<20dBm(EIRP)
Reception Sensitivity	130M: -65dBm@10% PER 108M: -68dBm@10% PER 54M: -68dBm@10% PER 11M: -85dBm@8% PER 6M: -88dBm@10% PER 1M: -90dBm@8% PER
Wireless Modes	Ad-Hoc / Infrastructure mode
Wireless Security	WEP, WPA/WPA2, WPA-PSK/WPA2-PSK
OTHERS	
Certification	CE, FCC, RoHS
System Requirements	Windows 8/7/XP 32/64bits
Environment	Operating Temperature: 0°C ~40°C (32°F~104°F) Storage Temperature: -40°C ~70°C (-40°F~158°F) Operating Humidity: 10%~90% non-condensing Storage Humidity: 5%~90% non-condensing

• Diagram:



Package contents:

- 150Mbps Wireless N USB Adapter TL-WN727N
- One USB extension cable
- Quick Installation Guide
- Resource CD, including:
- TL-WN727N Wireless Client Utility and Drivers
- User Guide
- Other Helpful Information

Related Products:

- 150Mbps Wireless N Router TL-WR741ND
- ADSL2+ Modem TD-8616