



AV500

Powerline ac Wi-Fi Kit

TL-WPA4530 KIT

Highlights

- HomePlug AV – Provides up to 500Mbps high speed data transmission over a home's existing electrical wiring, ideal for lag-free HD or 3D video streaming and online gaming
- AC750 – Extends 2.4GHz(300Mbps) + 5GHz(433Mbps) dual band Wi-Fi speeds to every room of your house
- One Touch Super Range Extension – Wi-Fi Clone Button simplifies your Wi-Fi configuration and helps build a seamless unified home network
- Auto-Sync – Wi-Fi Move Technology allows to automatically sync the Wi-Fi settings across your Powerline network by pressing the pair buttons
- Out of Box Simplicity – Set up your Powerline network in minutes. Simply plug, pair and play



Dual Band
2.4 & 5 GHz



300Mbps+
433Mbps



500Mbps
HomePlug AV



Wi-Fi
Clone



Wi-Fi
Auto-Sync



Multiplayer
Online Gaming



tpPLC
App



Available on the
App Store
ANDROID APP ON
Google play

Features



Speed

- **HomePlug AV** – Provides up to 500Mbps high speed data transmission over a home's existing electrical wiring, ideal for lag-free HD or 3D video streaming and online gaming
- **Wireless AC Standard** – Extended 300Mbps on 2.4GHz + 433Mbps on 5GHz totals 733Mbps Wi-Fi speeds



Reliability

- **Multiple Ethernet Ports** – Create secure wired networks for desktops, smart TVs or game consoles
- **Max. Units** – Support up to 16 Powerline devices in one Powerline network
- **Mains Filter** – Mains Filter inside the outlet reduces electrical noise interference and improves powerline communication performance



Ease of Use

- **Wi-Fi Clone** – Allows Powerline extenders to copy the network name (SSID) and password from your router with one touch
- **Wi-Fi Move** – Automatically syncs the Wi-Fi settings across your Powerline network
- **TP-LINK tpPLC** – Easily manage your network with intuitive tpPLC App or tpPLC Utility



Range

- **300-meter Range** – Up to 300-meter range over the household power circuit



Security

- **Pair Button** – 128-bit AES encryption easily at a push of "Pair" Button

Specifications

Hardware

- Transmission Speeds: Powerline: up to 500 Mbps
Ethernet: 10/100 Mbps
- Standards and Protocols: HomePlug AV, IEEE 1901, IEEE 802.3, IEEE 802.3u, IEEE 802.11b/g/n 2.4GHz, IEEE 802.11a/ac 5GHz
- Interface: 3 * Built-in Ethernet Port
- Plug Type: EU, UK, US
- Button: Pair, LED On/Off, Wi-Fi/Wi-Fi Clone, Reset
- LED Indicator: Power, Powerline, Ethernet
- Item Dimensions (W x D x H): TL-WPA4530: 5.2 x 2.8 x 1.9 in. (131 x 72 x 47 mm)
TL-PA4020P: 3.7x2.3x1.7 in. (95x58x42 mm)
- Packing Dimensions (W x D x H): 9.1 x 7.5 x 3.9 in. (230x190x100 mm)
- Access Methods: CSMA/CA channel-access schemes
- IGMP: IGMP v1/v2/v3
- Power Consumption: Maximum: 8 W (230V/50Hz)
Standby: 2.2 W (230V/50Hz)
- Range: 300 meters in house
- Compatibility: Compatible with all HomePlug AV & HomePlug AV2 standard Powerline adapters

Software

- Modulation Technology: OFDM
- Security: 128-bit AES Encryption
- Quality of Service (QoS): ToS
Supports up to 4-level type QoS
Support up to 8-level VLAN priority field

Others

Package Contents

- AV500 Powerline ac Wi-Fi Kit: TL-WPA4530 & TL-PA4020P
- 2-meter RJ-45 Ethernet Cable * 2
- Quick Installation Guide
- Resource CD

Certification

- CE, RoHS



System Requirements

- Windows 8.1/8/7/Vista/XP, Mac OS, Linux²


Environment

- Operating Temperature: 0°C~40°C (32°F~104°F)
- Storage Temperature: -40°C~70°C (-40°F~158°F)
- Operating Humidity: 10%~90% non-condensing
- Storage Humidity: 5%~90% non-condensing

Diagrams



PLUG, PAIR AND PLAY!



Others

Ideal to use with



- AC3200 Wireless Tri-Band Gigabit Router
Archer C3200



- AC2600 Wireless Dual Band Gigabit Router
Archer C2600

Similar Products



- AV1200 3-port Gigabit Passthrough Powerline Starter Kit
TL-PA8030P KIT



- 300Mbps AV500 Wi-Fi Powerline Extender Starter Kit
TL-WPA4220KIT



For more information, please visit
<http://WWW.TP-LINK.COM/uk/products/details/?model=TL-WPA4530+KIT>
or scan the QR code left

uk.tp-link.com

Specifications are subject to change without notice. TP-LINK is a registered trademark of TP-LINK TECHNOLOGIES CO., LTD. Other brands and product names are trademarks or registered trademarks of their respective holders. No part of the specifications may be reproduced in any form or by any means or used to make any derivative such as translation, transformation, or adaptation without permission from TP-LINK TECHNOLOGIES CO., LTD.
¹ Actual data will vary because of the network conditions and environment factors.
² Utility supports Windows 8.1/8/7/Vista/XP and Mac OS X (10.7 or later) operating system for the present.