TP-LINK®

AC1750 Wireless Dual Band Gigabit Router

Archer C7

• Features:

- The next generation of Wi-Fi, leading 802.11ac standard
- Simultaneous 5GHz 1300Mbps and 2.4GHz 450Mbps connections for 1.75Gbps of total available bandwidth
- Full gigabit ports ensure ultra fast data transfer speeds
- 3 detachable dual band antennas provide maximum whole directional wireless coverage and reliability
- Dual USB Ports easily share a printer locally and files & media with networked devices or remotely via FTP server
- The device's built-in print server supports wireless printing from different computers by connecting a USB printer to the router
- Tether APP provides the easiest way to access, manage your router with your iOS devices.
- Guest Network Access provides secure Wi-Fi access for guests sharing your home or office network
- Supports IPV6 (Internet Protocol Version 6)
- Wireless On/Off Switch lets you simply turn the wireless radio on or off
- Easy one-touch wireless security encryption with the WPS button
- Parental Control allows administrators to establish restricted access for children or staff





Dual Band



1300Mbps

. +450Mbps











Maximum Dual Range USB Ports

Gigabit Ports C

Security IPv6-Connection Enabled

• Description:

The TP-LINK's Archer C7 upgrades your network to the next generation of Wi-Fi. With combined wireless speeds of up to 1.75Gbps and 3 antennas, the device provides ultimate speeds and wireless range. You can run multiple bandwidth intensive applications in a large home or office. Simple tasks like sending e-mails or web browsing can be handled by the 2.4GHz band while bandwidth intensive tasks like online gaming or HD video streaming can be processed by the 5GHz band – all at the same time.

If you prefer a wired connection, the Archer C7 boasts five gigabit ports to provide a lightning-fast and lag-free experience. The two USB 2.0 ports will allow you to power a robust home Internet network by sharing printers, flash storage, ftp servers, or media players.

• Specifications:

HARDWARE FEATURES	
Interface	4 10/100/1000Mbps LAN Ports 1 10/100/1000Mbps WAN Port 2 USB 2.0 Port
Button	WPS/Reset Button Wireless On/Off Switch Power On/Off Button
External Power Supply	12VDC / 2A
Antenna type	3 Dual Band Detachable Antennas(RP-SMA)
WIRELESS FEATURES	
Wireless Standards	IEEE 802.11a/n/ac, 5GHz IEEE 802.11b/g/n, 2.4GHz
Frequency	2.4GHz and 5GHz
Signal Rate	5GHz: Up to 1300Mbps 2.4GHz: Up to 450Mbps
EIRP	<20dBm
Reception Sensitivity	5GHz 11a 6Mbps: -96dBm, 11a 54Mbps: -79dBm 11ac HT20: -71dBm, 11ac HT40: -66dBm, 11ac HT80: -63dBm 2.4GHz 11g 54M: -77dBm
Wireless Functions	11n HT20: -74dBm, 11n HT40: -72dBm
Wireless Security	Enable/Disable Wireless Radio, WDS Bridge, WMM, Wireless Statistics WEP, WPA / WPA2, WPA-PSK/ WPA2-PSK encryption
SOFTWARE FEATURES	WELL, WITH, WITH SIV WITH SIX CHELYPHOLI
WAN Type	Dynamic IP/Static IP/PPPoE/PPTP(Dual Access)/L2TP(Dual Access)/BigPond
DHCP	Server, Client, DHCP Client List, Address Reservation
Quality of Service	WMM, Bandwidth Control
Port Forwarding	Virtual Server, Port Triggering, UPnP, DMZ
Dynamic DNS	No-IP, DynDNS, Comexe
VPN Pass-Through	PPTP, L2TP, IPsec
Access Control	Parental Control, Local Management Control, Host List, Access Schedule, Rule Management
Firewall Security	DoS, SPI Firewall IP Address Filter/MAC Address Filter/Domain Filter IP and MAC Address Binding
USB Sharing	Support Samba(Storage)/FTP Server/Media Server/Printer Server
Management	Access Control Local Management Remote Management
Internet Protocol	IPv4, IPv6

Specifications:

OTHERS	
Certifications	CE, FCC, RoHS
System Requirements	Microsoft Windows 10/8.1/8/7/Vista/XP, MAC OS, NetWare, UNIX or Linux.
Dimensions (W X D X H)	9.6 x 6.4 x 1.3 in. (243 x 160.6 x 32.5mm)
Environment	Operating Temperature: $0^{\circ}\text{C} \sim 40^{\circ}\text{C}$ (32°F $\sim 104^{\circ}\text{F}$)
	Storage Temperature: -40°C ~70°C (-40°F ~158°F)
	Operating Humidity: 10%~90% non-condensing
	Storage Humidity: 5%~90% non-condensing

• Diagram:



Package:

- AC1750 Wireless Dual Band Gigabit Router Archer C7
- 3 Detachable Antennas
- Power Supply Unit
- Ethernet Cable
- Quick Installation Guide

Related Products:

- AC1200 Wireless Dual Band USB Adapter Archer T4U
- AC600 Wireless Dual Band USB Adapter Archer T2U

¹Some USB hard drive that works at a high power without using any external power adapter might not be supported.

²The USB Printer Controller supports Windows 8.1/8/7/Vista/XP 32/64bits and Mac OS. For the printer compatibility information, please visit www.tp-link.com