



# Regulatory Compliance

Ceiling Mount/Desktop EAP

© 2025 TP-Link 1910013245 REV2.6.0

# For Class B Ceiling Mount/Desktop EAP:

## FCC Compliance Information Statement



**Product Name:** Omada Ceiling Mount Access Point / Omada Desktop Access Point

**Model Number:** EAP610 / EAP613 / EAP620 HD / EAP650 / EAP653 / EAP660 HD / EAP670 / EAP673 / EAP683 UR / EAP720 / EAP723 / EAP727 / EAP770 / EAP772 / EAP783 / EAP787 / EAP603GP-Desktop / EAP610GP-Desktop / EAP650GP-Desktop / EAP650-Desktop

| Component Name      | Model                                                                                                                                                                                                                                                                  |
|---------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| I.T.E. Power Supply | T120100-2B1 (For EAP610)<br>T120150-2B1 (For EAP620 HD / EAP650 / EAP720 / EAP727)<br>T120150-2B4 (For EAP603GP-Desktop / EAP650-Desktop)<br>T120200-2B4 (For EAP660 HD / EAP670)<br>T120250-2B4 (For EAP770)<br>T535081-2B4 (For EAP610GP-Desktop / EAP650GP-Desktop) |

**Responsible party:**

TP-Link Systems Inc.

**Address:** 10 Mauchly, Irvine, CA 92618

**Website:** <https://www.tp-link.com/us/>

**Tel:** +1 626 333 0234

**Fax:** +1 909 527 6804

**E-mail:** [sales.usa@tp-link.com](mailto:sales.usa@tp-link.com)

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.

- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/ TV technician for help.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

- 1) This device may not cause harmful interference.
- 2) This device must accept any interference received, including interference that may cause undesired operation.

Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

Note: The manufacturer is not responsible for any radio or TV interference caused by unauthorized modifications to this equipment. Such modifications could void the user's authority to operate the equipment.

#### **FCC RF Radiation Exposure Statement:**

This equipment complies with FCC RF radiation exposure limits set forth for an uncontrolled environment. This device and its antenna must not be co-located or operating in conjunction with any other antenna or transmitter.

"To comply with FCC RF exposure compliance requirements, this grant is applicable to only Mobile Configurations. The antennas used for this transmitter must be installed to provide a separation distance of at least 49cm (for **EAP683 UR**) / 44cm (for **EAP670 / EAP673 / EAP770 / EAP772**) / 31cm (for **EAP660 HD**) / 25cm (for **EAP783 / EAP650-Desktop**) / 20cm (for **other models**) from all persons and must not be colocated or operating in conjunction with any other antenna or transmitter."

#### **For EAP770 / EAP772 / EAP783 / EAP787:**

- FCC regulations restrict the operation of this device to indoor use only.
- The operation of this device is prohibited on oil platforms, cars, trains, boats, and aircraft, except that operation of this device is permitted in large aircraft while flying above 10,000 feet in the 5.925-6.425 GHz band.
- Operation of transmitters in the 5.925-7.125 GHz band is prohibited for control of or communications with unmanned aircraft systems.

#### **Product Name: I.T.E. Power Supply**

Model Number: T120100-2B1 / T120150-2B1 / T120150-2B4 / T120200-2B4 / T120250-2B4 / T535081-2B4

Responsible party:

TP-Link Systems Inc.

Address: 10 Mauchly, Irvine, CA 92618

Website: <https://www.tp-link.com/us/>

Tel: +1 626 333 0234

Fax: +1 909 527 6804

E-mail: [sales.usa@tp-link.com](mailto:sales.usa@tp-link.com)

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/ TV technician for help.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

- 1) This device may not cause harmful interference.
- 2) This device must accept any interference received, including interference that may cause undesired operation.

Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

We, **TP-Link Systems Inc.**, has determined that the equipment shown as above has been shown to comply with the applicable technical standards, FCC part 15. There is no unauthorized change is made in the equipment and the equipment is properly maintained and operated.

Issue Date: 2025-08-11

## CE Mark Warning



## **OPERATING FREQUENCY (the maximum transmitted power)**

**For EAP610 / EAP613 / EAP620 HD / EAP603GP-Desktop / EAP610GP-Desktop / EAP650GP-Desktop:**

2412 MHz - 2472 MHz (20dBm)

5150 MHz - 5250 MHz (23dBm)

5250 MHz - 5350 MHz (23dBm)

5470 MHz - 5725 MHz (30dBm)

**For EAP650 / EAP653 / EAP660 HD / EAP670 / EAP673 / EAP683 UR / EAP650-Desktop / EAP720 / EAP723 / EAP727:**

2402 MHz - 2480 MHz (10dBm)

2412 MHz - 2472 MHz (20dBm)

5150 MHz - 5250 MHz (23dBm)

5250 MHz - 5350 MHz (23dBm)

5470 MHz - 5725 MHz (30dBm)

**For EAP770 / EAP772 / EAP783 / EAP787:**

2402 MHz - 2480 MHz (10dBm)

2412 MHz - 2472 MHz (20dBm)

5150 MHz - 5250 MHz (23dBm)

5250 MHz - 5350 MHz (23dBm)

5470 MHz - 5725 MHz (30dBm)

6105MHz - 6425 MHz (23dBm)

## **EU Declaration of Conformity**

TP-Link hereby declares that the access point is in compliance with the essential requirements and other relevant provisions of directives 2014/53/EU, 2009/125/EC, 2011/65/EU and (EU)2015/863.

The original EU Declaration of Conformity may be found at <https://www.tp-link.com/en/support/ce/>.

## **RF Exposure Information**

This device meets the EU requirements (2014/53/EU Article 3.1a) on the limitation of exposure of the general public to electromagnetic fields by way of health protection.

The device complies with RF specifications when the device used at 20cm from your body.

## National Restrictions

**For EAP610 / EAP613 / EAP620 HD / EAP650 / EAP653 / EAP670 / EAP673 / EAP683 UR / EAP660 HD / EAP720 / EAP723 / EAP727 / EAP603GP-Desktop / EAP610GP-Desktop / EAP650GP-Desktop / EAP650-Desktop:**

Frequency band: 5150 - 5250 MHz:

Indoor use: Inside buildings only. Installations and use inside road vehicles and train carriages are not permitted. Limited outdoor use: If used outdoors, equipment shall not be attached to a fixed installation or to the external body of road vehicles, a fixed infrastructure or a fixed outdoor antenna. Use by unmanned aircraft systems (UAS) is limited to within the 5170 - 5250 MHz band.

Frequency band: 5250 - 5350 MHz:

Indoor use: Inside buildings only. Installations and use in road vehicles, trains and aircraft are not permitted. Outdoor use is not permitted.

Frequency band: 5470 - 5725 MHz:

Installations and use in road vehicles, trains and aircraft and use for unmanned aircraft systems (UAS) are not permitted.

**For EAP770 / EAP772 / EAP783 / EAP787:**

Frequency band: 5150 - 5250 MHz:

Indoor use: Inside buildings only. Installations and use inside road vehicles and train carriages are not permitted. Limited outdoor use: If used outdoors, equipment shall not be attached to a fixed installation or to the external body of road vehicles, a fixed infrastructure or a fixed outdoor antenna. Use by unmanned aircraft systems (UAS) is limited to within the 5170 - 5250 MHz band.

Frequency band: 5250 - 5350 MHz:

Indoor use: Inside buildings only. Installations and use in road vehicles, trains and aircraft are not permitted. Outdoor use is not permitted.

Frequency band: 5470 - 5725 MHz:

Installations and use in road vehicles, trains and aircraft and use for unmanned aircraft systems (UAS) are not permitted.

Frequency band 5945 -6425MHz:

Restricted to indoor use, including in trains with metal-coated windows and aircraft. Outdoor use, including in road vehicles, is not permitted.

|                                                                                     |    |    |    |    |    |    |    |        |
|-------------------------------------------------------------------------------------|----|----|----|----|----|----|----|--------|
|  | AT | BE | BG | CH | CY | CZ | DE | DK     |
|                                                                                     | EE | EL | ES | FI | FR | HR | HU | IE     |
|                                                                                     | IS | IT | LI | LT | LU | LV | MT | NL     |
|                                                                                     | NO | PL | PT | RO | SE | SI | SK | UK(NI) |

UKCA Mark



## UK Declaration of Conformity

TP-Link hereby declares that the access point is in compliance with the essential requirements and other relevant provisions of the Radio Equipment Regulations 2017.

The original UK Declaration of Conformity may be found at  
<https://www.tp-link.com/support/ukca>

## National Restrictions

Attention: This device may only be used indoors in Great Britain.



## Canadian Compliance Statement

**For EAP610 / EAP613 / EAP620 HD / EAP650 / EAP653 / EAP660 HD / EAP670 / EAP673 / EAP683 UR / EAP720 / EAP723 / EAP727 / EAP770 / EAP772 / EAP783 / EAP787 / EAP610GP-Desktop / EAP650-Desktop:**

This device contains licence-exempt transmitter(s)/receiver(s) that comply with Innovation, Science and Economic Development Canada's licence-exempt RSS(s). Operation is subject to the following two conditions:

- (1) This device may not cause interference.
- (2) This device must accept any interference, including interference that may cause undesired operation of the device.

**Pour EAP610 / EAP613 / EAP620 HD / EAP650 / EAP653 / EAP660 HD / EAP670 / EAP673 / EAP683 UR / EAP720 / EAP723 / EAP727 / EAP770 / EAP772 / EAP783 / EAP787 / EAP610GP-Desktop / EAP650-Desktop:**

L'émetteur/récepteur exempt de licence contenu dans le présent appareil est conforme aux CNR d'Innovation, Sciences et Développement économique Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes :

- 1) L'appareil ne doit pas produire de brouillage;
- 2) L'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.

## Caution

**For EAP610 / EAP613 / EAP620 HD / EAP660 HD / EAP610GP-Desktop:**

- 1) The device for operation in the band 5150–5250 MHz is only for indoor use to reduce the potential for harmful interference to co-channel mobile satellite systems; 5150 MHz to 5350 MHz is restricted to indoor operations in Hong Kong.

**For EAP650 / EAP653 / EAP670 / EAP673 / EAP683 UR / EAP720 / EAP723 / EAP727 / EAP770 / EAP772 / EAP783 / EAP787 / EAP650-Desktop / EAP603GP-Desktop / EAP650GP-Desktop:**

1) The device for operation in the band 5150–5250 MHz is only for indoor use to reduce the potential for harmful interference to co-channel mobile satellite systems; 5150 MHz to 5350 MHz is restricted to indoor operations in Hong Kong.

DFS (Dynamic Frequency Selection) products that operate in the bands 5250- 5350 MHz, 5470-5600MHz, and 5650-5725MHz.

## **Avertissement**

**Pour EAP610 / EAP613 / EAP620 HD / EAP660 HD / EAP610GP-Desktop:**

1) Le dispositif fonctionnant dans la bande 5150-5250 MHz est réservé uniquement pour une utilisation à l'intérieur afin de réduire les risques de brouillage préjudiciable aux systèmes de satellites mobiles utilisant les mêmes canaux;

**Pour EAP650 / EAP653 / EAP670 / EAP673 / EAP683 UR / EAP720 / EAP723 / EAP727 / EAP770 / EAP772 / EAP783 / EAP787 / EAP650-Desktop / EAP603GP-Desktop / EAP650GP-Desktop:**

1) Le dispositif fonctionnant dans la bande 5150-5250 MHz est réservé uniquement pour une utilisation à l'intérieur afin de réduire les risques de brouillage préjudiciable aux systèmes de satellites mobiles utilisant les mêmes canaux;

Les produits utilisant la technique d'atténuation DFS (sélection dynamique des fréquences) sur les bandes 5250- 5350 MHz, 5470-5600MHz et 5650-5725MHz.

**For EAP770 / EAP772 / EAP783:**

- Devices shall not be used for control of or communications with unmanned aircraft systems.
- Operation shall be limited to indoor use only.
- Operation on oil platforms, automobiles, trains, maritime vessels and aircraft shall be prohibited except for on large aircraft flying above 3,048 m (10,000 ft).

**Pour EAP770 / EAP772 / EAP783:**

- Les appareils ne doivent pas être utilisés pour le contrôle ou la communication avec des systèmes d'aéronefs sans pilote.
- Le fonctionnement doit être limité à une utilisation en intérieur uniquement.
- L'opération sur les plates-formes pétrolières, les automobiles, les trains, les navires maritimes et les avions est interdite, sauf sur les gros avions volant au-dessus de 3 048 m (10 000 ft).

**For EAP787:**

- Devices shall not be used for control of or communications with unmanned aircraft systems.
- Operation shall be limited to indoor use only.
- Operation on oil platforms, automobiles, trains, maritime vessels and aircraft shall be



prohibited except for on large aircraft flying above 3,048 m (10,000 ft).

- The antenna is fixed and inside the product, antenna height is equal to product height, which is determined by installers. This information shall be stored internally in the device. Provision of accurate device information is mandatory.

| Antenna Type | Model                  |
|--------------|------------------------|
| PIFA         | 6035500232, 6035500233 |

#### Pour EAP787:

- Les appareils ne doivent pas être utilisés pour le contrôle ou la communication avec des systèmes d'aéronefs sans pilote.
- Le fonctionnement doit être limité à une utilisation en intérieur uniquement.
- L'opération sur les plates-formes pétrolières, les automobiles, les trains, les navires maritimes et les avions est interdite, sauf sur les gros avions volant au-dessus de 3 048 m (10 000 ft).
- L'antenne est fixe et à l'intérieur du produit, la hauteur de l'antenne est égale à la hauteur du produit, qui est déterminée par les installateurs. Ces informations doivent être stockées en interne dans l'appareil. La fourniture d'informations précises sur l'appareil est obligatoire.

| Type d'antenne | Modèle                 |
|----------------|------------------------|
| PIFA           | 6035500232, 6035500233 |

## Radiation Exposure Statement:

This equipment complies with IC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 31cm (for EAP660 HD) / 30cm (for EAP683 UR) / 26cm (for EAP770 / EAP772) / 25cm (for EAP650 / EAP653 / EAP670 / EAP673 / EAP783 / EAP650-Desktop) / 20cm (for other models) between the radiator & your body.

## Déclaration d'exposition aux radiations:

Cet équipement est conforme aux limites d'exposition aux rayonnements IC établies pour un environnement non contrôlé. Cet équipement doit être installé et utilisé avec un minimum de 31cm (pour EAP660 HD) / 30cm (pour EAP683 UR) / 26cm (pour EAP770 / EAP772) / 25cm (pour EAP650 / EAP653 / EAP670 / EAP673 / EAP783 / EAP650-Desktop) / 20cm (pour les autres modèles) de distance entre la source de rayonnement et votre corps.

## Industry Canada Statement

CAN ICES (B)/NMB (B)







Продукт сертифіковано згідно с правилами системи УкрСЕПРО на відповідність вимогам нормативних документів та вимогам, що передбачені чинними законодавчими актами України.



## Safety Information

- Keep the device away from water, fire, humidity or hot environments.
- Do not attempt to disassemble, repair, or modify the device. If you need service, please contact us.
- Do not use damaged charger or USB cable to charge the device.
- Do not use any other chargers than those recommended.
- Do not use the device where wireless devices are not allowed
- (For products with power supplies) Adapter shall be installed near the equipment and shall be easily accessible.
- (For products with power supplies) Use only power supplies which are provided by manufacturer and in the original packing of this product. If you have any questions, please don't hesitate to contact us.
- Operating Temperature: 0°C ~ 40°C (32 °F ~ 104 °F )
- 運作溫度 : 0°C ~ 40°C (32 °F ~ 104 °F )
- This product uses radios and other components that emit electromagnetic fields. Electromagnetic fields and magnets may interfere with pacemakers and other implanted medical devices. Always keep the product and its power adapter more than 15 cm (6 inches) away from any pacemakers or other implanted medical devices. If you suspect your product is interfering with your pacemaker or any other implanted medical device, turn off your product and consult your physician for information specific to your medical device.
- Use only power supplies listed in the user instructions.

| Manufacturer | Model (EU Version)                                                                                                                                                                                                                                                                                                                       |
|--------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| TP-Link      | T120100-2C1 (For EAP610 / EAP613 / EAP650 / EAP653)<br>T120150-2C1 (For EAP620 HD / EAP720 / EAP723 / EAP727)<br>T120150-2C4 (For EAP603GP-Desktop / EAP650-Desktop)<br>T120200-2C4 (For EAP660 HD / EAP670 / EAP673 / EAP683 UR)<br>T120250-2C4 (For EAP770 / EAP772 / EAP787)<br>T535081-2C4 (For EAP610GP-Desktop / EAP650GP-Desktop) |


Please read and follow the above safety information when operating the device. We cannot guarantee that no accidents or damage will occur due to improper use of the device. Please use this product with care and operate at your own risk.



## Explanation of the symbols on the product label

### 產品標籤上符號的解釋

Note: The product label can be found at the bottom of the product and its I.T.E. power supply. Symbols may vary from products.

注意：產品標籤可以在產品底部和其 I.T.E. 電源供應器上找到。產品標籤可在產品底部找到。符號可能因產品而異。

| Symbol<br>符號                                                                        | Explanation<br>說明                                          |
|-------------------------------------------------------------------------------------|------------------------------------------------------------|
|  | Class II equipment<br>二級設備                                 |
|  | Class II equipment with functional earthing<br>具有接地功能的二級設備 |
|  | Alternating current<br>交流電                                 |
|  | Direct current<br>DC 電壓                                    |
|  | Polarity of d.c. power connector<br>輸出端點的極性                |
|  | For indoor use only<br>僅供室內使用                              |
|  | Dangerous voltage<br>危險電壓                                  |

|                                                                                     |                                               |
|-------------------------------------------------------------------------------------|-----------------------------------------------|
|    | Caution, risk of electric shock<br>請注意，有觸電的危險 |
|    | Energy efficiency Marking<br>能源效率標誌           |
|    | Protective earth<br>保護接地                      |
|    | Earth<br>接地                                   |
|    | Frame or chassis<br>框架或外殼                     |
|    | Functional earthing<br>功能接地                   |
|    | Caution, hot surface<br>請注意，表面過熱              |
|   | Caution<br>警告                                 |
|  | Operator's manual<br>操作手冊                     |
|  | Stand-by<br>待機                                |
|  | "ON"/"OFF" (push-push)<br>“開啟” / ” 關閉”（按壓式）   |
|  | Fuse<br>保險絲                                   |
|  | Fuse is used in neutral N<br>保險絲用於中性線 N       |

|                                                                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|   | <p><b>RECYCLING</b></p> <p>回收</p> <p>This product bears the selective sorting symbol for Waste electrical and electronic equipment (WEEE). This means that this product must be handled pursuant to European directive 2012/19/EU in order to be recycled or dismantled to minimize its impact on the environment.</p> <p>User has the choice to give his product to a competent recycling organization or to the retailer when he buys a new electrical or electronic equipment.</p> <p>這個產品帶有歐盟指令 2012/19/EU 中關於廢棄電氣電子設備（WEEE）的選擇性分類標誌。這意味著，該產品必須按照該指令處理，以便進行回收或拆解，從而最大限度地減少對環境的影響。</p> <p>用戶可以選擇將產品交給有資格的回收機構，或在購買新的電器或電子設備時將其交給零售商進行回收。</p> |
|   | <p><b>Caution, avoid listening at high volume levels for long periods</b></p> <p>請小心，避免長時間以高音量收聽。</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|  | <p><b>Disconnection, all power plugs</b></p> <p>斷線，所有電源插頭</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <p><b>m</b></p>                                                                    | <p><b>Switch of mini-gap construction</b></p> <p>迷你間隙結構開關</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <p><b>μ</b></p>                                                                    | <p><b>Switch of micro-gap construction (for US version)</b></p> <p><b>Switch of micro-gap / micro-disconnection construction (for other versions except US)</b></p> <p>小間隙結構開關（US 版本）</p> <p>小間隙 / 小斷開結構的開關（非 US 版）</p>                                                                                                                                                                                                                                                                                                                                                                                                                         |
| <p><b>ε</b></p>                                                                    | <p><b>Switch without contact gap (Semiconductor switching device)</b></p> <p>無接觸間隙的開關（半導體開關設備）</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |

## Mounting Requirements 安裝需求

For safety, we recommend you to use the original screws in the package when mounting. The following are alternatives to mount the device on the wall:

為了安全起見，我們建議您在安裝時使用包裝中原本提供的螺絲。以下是固定設備到牆壁上的替代方法：

- (For EAP610 / EAP613 / EAP620 HD / EAP650 / EAP653 / EAP660 HD / EAP670 / EAP673 / EAP683 UR / EAP720 / EAP723 / EAP727 / EAP770 / EAP772 / EAP787) Use 4 screws which comply with ANSI B1.1 4# standard and are longer than 15 mm.


(對於 EAP610 / EAP613 / EAP620 HD / EAP650 / EAP653 / EAP660 HD / EAP670 / EAP673 / EAP683 UR/ EAP720 / EAP723 / EAP727 / EAP770 / EAP772 / EAP787) 請使用符合 ANSI B1.1 4# 標準且長度超過 15 毫米的 4 顆螺絲。

- (For EAP783) Use 6 screws which comply with ANSI B1.1 4# standard and are longer than 15 mm.

(對於EAP783) 使用符合 ANSI B1.1 4# 標準並且長度超過 15 毫米的 6 個螺絲。


- (For EAP603GP-Desktop / EAP610GP-Desktop / EAP650GP-Desktop / EAP650-Desktop) Use 2 screws which comply with ANSI B1.1 4# standard and are longer than 15 mm.

(對於 EAP603GP-Desktop / EAP610GP-Desktop / EAP650GP-Desktop / EAP650-Desktop) 使用符合 ANSI B1.1 4# 標準且長度超過 15 毫米的 2 個螺絲。



This type of recess has a large center opening, tapered wings, and blunt bottom, with all edges relieved or rounded.

| ANSI B1.1 | Diameter d(mm) | Screw Head Diameter dk (mm) |       | Screw Head Thickness k (mm) |       |
|-----------|----------------|-----------------------------|-------|-----------------------------|-------|
|           |                | max                         | min   | max                         | min   |
| 4#        | 2.84           | 5.56                        | 5.207 | 2.032                       | 1.778 |
| 6#        | 3.51           | 6.858                       | 6.5   | 2.464                       | 2.21  |
| 8#        | 4.17           | 8.179                       | 7.772 | 2.921                       | 2.667 |



這種類型的凹槽具有較大的中央開口、外緣呈錐形的翼狀結構和平鈍的底部，所有邊緣皆經過倒角或圓角處理。

| ANSI B1.1 | 直徑<br>d(mm) | 螺絲頭直徑 dk (mm) |       | 螺絲頭厚度 k (mm) |       |
|-----------|-------------|---------------|-------|--------------|-------|
|           |             | max           | min   | max          | min   |
| 4#        | 2.84        | 5.56          | 5.207 | 2.032        | 1.778 |
| 6#        | 3.51        | 6.858         | 6.5   | 2.464        | 2.21  |
| 8#        | 4.17        | 8.179         | 7.772 | 2.921        | 2.667 |