

Mini Smart Wi-Fi Socket, Energy Monitoring





Features

Energy Monitoring


Keep track of the real-time energy consumption of your connected devices and reduce unnecessary energy loss while lowering your electric bills with the Schedule and Timer features. You can also improve safety by automatically shutting off connected devices when the power usage exceeds the set threshold.



Voice Control

Control your devices with simple voice commands using Amazon Alexa or Google Assistant, without having to leave your spot.








Features

Live Smarter by Presetting Time

The Schedule and Timer features enable you to create weekly schedules and countdown plans, adding convenience to your life. With the enhanced Auto-Off feature, your connected devices will automatically turn off if left on for a set time, ensuring your safety and saving energy.



Share to Family

With the Tapo app, you can easily share management permissions of your devices with your family members, saving time and enhancing user-friendliness.



Ptp-link | tapo

Features


Remote Control

Instantly turn connected devices on/off wherever you are via the Tapo app. Designed to simplify your life and help eliminate potential safety hazards.



Away Mode

Intelligently simulate someone being at home by randomly turning the plugged-in device on and off, making it appear as if someone is home.




Ptp-link | tapo

Specifications

General

- · LED & Button: Status LED, Power Button
- · Material: V-0 (UL-94) Flame Retardant PC
- · Voltage: AC, 100-240 V, 50/60 Hz
- Max Load: 2990 W, 13 A General Use, 1/6 HP Motor[†]
- · Protocols: IEEE 802.11b/g/n, 2.4 GHz Wi-Fi



Wireless

- · Wireless Standards: IEEE 802.11b, 802.11g, 802.11n
- Frequency: 2.400-2.4835 GHz
- · Signal Rate: 72Mbps at 2.4 GHz
- · Transmit Power: <20dBm (EIRP)
- · Wireless Function: Wireless Client
- Wireless Security: No Security; WEP; WPA-PSK; WPA2-PSK; WPA3

Others

· Package Contents:

Tapo P110 x 1

Quick Start Guide

- · Certifications: CE, RoHS, UKCA
- · Operating Temperature: 0°C-40°C
- · Operating Humidity: 10%–90% RH, Non-condensing
- · Dimensions: 2.9 * 2.0 * 1.2 in. (72.5 * 51.5 * 37.4 mm)

△Voice control is only supported with certain voice assistants.

The total power of the connected electrical equipment should not exceed the max load current, and maximum power supported varies based on the appliance.

Please do not use in damp environments or outdoors.

For more information, please visit https://www.tapo.com/

Specifications are subject to change without notice. TP-Link is a registered trademark of TP-Link Technologies Co., Ltd. Apple and Siri are trademarks of Apple Inc., registered in the U.S. and other countries. Google is a trademark of Google LLC. Amazon, Alexa and all related logos are trademarks of Amazon.com, Inc. or its affiliates. Other brands and product names are trademarks of their respective holders. Copyright © 2024 TP-Link Technologies Co., Ltd. All rights reserved.