

AC1200 Wireless VolP GPON Router

MODEL:XC220-G3v



Overview

Compliant with the ITU-T G.984/G.988 GPON standards, XC220-G3v supports maximum data rates of up to 2.488Gbps downstream and 1.244Gbps upstream. Along with four 10/100/1,000Mbps LAN ports, users can enjoy high-speed GPON services and bandwidth-intensive multimedia applications—such as interactive gaming, streaming, and real-time audio—much faster and easier than ever before.



Superfast Dual-Band Wi-Fi

Offers total data transfer speeds achieving up to 1167Mbps, with 867Mbps in 5GHz, and 300Mbps in 2.4GHz.



Full Gigabit Wired

With four gigabit LAN ports, speeds can be up to 10x faster than standard Ethernet connections.



Supports VolP Calls

With FXS port, users can make or receive phone calls over the Internet simply.



Easy Remote Management

Supports OMCI and TR-069, which make it easyto activate, configure and manage remotely.



Features



Speed

- Blazing Fast Wireless Speed
- Support 802.11 ac
- MU-MIMO Technology
- Gigabit Wired Speed



Wi-Fi Range

- Optimal Range Wi-Fi
- Wi-Fi with

Beamforming



Reliability

- Simultaneous Dual Band
- Easy Bandwidth Management



Ease of Use


- Intuitive Web UI
- Fast Encryption
- Web UI Upgrade




Security

- Multi-SSID
- Parental Control
- Encryptions for Secure Network

Network Topology



Hardware Description





Specifications

Hardware

Interface

4 10/100/1000 Mbps RJ45 LAN Ports, 1 SC/APC GPON Port, 1 RJ11 FXS Port

• Button

WPS/Wi-Fi Button, Reset Button

External Power Supply

12V/1A

• Dimensions (W * D * H)

8.6 × 6.1 × 1.4 in (217.7 × 155.5 × 36.8 mm)

Antenna

2 External Dual Band Antennas

Wireless

Wireless Standards

IEEE 802.11ac/n/a 5 GHz, IEEE 802.11b/g/n 2.4 GHz

Frequency

2.4 GHz and 5 GHz (not Supports DFS)

Signal Rate

867 Mbps at 5 GHz, 300 Mbps at 2.4 GHz

• Transmit Power

2.4 GHz: 26dBm(EIRP), 5 GHz: 28dBm(EIRP)

Wireless Function

Enable/Disable Wireless Radio, WDS Bridge, WMM, Wireless Statistics

· Wireless Security

WPA/WPA2/WPA3-PSK

Wireless Schedule

Support 2.4 GHz and 5 GHz Wireless Schedule

Software

DHCP

Server, Client, DHCP Client List, Address Reservation, DHCP Relay

· Quality of Service

802.1p QoS

Port Forwarding

Virtual Server, Port Triggering, DMZ, ALG, UPnP

Dynamic DNS

DynDNs, NO-IP

VPN Passthrough

PPTP, L2TP, Pass-through

Security

NAT Firewall, Access Control, MAC/IP/URL Filtering, IP and MAC Address Binding, Defense "Denial of Service (DoS), SYNFlooding, Ping of Death"

Advanced Functions

Parental Control, Network Address Translation(NAT), Port Mapping (Grouping), Static Routing, DNS Relay, DDNS, IGMP V1/V2/V3

Management

Web Based Configuration (HTTP), Remote management, Command Line Interface, SSL for TR-069, Web Based Firmware Upgrade, Diagnostic Tools, OMCI

Protocols

Supports IPv4 and IPv6

VolP Features

Call hold, Call forward, Warm call, Do not disturb, Call restriction, Speed dial, etc. Caller ID, 3-party conference, SIP account – up to 8 accounts

Others

• Certification

CE, FCC, RoHS

• System Requirements

Internet Explorer 11+, Firefox 12.0+, Chrome 20.0+, Safari 4.0+, or other JavaScript-enabled browserCable or DSL Modem (if needed) Subscription with an internet service provider (for internet access)

• Environment

Operating Temperature: 0°C~40°C (32°F~104°F), Storage Temperature: -40°C ~60°C (-40°F ~140°F) Operating Humidity: 10%~90% non-condensing Storage Humidity: 5%~90% non-condensing

Package Contents

AC1200 Wireless VoIP GPON Router RJ45 Ethernet Cable Power Adapter Quick Installation Guide GPL Statement