

Smart Floodlight Camera

2K
QHD

Tapo C720



2800-Lumen Ultra-Bright
Dimmable Floodlight

Free Person/Pet/
Vehicle Detection

270° Motion-Activated
Floodlight

IP65 Water & Dust
Resistance



works with | **amazon alexa**

works with
Google Home

// Highlight

Light the Night Up with the Ultra-Bright Floodlight

Upgrade your outdoor security with a 2800lm motion-activated floodlight, 2K QHD full-color video, integrated siren, and more. Monitor your yard from anywhere, day and night.



// Features



2800lm Angle-Adjustable Floodlight

Light up your yard, garage, or any other specific zone with high-intensity 2800 lumens and angle-adjustable lighting.



2K QHD Color Night Vision

Enhances your security with crystal-clear 2K QHD full-color images and vivid details even at night.



Smart AI Detection with Motion Tagging

Check live views with tagged movement when a person, pet, vehicle is detected.



270° Motion-Activated Floodlight

Deftly identifies moving objects and turns on the floodlight automatically within a 270° detection zone.



Customizable Sound Alarm

Record your customized audio as an alarm that plays when motion is detected.



150° Wide FOV

A wide FOV up to 150° provides a larger detection range covering more space.



Two-Way Audio

Communicate in real time through a built-in microphone and speaker.



Local and Cloud Storage

Save recorded video on a microSD card (up to 512 GB).[†] No subscription required. Cloud storage[‡] is also supported for added flexibility.



IP65 Weatherproof

Offers excellent waterproof and dustproof performance for outdoor scenarios.

[†]microSD card needs to be purchased separately. Actual storage capacity depends on the size of the microSD card used.

[‡]Subscribe for cloud storage at <https://www.tapo.com/tapocare/>

// Specifications

Camera

- Image Sensor: 1/3"
- Resolution: 2K QHD 4MP (2560 × 1440 px)
- Night Vision: 850 nm IR LED up to 98 ft (30 m)
- Lens: F/NO: 2.1±10%; Focal Length: 2.1mm±5%
- Field of View: 150° Diagonal

Audio

- Audio Communication: 2-way audio
- Audio Input & Output: Built-in microphone and speaker

Video

- Video Compression: H.264
- Frame Rate: 30 fps
- Video Streaming: 2560 × 1440 px

Floodlight

- Light Brightness: 2800 Lumens
- Light Color Temperature: 5000K

Network

- Wireless Rate:
 - 11 Mbps (802.11b)
 - 54 Mbps (802.11g)
 - 72.2 Mbps (802.11n)
- Frequency: 2.4 GHz
- Wireless Security: WPA/WPA2-PSK
- Security: 128 bit AES encryption with SSL/TLS
- Protocol: TCP/IP, DHCP, ICMP, DNS, NTP, HTTPS, TCP, UDP

// Specifications

Hardware

- Power Supply: Hardwired (110 V - 240 V, 50 / 60 Hz)
- Maximum Power Consumption: 25 W
- Typical Power Consumption: 4 W
- External Storage: microSD card slot (Supports up to 512 GB)
- Dimensions (W x D x H): 11.69 x 10.28 x 5.73 in. (297 x 261 x 145.5 mm)
- Weatherproof: IP65


Activity Notifications

- Input Trigger: Motion Detection, Person Detection, Pet Detection, Vehicle Detection
- Output Notification: Notification, Snapshot (Tapo care), Clips (Tapo care)

Others

- Certification: FCC, IC, CE, NCC, RCM, RoHS, ETL
- Package Contents:


Tapo C720 Camera ×1	Camera Screws ×2 +
Mounting Plate ×1	Screw Caps ×2
Plate Screws ×6	Mounting Template ×1
Mounting Bracket ×1	Quick Start Guide
Bracket Screw ×1	
Wire Nuts ×3 + Extension Wires ×2	
Mounting Screws ×2 + Anchors ×2	
- Size of Mounting Screws:



- Operating Temperature: -20°C ~ 45°C (-4°F ~ 113°F)
- Operating Humidity: 10% ~ 90% RH, Non-condensing

// Appearance

Front



1 Floodlights

3 System LED


5 Light Sensor

2 Camera Lens

4 Motion Sensor

6 Microphone

Side



7 Speaker

9 Camera Adjustment Knob

8 Reset button

10 microSD Card Slot

Size of the cover screws:

