



Kasa Spot

24/7 Recording




EC60



Highlights

Always Spot On


Keep an eye on what's important with Kasa Spot®. Stream high-definition live videos from anywhere, anytime. Receive instant alerts that matter by setting multiple activity zones and enabling person, motion, or audio smart detection. Record videos continuously to local storage and play back with your Kasa Smart app.



Note: The app screen depicted is for visual reference only and does not necessarily represent actual product operation or app appearance.

Your Home. One App.

Turn your home into a true smart home with Kasa Smart. Automate your lights and appliances with smart plugs, bulbs, and switches. Secure your home with Kasa cameras. Control it all from the Kasa Smart app.



Learn more at tp-link.com/smarthome

Features



Crystal Clear Video

Sharp and clear, 1080p Full HD video makes sure you never miss a thing.



Night Vision

Detects activity up to 30 feet away even in total darkness.



Customizable Activity Zones

Create dynamic activity zones around important areas and receive alerts you care about.

Live View

Keep an eye on what's important to you from anywhere in real time with your phone.

Secure Local Storage

Save your footage on a microSD card* and play back with your Kasa Smart app.
*microSD card not included.

Crisp Two-Way Audio

Built-in microphone and speaker connect you directly to the action.


Specifications

Camera	Image Sensor	1/3" Progressive Scan CMOS Sensor
	Lens	Focal Length: 3.15 mm Aperture: F2.0 Field of View: 117° (Diagonal), 98.8° (Horizontal), 53.5° (Vertical)
	Night Vision	850 nm IR LED (30 ft / 10 m)
	Day/Night Switch	IR-Cut Filter with Auto-Switching
	Lighting	/
	Interface & Button	1× RESET Button 1× microSD Card Slot (Up to 512 GB)
	Hub Compatibility	/
Video & Audio	Maximum Resolution	1920 x 1080px
	Frame Rate	15 fps
	Digital Zoom	None
	Video Compression	H.264
	Live View	Yes
Video & Audio	Image Enhancement	3DNR WDR
	Audio Input & Output	Built-in Microphone and Speaker
	Audio Communication	Two-Way Audio with Noise Cancellation
	Siren Volume	Siren not Supported
Storage	Local Storage	microSD Card Slot on Camera (Up to 512 GB)
	Cloud Storage	Kasa Care Cloud Storage Services (Subscription required)
Detection & Notification	Sensor	/
	AI Detection	Motion Detection Person Detection Baby Crying Detection Sound Detection

Specifications

Detection & Notification	Activity Zones	Yes *Only works with Motion Detection.
	Output Notification	System Notification System Notification with Snapshot (Kasa Care Services)
Network	Network Connectivity	Connect via Wi-Fi
	Wireless Connectivity	IEEE 802.11b/g/n, 2.4 GHz Wi-Fi
	Transmission Rate	11b: 11 Mbps 11g: 54 Mbps 11n: 72.2 Mbps
	Protocol	TCP/IP, DHCP, ICMP, DNS, NTP, HTTPS, TCP, UDP
	Max. Distance Between Hub and Camera/Doorbell	/
	Ethernet Port	/
	RTSP	No
	ONVIF	No
Security	Security	On-Device Machine Learning 128-bit AES Encryption with SSL/TLS WPA/WPA2-PSK/WPA3
Power	Power Source	9 V DC Power Adapter
	Input Voltage	100-240 V, 50/60 Hz
	Output Voltage	9 V, 0.6 A (DC Power)
	DC Power Connector Size	Adapter: Inside Ø: 2.1 mm Outside Ø: 5.5 mm
	Power Cord Length	3 m
	Typical Power Consumption	2.0 W
	Maximum Power Consumption	4.5 W

Specifications

General	Certifications	FCC, WWA, ONVIF
	Smart Integration	Google Assistant, Amazon Alexa
	Weather Resistance	/
	System Requirements	Kasa App: iOS 11.0 or higher, Andriod 5.0 or higher
	Mounting Options	Tabletop Ceiling-Mounted
	Operating Temperature	0 °C ~ 40 °C (32°F ~ 104 °F)
	Storage Temperature	-40 °C ~ 70 °C (-40 °F ~ 158 °F)
	Operating Humidity	10% ~ 95% RH, Non-condensing
	Storage Humidity	5% ~ 90% RH, Non-condensing
	Charging Temperature	/
	Mounting Screw Size	
	Dimensions	2.32*1.95*3.5 in (59*49.6*88.8 mm)
	Weight	2.1 oz / 60 g
	Package Contents	Kasa Spot Camera DC Power Adapter Quick Start Guide Mounting Screws Mounting Template