

Kasa Cam Outdoor 24/7 Recording







Color Night View



IP65 Weatherproof



Highlights

See Color in the Night

Kasa Cam Outdoor offers sharp and full-color views day and night, rain or shine. Simply install on your home to ensure maximum coverage of your front or back yard. Receive instant notifications of potential dangers, then use the siren to scare away intruders.



*The app screen depicted is for visual reference only and does not necessarily represent actual product operation or app appearance.

Protect Your Outdoors

The Kasa Cam Outdoor has an IP65 rating that ensures your device is protected against rain and dust. Have peace of mind with your outdoors under watch.



Highlights


Watch from Anywhere

Watch live video at any time on your smartphone with the free Kasa Smart app. Even stream live video to any Alexa or Google Assistant supported display, like a Fire TV or Google Chromecast.




Your Home. One App.

Turn your home into a true smart home with Kasa Smart. Automate your lights and appliances with smart plugs, bulbs, and switches. Secure your home with Kasa Cameras. Control it all from the Kasa Smart app.



Features



2K HD Video

Sharp and clear 4 MP high-resolution video delivers more delicate details.

Live View from Anywhere

See, hear, and talk like you're there via your phone or any supported display.

Instant Notifications

With motion and sound detection, the Kasa Smart app alerts you of activity that matters and sends notifications straight to your smartphone.



Full-Time Color

Enhance your security view with vivid colors even at night with the integrated spotlights.

Secure Storage Options

Save footage 24/7 on a microSD card or subscribe to a Kasa Care plan for cloud storage.

See Who's There

Know what's happening as soon as the camera detects people passing by.



Starlight Night Vision

The highly-sensitive starlight sensor captures higher-quality images even in low-light conditions.

All-Weather All-Star

IP65 certified weatherproofing ensures your camera stay protected against rain and dust.

Smart Actions

With Smart Actions, your Kasa devices can work together to create a smarter smart home.

Specifications

	Image Sensor	1/3" Progressive Scan CMOS Starlight Sensor
	Lens	Focal Length: 3.18 mm Aperture: F1.61 Field of View: 113° (Diagonal), 97° (Horizontal), 54° (Vertical)
	Night Vision	850 nm IR LED (98 ft / 29.9 m) Full-Color Night Vision
Camera	Day/Night Switch	IR-Cut Filter with Auto-Switching
	Lighting	2× Built-in Spotlights
	Interface & Button	1× RESET Button 1× microSD Card Slot (Up to 512 GB)
	Hub Compatibility	
	Maximum Resolution	2560 × 1440 px
	Frame Rate	15 fps
Video & Audio	Digital Zoom	None
	Video Compression	H.264
	Live View	Yes
	Image Enhancement	3DNR WDR
Video & Audio	Audio Input & Output	Built-in Microphone and Speaker
Video a Addio	Audio Communication	Two-Way Audio with Noise Cancellation
	Siren Volume	95 dB (Level measured at 4-inch/10-cm distance)
Ctorogo	Local Storage	microSD Card Slot on Camera (Up to 512 GB)
Storage	Cloud Storage	Kasa Care Cloud Storage Services (Subscription required)
	Sensor	
Detection & Notification	Al Detection	Motion Detection Person Detection Sound Detection

Specifications

Detection & Notification	Activity Zones	Yes *Only works with Motion Detection.
	Output Notification	System Notification System Notification with Snapshot (Kasa Care Services)
	Network Connectivity	Connect via Wi-Fi
	Wireless Connectivity	IEEE 802.11b/g/n, 2.4 GHz Wi-Fi
	Transmission Rate	11b: 11 Mbps 11g: 54 Mbps 11n: 72.2 Mbps
Network	Protocol	TCP/IP, DHCP, ICMP, DNS, NTP, HTTPS, TCP, UDP
	Max. Distance Between Hub and Camera/Doorbell	/
	Ethernet Port	
	RTSP	No
	ONVIF	No
Security	Security	On-Device Machine Learning 128-bit AES Encryption with SSL/TLS WPA/WPA2-PSK/WPA3
	Power Source	5 V DC Power Adapter
	Input Voltage	100-240 V, 50/60 Hz
	Output Voltage	5 V, 1 A (DC Power)
Power	DC Power Connector Size	USB Type A Female
	Power Cord Length	3 m
	Typical Power Consumption	2.3 W
	Maximum Power Consumption	4.9 W
Conoral	Certifications	FCC, RoHS, RCM
General	Smart Integration	Google Assistant, Amazon Alexa

Specifications

		Weather Resistance	IP65
		System Requirements	Kasa App: iOS 11.0 or higher, Andriod 5.0 or higher
		Mounting Options	Tabletop Ceiling-Mounted
		Operating Temperature	-20 °C ~ 45 °C (-4 °F ~ 113 °F)
		Storage Temperature	-20 °C ~ 70 °C (-4 °F ~ 158 °F)
		Operating Humidity	10% ~ 90% RH, Non-condensing
		Storage Humidity	0 ~ 90% RH, Non-condensing
		Charging Temperature	\
General	General	Mounting Screw Size	3.5±0.1 30±0.5
		SD Card Slot Cover Screw Size	#1.05-1.42 #0.9±0.15 #0.9±0.15 #0.9±0.15 #0.9±0.15 #0.9±0.15 #0.9±0.15 #0.9±0.15 #0.9±0.15 #0.9±0.15 #0.9±0.15 #0.9±0.15 #0.9±0.15 #0.9±0.15
		Dimensions	2.77*2.77*4.97 in (70.3 × 70.3× 126.3 mm)
		Weight	7.1 oz / 200 g
		Package Contents	Kasa Cam Outdoor with 10 ft USB Cable Power Adapter (Weatherproof outlet needed for the outdoors) Mounting Hardware Pack Mounting Template Quick Start Guide