

Mini Smart Wi-Fi Plug, Energy Monitoring



Tapo P110MA



Track Your Energy Use


Voice Control[^] | Set Schedules



// Features

Matter Compatible

With Matter support, using one-app to control all smart devices is no longer a fantasy. Integrate Tapo P110MA into your favorite ecosystems to create a unified smart home.



Free Up Your Hands with Voice Control[^]

Free up your hands by using simple voice com-mands with Alexa, Siri®, or Google Assistant.



// Features

Energy Monitoring

Offers more comprehensive insights into home appliances' power consumption with more intuitive and straightforward data visualizations. Set your electricity rate to estimate your energy bills.



Live Smarter by Presetting Time

Schedule and Timer features allow you to create weekly schedule and countdown plans. All of your connected electronics will automatically work at your preset time, making your life smart, convenient, and energy-saving.




// Features

Remote Control from Anywhere

Instantly turn connected devices on/off wherever you are via the Tapo app. Designed to facilitate your life and help eliminate potential safety hazards.

- **Compact Design** - Mini-sized to avoid blocking adjacent sockets.
- **Device Sharing** - Easily share management permissions with each member of your family.
- **Flame-Retardant*** - PC flame-retardant materials help minimize burning hazards.



// Specifications

General

- LED&Button: Status LED, Power Button
- Material:
Shell: V-0(UL-94) Flame retardant PC
Socket: Phosphorus-copper
Plug: Nickel-plated copper
- Voltage & Max Load[‡]:
AC, 100-240 V, 50/60 Hz, 13 A, 2990 W
- Protocols: IEEE 802.11b/g/n, 2.4 GHz Wi-Fi
- Setup: Bluetooth[†]
- Dimensions (Shell Size):
54.7 * 54.6 * 53.1 mm (with pins);
54.7 * 54.6 * 32.5 mm (without pins)

Wireless

- Wireless Standards: IEEE 802.11b, 802.11g, 802.11n
- Frequency: 2.400-2.4835 GHz
- Signal Rate: 72Mbps at 2.4 GHz
- Transmit Power: <20dBm (EIRP)
- Wireless Function: Wireless Client
- Wireless Security: No Security; WEP; WPA-PSK; WPA2-PSK; WPA3

Others

- Package Contents:
Mini Smart Wi-Fi Plug Tapo P110MA
Quick Start Guide
- Certifications: CE, RoHS, UKCA
- Operating Temperature: 0 °C–40 °C
- Operating Humidity: 10%–90%RH, Non-condensing

[‡]Voice control is only supported with certain voice assistants.

^{*}Made with V-0 (UL94) flame-retardant material.

[†]Bluetooth is only used for setup.

[‡]The total power of the connected electrical equipment should not exceed the max load current, and maximum power supported varies based on the appliance. Please do not use in damp environments or outdoors. For more information, please visit <https://www.tapo.com/>

Specifications are subject to change without notice. All brands and product names are trademarks or registered trademarks of their respective holders.

©2024 TP-Link