




# USB Type-C 7-in-1 Hub

Bridge Devices, Expand Connections



UH7021C



1× HDMI  
4K@60Hz



1× PD  
100W



1× SD/1× microSD  
200 MB/s



3× USB-A  
5 Gbps

# Highlights



**Plug & Play**  
For Various Operating Systems




**Convenient & Stylish**  
Self-Storage for Connector

## Bridge Devices, Expand Connections



**HDMI®**  
Ultra High-Definition  
Media Display



**SD/microSD**  
UHS-I 200 MB/s  
Dual-card Reading



**PD 3.0**  
Powerful 100W  
Fast Charging



**USB 3.0**  
5 Gbps SuperSpeed  
Data Transfer



**Scratch  
Resistant**  
Aluminum Alloy Case



**Durable  
Design**  
Braided Cable

# Specifications

## Hardware

- **Interface:**
  - 1× PD 3.0 100W Charging
  - 3× USB 3.0 Type-A 5Gbps
  - 1× HDMI 4K@60Hz
  - 1×SD Card Port
  - 1×microSD Card Port
- **Connector:**
  - 1× USB Type-C
- **PD Input:**
  - 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/5A
- **USB-C Connector Input:**
  - 5V/3A

## Physical

- **Dimension (W×D×H):**
  - 5 × 1.57 × 0.48 in (127 × 40 × 12.2 mm)
- **Case:**
  - Aluminum Alloy Case
- **Cable:**
  - 180mm Braided Cable
- **Package Contents:**
  - 1× UH7021C
  - 1× Quick Installation Guide

## Others

- **Supported Systems:**
  - Windows, Mac OS, iPad OS, iOS, Chrome OS, Linux OS, Android OS
- **Plug & Play:**
  - USB-C PD port, HDMI port, TF (microSD) card slot, SD card slot, USB-A ports.
  - \*The ports' actual performance may vary based on your host device specifications.
- **Certification:** CE, FCC, RoHS, HDMI, BSMI
- **Environment:**
  - Operating Temperature: 0°C~40°C (32°F~104°F)
  - Operating Humidity: 10%~90% non-condensing
  - Storage Humidity: 5%~90% non-condensing



For more information, please visit  
[https://www.tp-link.com/products/details/?model=UH7021C\\_V1](https://www.tp-link.com/products/details/?model=UH7021C_V1)  
or scan the QR code left

For technical support, please visit: <https://www.tp-link.com/support>  
This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.  
Specifications are subject to change without notice. All the brands and product names are trademarks or registered trademarks of their respective holders.  
\*Port transmission specifications are the testing results conducted by TP-Link laboratory. Actual transfer rate is not guaranteed and will vary as a result of device conditions and environmental factors.  
©2025 TP-Link