



deco™ | Outdoor Mesh Wi-Fi

BE11000 Outdoor Mesh Wi-Fi 7 Unit



Pole Mount



Wall Mount



Tabletop




Deco BE65-Outdoor



Wi-Fi 7  tp-link

Highlights



Perfect for Extending Fast Outdoor Wi-Fi

Deco BE65-Outdoor seamlessly integrates with other Deco models to create an outdoor mesh network. Its weatherproof enclosure and robust operating temperature ensure strong Wi-Fi signals outdoors. Easy installation and a reliable power supply make it ideal for outdoor use.

Unrivaed Wi-Fi 7

Connect more devices at faster speeds with smoother connections and less interference.



4K-QAM^Δ



Multi-RU^Δ



Multi-Link Operation (MLO)^Δ



Backward Compatibility with Wi-Fi Generations**



Seamless AI-Driven Mesh

Built-in AI Roaming delivers optimal connections as you move from room to room.[‡]



Seamless Roaming with One Wi-Fi Name



Sophisticated Algorithms



Self-Learning Capability



Customized Wi-Fi



Enhanced Security – HomeShield

Rest assured, your home network is protected with TP-Link's advanced encrypted security, HomeShield.*



Network Protection



Parental Controls



Quality of Service (QoS)



Comprehensive Reports

Features



Wi-Fi Speed

Faster Wi-Fi speed with stronger whole home Wi-Fi generated from Wi-Fi 7

- Superior Wireless Speed – Combines wireless speeds up to 5765 Mbps on 6 GHz (Outdoor with AFC) , 4324 Mbps on 5 GHz , and 688 Mbps on 2.4 GHz
- OFDMA – Provides 4× greater capacity for more simultaneous connections
- More Devices Connected – Connects up to 200 devices†



TP-Link HomeShield

TP-Link's premium security services keep your home network safe with cutting-edge features for network and IoT protection.*

- Network Protection – Detects cyber threats to keep your privacy and connected devices well protected
- Parental Controls – Manages online time and blocks inappropriate content to keep families healthy online
- Quality of Service (QoS) – Prioritizes your bandwidth needs to get a faster networking experience
- Comprehensive Reports– Gains full statistics and insights to help you know your home network better

Note: HomeShield includes the Free Basic Plan. Fees apply for the Pro Plan.
Visit <https://www.tp-link/homeshield> for more information.



Easy Setup by Deco App

Easily set up Decos and find the ideal spot to place each unit


- Auto Connection Test – Tests the internet connection of your Decos and helps to identify a suitable location for them
- Remote Management – Manages your Deco network from a smartphone or tablet via the app, no matter where you find yourself
- Online Upgrade – Keeps informed of the latest firmware updates



Security

Safeguard your home network with a firewall and wireless encryption

- Encryption for Secure Network – WPA/WPA2/WPA3 encryptions provide active protection against security threats
- Firewall – Protects your network devices from malicious attacks
- Block List – Add specific devices to block list to protect your network from unauthorized users



Two Modes in One

Choose Wireless Router mode or Access Point mode for your network needs

- Wireless Router Mode – Creates an instant private wireless network
- Access Point Mode – Creates Wi-Fi access for any existing wired network



Work with All Deco Models


Form a Mesh network with your desired Deco models

- Compatible with All Deco Models – All Deco models can work together. Just expand Mesh Wi-Fi coverage anytime by adding more Decos
- Deco Mesh Technology – Eliminates dead zones and provides uninterrupted WiFi throughout your home

Specifications

Hardware

- Ethernet Port: 2× 2.5 Gbps WAN/LAN Ports per unit[§] (WAN/LAN auto-sensing)
- Button: 1 Reset button
- Durable IP65 Weatherproof Enclosure
- Antenna: 2 × dual-band antennas + 2 × 2.4 GHz horizontal polarization antennas+ 2 × 6 GHz antennas
- Power Consumption : 26.2 W max
- Dimensions (W × D × H): 4.3 × 4.7 × 8.6 in (110 × 119 × 217.5 mm)
- Power Input: IEEE 802.3at PoE or 100-240V~50/60Hz 0.8A AC



Wireless

- Wireless Standards: IEEE802.11ax/be 6GHz, IEEE 802.11a/n/ac/ax/be 5 GHz, IEEE 802.11b/g/n/ax/be 2.4 GHz
- Mesh protocol: 802.11k/v/r[†]
- Frequency: 2.4 GHz , 5 GHz, 6GHz[※]
- Signal Rate: 5765 Mbps on 6 GHz (Outdoor with AFC) + 4324 Mbps on 5 GHz + 688 Mbps on 2.4 GHz[†]
- Transmit Power: FCC: <30 dBm(2.4 GHz), <30 dBm(5 GHz), <36 dBm(6 GHz)[※]
- Wireless Security: WPA/WPA2/WPA3

Software

- Working Mode: Router, Access Point
- WAN Type: Dynamic IP/Static IP/PPPoE/L2TP/PPTP
- DHCP: Server
- Protocols: Supports IPv4 and IPv6
- Guest Network: 2.4 GHz Guest Network×1, 5 GHz Guest Network×1
- Features: TP-Link HomeShield*, Multi-Link Operation (MLO)^Δ, 320 MHz Bandwidth^Δ, 4K-QAM^Δ, Multi-RU^Δ, MU-MIMO^Δ, OFDMA^Δ, BSS Color^Δ
- Management: Local Management; Remote Management; Multi-Managers

Others

- Certification: FCC, RoHS
- Environment:
 - Operating Temperature: -30°C~50°C (-22°F~122°F)
 - Storage Temperature: -40°C~70°C (-40 °F~158 °F)
 - Operating Humidity: 10%~90% RH
 - Storage Humidity: 5%~90% RH
- Package Contents for Deco BE65-Outdoor (1-pack):
 - 1 × Deco BE65-Outdoor unit
 - 1 × AC Power Cord
 - 1 × RJ45 Ethernet cable
 - Wall/Pole Mounting Kit
 - Installation Guide

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Specifications are subject to change without notice. TP-Link is a trademark of TP-Link Systems Inc. or its affiliates. Google, Google Home, and Google Play are trademarks of Google LLC. Other brands and product names are trademarks or registered trademarks of their respective holders. ©2025 TP-Link Systems Inc. All rights reserved.

[†]Maximum wireless signal rates are the physical rates derived from IEEE Standard 802.11 specifications. Connection to up to 200 devices is based on laboratory test data, which analyzed the connections of different devices on the 5 GHz and 2.4 GHz bands simultaneously. These devices simulated a typical home scenario by running simultaneous applications in the same room that included 4K video, 1080p video, 720p video, file downloading, web browsing, IP cameras, and other IoT devices. Actual wireless data throughput, wireless coverage, and connected devices are not guaranteed and will vary as a result of internet service provider factors, network conditions, client limitations, and environmental factors, including building materials, obstacles, volume and density of traffic, and client location.

[‡]Clients need to support 802.11k/v/r and may require additional setup. Performance may vary depending on the client device.

^ΔUse of Wi-Fi 7 (802.11be), Wi-Fi 6 (802.11ax), Wi-Fi 6E (802.11ax), and other features including MLO, 320 MHz Bandwidth, 4K-QAM, Multi-RU, OFDMA, and BSS Color requires clients to also support the corresponding features.

[§]2.5G internet speeds require compatible service plans and equipment. All WAN/LAN ports will operate as either WAN or LAN ports. Only one port can serve as a WAN port at a time.

[¶]Use of WPA3 requires clients to also support the corresponding feature.

^{*}HomeShield includes both basic and advanced features. Advanced features require a paid subscription. For details, visit tp-link.com/homeshield

[~]Wi-Fi generations represent the wireless standards IEEE 802.11a/b/g/n/ac/ax/be.

⁺Users may require an extra modem device that is compatible with their internet service provider to gain internet access.

[※]According to regulatory requirements, the AFC function must be enabled when using the 6GHz band outdoors. The actual availability and power are related to the region and are subject to the AFC effective state. Actual network speed may be limited by the rate of the product's Ethernet WAN or LAN port, the rate supported by the network cable, internet service provider factors, and other environmental conditions.

This Deco may not support all the mandatory features as ratified in the IEEE 802.11be specification.

Further software upgrades for feature availability may be required.

©2025 TP-Link