

Pan/Tilt AI Home Security Wi-Fi Camera



Tapo C260



Human Face Recognition

Person/Pet Detection
and Tracking

Baby Crying
Detection


Free Local microSD
Storage (Up to 512GB†)



// Highlight

Smart AI Detection and Notification

Accurately identifies faces, people, pets, and vehicles, reducing false alerts and unnecessary notifications.



// Features



Human Face Recognition

Recognizes individuals by their faces, sending alerts only when an unfamiliar face is detected.



4K 8MP Crystal-Clear^Δ

Supports 18× digital zoom for superior clarity. See more. See clearer. Stay secure.



Local microSD Storage[†]

Store up to 512 GB of video on a microSD card.



Cloud Storage Supported[‡]

Store videos by using cloud storage services.



Two-Way Audio

Communicate in real time through a built-in microphone and speaker.



AI Auto-Zoom Tracking

Automatically tracks and zooms in on distant people and pets to capture every detail.



Night Vision up to 40 ft

Provides a visual distance of up to 40 ft in total darkness.



Customizable Block Zones

Set customizable block zones to keep private areas from being monitored.



Physical Privacy Mode

Maintains your privacy with the lens physically blocked by the housing.

[†]microSD card needs to be purchased separately. Actual storage capacity depends on the size of the microSD card used.

[‡]Subscribe for cloud storage at <https://www.tapo.com/tapocare/>

Specifications are subject to change without notice. All brands and product names are trademarks or registered trademarks of their respective holders.


©2025 TP-Link

// Specifications

Camera	Image Sensor	1/2.7" Progressive Scan CMOS Starlight Sensor
	Lens	Focal Length: 4.3 mm Aperture: F1.6 Field of View: 109.6° (Diagonal), 91.5° (Horizontal), 46.1° (Vertical)
	Night Vision	850 nm IR LEDs (40 ft / 12 m)
	Day/Night Switch	IR-Cut Filter with Auto-Switching
	Interface & Button	1× RESET Button 1× microSD Card Slot (Up to 512 GB)
Video & Audio	Maximum Resolution	4K 8MP (3840 × 2160 px)
	Frame Rate	15/20/25 fps (Default 20 fps)
	Digital Zoom	18x
	Video Compression	H.264
	Live View	Yes
	Image Enhancement	3DNR WDR
	Audio Input & Output	Built-in Microphone and Speaker
	Audio Communication	Two-Way Audio with Noise Cancellation

Video & Audio	Siren Volume	90 dB (Level measured at 4-inch/10-cm distance)
Storage	Local Storage	microSD Card Slot on Camera (Up to 512 GB)
	Cloud Storage	Tapo Care Cloud Storage Services (Subscription required)
Detection & Notification	AI Detection	<ul style="list-style-type: none"> Facial Recognition Motion detection Person detection Vehicle Detection Pet Detection Line-crossing Detection Tamper detection Baby Cry Detection Cat Meow Detection Dog Bark Detection Glass Breaking Detection
	Activity Zones	<p>Yes</p> <p>*Only works with Motion Detection.</p>
	Output Notification	<ul style="list-style-type: none"> System Notification System Notification with Snapshot (Tapo Care Services)
Network	Network Connectivity	Connect via Wi-Fi
	Wireless Connectivity	IEEE 802.11a/b/g/n, 2.4 & 5 GHz Wi-Fi

Network	Transmission Rate	11b: 11 Mbps 11a/g: 54Mbps 11n: 72.2 Mbps
	Protocol	TCP/IP, DHCP, ICMP, DNS, NTP, HTTPS, TCP, UDP
	Ethernet Port	/
	RTSP	Yes
	ONVIF	Yes
Security	Security	On-Device Machine Learning 128-bit AES Encryption with SSL/TLS WPA/WPA2-PSK/WPA3-personal
Power	Power Source	5V DC Power Adapter
	Adapter Input	100-240 V, 50/60 Hz
	Adapter Output	5 V, 2 A (Type-A Port)
	Power Cable	Type-A to Type-C Cable
	Power Cord Length	3 m
	Typical Power Consumption	2.5 W
	Maximum Power Consumption	8.65 W

General	Smart Integration	Google Assistant, Amazon Alexa, Samsung SmartThings
	Mounting Options	Tabletop Ceiling-Mounted Wall-Mounted
	Operating Temperature	0 °C ~ 40 °C (32 °F ~ 104 °F)
	Storage Temperature	-20 °C ~ 60 °C (-4 °F ~ 140 °F)
	Operating Humidity	10%~90% RH, Non-condensing
	Storage Humidity	5%~90% RH, Non-condensing
	Mounting Screw Size	
	Dimensions	2.94 × 3.49 × 4.70 in (74.59*88.74*118.87 mm)
	Weight	7.4 oz / 210.6 g
	Package Contents	Tapo C260 Camera × 1 Power Adapter ×1 3m / 9.84ft Type-A to Type-C Cable ×1 Mounting Anchors × 2 Mounting Screws × 2 L-Shaped Mounting Bracket ×1 Mounting Template Sticker × 1 Quick Start Guide