



802.11ax Technology

Create a seamless Wi-Fi network in your home with the revolutionary combination of OFDMA, MU-MIMO, and Beamforming technologies



Ultimate Wireless Speed

Combined wireless speeds of up to 574 Mbps (over 2.4 GHz) and 2402 Mbps (over 5 GHz)



Supports EasyMesh


Adopts EasyMesh technology, which has further improved and standardized Wi-Fi functions, such as Wi-Fi diagnostics, channel selection and traffic separation



Easy Remote Management

Supports Aginet APP, OMCI, TR-069, TR-098, and TR181 now and can be upgraded through software to support TAUC cloud management.

Network Topology



Specifications

Hardware

- **Interface**
1× 10/100/1000 Mbps RJ45 WAN/LAN Port,
3× 10/100/1000 Mbps RJ45 LAN Ports,
1× USB 2.0 Port, 2× RJ11 FXS Port, 1× SC/APC GPON Port
- **Button**
Power On/Off Button, WPS Button, Wi-Fi Button, Reset Button
- **External Power Supply**
12V/2A
- **Dimensions (W * D * H)**
8.2 x 6.1 x 2.7in (209 x 155 x 68.6mm)
- **Antenna**
4 Internal Antennas

Wireless

- **Wireless Standards**
IEEE 802.11a/n/ac/ax 5 GHz, IEEE 802.11b/g/n/ax 2.4 GHz
- **Frequency**
2.4 GHz and 5 GHz
- **Signal Rate**
2402 Mbps at 5 GHz, 574 Mbps at 2.4 GHz
- **Transmit Power**
<26 dBm (2.4 GHz), <28 dBm (5 GHz)
- **Wireless Function**
Enable/Disable Wireless Radio, Wireless Schedule, WMM,
Wireless Statistics
- **Mesh**
EasyMesh, IEEE 802.11k/v/r, Self-healing, Seamless
Roaming
- **Wireless Security**
WPA-PSK(TKIP/AES), WPA2-PSK(TKIP/AES), WPA2
PSK/WPA PSK mixed mode 802.1x(WPA2 Enterprise)
- **Wireless Schedule**
Support 2.4 GHz and 5 GHz Wireless Schedule

Others

- **Certification**
CE
- **Environment**
Operating Temperature: 0°C~40°C (32°F~104°F),
Storage Temperature: -40°C~60°C (-40°F ~140°F)
- **Package Contents**
1× AX3000 Wireless VoIP GPON Router XX532v
1× Power Adapter
1× RJ45 Ethernet Cable
1× Quick Installation Guide

Software

- **DHCP**
Server, DHCP Client List, Address Reservation
- **Quality of Service**
Hardware QoS, Flow Classification
- **VPN Server**
PPTP VPN, IPSec VPN, OpenVPN
- **Firewall Security**
DoS, IPv4 SPI Firewall, IPv6 Firewall, IP and MAC Address Binding,
Access Control
- **Dynamic DNS**
TP-Link, DynDns, NO-IP
- **Protocols**
IPv4, IPv6
- **USB**
Samba, FTP, DLNA Server
- **Management**
Local Management, Remote Management, Aginet APP,
TR069(TR-098/TR-181)
- **Advanced Functions**
VoIP, Parental Controls, Port Forwarding, TX Beamform-
ing, MU-MIMO, supports IGMP Proxy V1/V2/V3 and IGMP
Snooping, Airtime Fairness, Band Steering, Multi-SSID,
Wi-Fi Schedule

General Specifications

- **GPON**
ITU G. 984 standard, Class B+
2.488Gbps downstream/1.244Gbps upstream
- **Wavelength**
1490nm downstream/1310nm upstream
- **Receiving sensitivity**
GPON: -27dBm
- **Saturated power**
GPON: -8dBm
- **Transmitting power**
GPON: 0.5~5dBm
- **Transmitter**
DFB Laser
- **Receiver**
PIN-TIA
- **Distance**
0 ~ 20Km Max