

IP Surveillance Solutions

VIGI
by tp-link



Retail | Hospitality | Education | and more



CORPORATE PROFILE

Headquartered in the United States, TP-Link is a global provider of reliable networking devices and smart home products, consistently ranked as the world’s top provider of Wi-Fi devices. The company is committed to delivering innovative products that enhance people’s lives through faster, more reliable connectivity. With a commitment to excellence, TP-Link serves customers in over 170 countries and continues to grow its global footprint.

About VIGI

VIGI is committed to providing intelligent, professional, and reliable solutions, products, and services customized for Small and Medium Businesses (SMBs), safeguarding your business security while fostering business growth. Our product range includes cameras, network video recorders, solar power system, VIGI VMS, VIGI App, and more, tailored to various industries such as retail, hotels, schools, restaurants, offices, and beyond.


Looking ahead, VIGI will introduce new products including access control, fire protection, smart parking, and additional services, further fortifying and expanding your business.

CONTENTS

Why VIGI	01
VIGI 4E Principle	04
VIGI Solutions for SMBs	09
Solutions for Small Shops	10
Solutions for Chain Stores	16
Solutions for Supermarkets	21
Solutions for Hotels	29
Solutions for Kindergartens and K-12 Schools	38
Solar Power Solution	46
Omada Central	52
VIGI Products	54
VIGI Software Services	55
VIGI Network Cameras	64
VIGI Network Video Recorders	76
VIGI Solar Power System	84
VIGI Accessories	86
VIGI Technology	88
VIGI ColorPro 2.0 Night Vision Technology	89
VIGI LightPro Night Vision Technology	91

Why Choose VIGI

Complete Product Line for SMBs



Software Services
From App, VMS to Project
Design and Config Tools

Cameras
Dome/Bullet/Turret/
PT/Fisheye


NVRs
4/8/16/32/64 Channels

Solar Power System
60/90/180W Solar Panel

Accessories
Junction Box/
Mounting Bracket

Competitive and Reliable Products

- Independent R&D
- In-house Factory
- Metal Case for Long Use



Superior Technology and Design

Outstanding Imaging

- ColorPro 2.0 Night Vision
- Dual-lens Panoramic

Advanced AI

- License Plate Recognition
- Face Recognition

Innovative Design

- Solar System with MPPT Controller
- 4G Camera with 3× LAN Ports

Easy to Use, Gains More Profits

- Faster Installation, Save Your Time
- Streamlined Setup, No Technical Skills Required
- Project Design Tool for Quick Proposal Creation
- Maintain Without On-site Visits, Reduced Costs

Local Sales and Product Support*

- Professional Local Support Teams
- Dedicated VIGI Online Support
- Local Warehouse for Ex-stock
- Long and Efficient Warranty

Trusted By Customers Worldwide

170+

Countries & Regions

10+

Industries









*Varies between regions and countries.

Dedicated Partner Platforms



SolutionX
Join TP-Links Partner Program





- **Lucrative Margins**
Enjoy competitive pricing and attractive margins on Omada and VIGI products to maximize your profitability.
- **Co-marketing Opportunities**
Collaborate with TP-Link on marketing initiatives to boost your brand visibility and attract more customers.
- **Dedicated Support**
A dedicated account manager is available to increase business opportunities and help partners take advantage of program benefits.
- **New Technology**
Gain an early preview of new products, providing a glimpse into the innovative and exciting offerings that will influence the future of the market.
- **Training & Certification**
Stay ahead of the curve with exclusive training programs and certifications, equipping you with the knowledge to excel in the rapidly changing technology landscape.
- **Pre And Post Sales Support**
Providing assistance before and after the purchase to address inquiries, enhance satisfaction, and build lasting relationships.

Note: Benefits will vary based on countries and qualifications.

TP-Partner App



Enjoy Easier Access to
Product Info and Services.

- **Stay Updated With Product Info**
Get the latest videos, product information, case studies, and promotions first!
- **Quick Access to Various Tools**
VIGI product selection tools, POE selection tools, and other handy tools are all at your fingertips!
- **Technical Support In Your Hand**
Easily access technology support and FAQs anytime, anywhere.
- **Get Points and Surprise Rewards**
Earn points and gifts by activate the device after registering and getting certified.

Note: The TP-Partner App is available in certain countries and regions only. Points and rewards rules may vary by country.

Redefine Ease,
Driven Efficiency.

- Easy Planning.
- Easy Installation.
- Easy Setup.
- Easy Maintenance.

Easy Planning

Effortless Project Design with Our Planning Tools

Project Design Tool for Quick Proposal Creation

- Easy Project Design and Management
- Complete Product Selection
- Rich Filters
- Intuitive Virtual Map
- 2D/3D Installation Simulation
- Batch Configure Simulation Options

Equipment List

Floor Plan

Camera Coverage

Lightweight Calculator Tools for Product Selection

Video Size Calculation

Lens Calculation

Bandwidth Calculation

Solar Power System Calculation

VIGI Cloud VMS for Free[△] —Dedicated for Distributed Scenarios

- Free[△] & Unlimited Expansion
- Expand a New Site Requires Just 6 Minutes
- Batch & Remote Device Addition

[△]For essential version only.

Easy Installation

Improves On-site Delivery Efficiency, Reduces Installation Costs

Quick-to-Install Camera

Universal Metal Ball Bracket
Adjust angles manually (pan 0°-360°, tilt 0°-90°, rotate 0°-360°) for enhanced installation flexibility, with added reliability from metal materials.



Multiple Power and Network Supply Options Compatible with Junction Box

PoE

Wi-Fi

4G

Use with Bullet Cameras


Use with PT Cameras

Use with Turret Cameras

Use with Dome Cameras

Quick HDD Assembly and Disassembly

No need to hassle with removing the NVR cover; simply install and remove the HDD manually with the easy side access.*



Quick-to-Install Solar Power System

1. Flexibly Expand Solar Panels

2. Cameras and Network Devices in Various Combinations

3. Freely Add or Remove Batteries

*The supported models are VIGI NVR1108H-W and VIGI NVR1104H-4P.

Easy Setup

Streamlined Setup Process, No Technical Skills Required


One-Click System Initialize

VIGI NVRs enable quick camera additions, HDD initialization, and storage scheduling with a single click, reducing setup expenses.



One App for NVR Initialization

Skip opening the NVR GUI interface. Initialize the NVR directly through the App for easier operation and enhanced setup efficiency.




Add and Configure Devices in Seconds

- Automatically Detects and Adds Devices on the Same LAN
- Complete Batch Configuration with Rules



Quick Wi-Fi Connection — Dedicated for Small Scenarios

- Supports PPPoE Dial-up
- One App for All Tasks
- One-Click Wi-Fi IPC Addition Supported
- Wireless Speed up to 300 Mbps*
- Offers Wireless Device Internet Access
- Supports Third-party IPCs Access




*Actual wireless speed is not guaranteed and will vary as a result of internet service provider factors, network conditions, client limitations, and environmental factors.
**The supported model is VIGI NVR1108H-W.

Easy Maintenance

Enjoy Free & Remote & Auto Maintenance


Remote Initialization

Resolve device issues remotely by initializing or configuring them, bypassing the need for on-site maintenance hassles and expenses.



Real-time Device Health Alarm

Receive immediate alerts for device issues like disk anomalies, video loss, and offline devices, allowing for prompt responses.




Troubleshoot Without On-site Visits

Remotely restart devices or restore system settings for quick device recovery.



Online & Auto Firmware Upgrades

Easily upgrade firmware with one-click online updates or schedule automatic updates without manual downloads.



VIGI Cloud VMS for Free[^] Maintenance

VIGI Cloud VMS offers free, online maintenance services like remote rebooting and firmware upgrades, ensuring seamless operation for your business without the need for on-site presence.



[^]For essential version only.

VIGI Solutions for SMBs




Small Shops

- Loss Prevention
- People of Interest Notifications
- Easy Installation and Setup, No Skills Needed
- VIGI App and NVR GUI-Based Lightweight Management



Chain Stores

- VIGI Cloud VMS-Based Solution
- Centralized & Remote Management
- Unlimited to Scale
- Multi-User Privilege Management
- Easy to Install and Deploy
- Zero-Touch Maintenance
- Intelligent Chain Store Patrol
- Cross-Store Customer Flow Analysis



Supermarkets

- VIGI VMS-Based Solution
- Centralized Management
- Loss Prevention
- Customer Flow Analytics
- Density Heat Map
- Queue Management
- License Plate Recognition
- Easy to Deploy/Install/Setup/Maintain



Hotels

- VIGI VMS-Based Solution
- Centralized Management
- Prompt Emergency Response
- Queue Management
- License Plate Recognition
- VCA-Based Smart Search for Efficient Post-event Tracing
- Easy to Deploy/Install/Setup/Maintain



Kindergartens and K-12

- VIGI VMS-Based Solution
- Centralized Management
- Rapid Incident Response
- Face Blurring for Privacy Protection
- Perimeter protection
- VCA-Based Smart Search for Efficient Post-event Tracing
- Easy to Deploy/Install/Setup/Maintain



Solar Power

- Non-Stop Power and Network Supply
- Remote Management & Maintenance
- Customized Assembly
- Compact Design
- Quick Installation & Disassembly
- Quick Incident Handling
- All-Weather Stability
- Longer Standby Time



For more solutions, please scan the QR code for details

Solutions for Small Shops

Effortless Installation, Theft Prevention

Scale: Less Than 32 Devices

Challenges



Frequent Thefts





Staff with Low Technical Skills



Limited Budgets

Full Products for Small Shops

Wired Solution



For more solutions, please scan the QR code for details


Solution Highlights

For Installers and Service Providers

Easy Planning


Project Design Tool for Quick Proposal Creation

Enables users to quickly select products, design security maps, and generate detailed proposals.



Calculator Tools* for Product Selection

Effortlessly determine video capacity, bandwidth, and lens requirements. Select suitable HDDs and cameras quickly, and configure the optimal bandwidth for your surveillance system based on the calculated results.



Easy Installation

VIGI's fast-install cameras save time and costs, delivering added value to installers.


Universal Metal Ball Bracket

Manually adjust angles (pan 0°-360°, tilt 0°-90°, rotate 0°-360°) for installation flexibility, with added reliability from metal materials.



PoE and Wi-Fi Connections

Small shops have limited space and need simple wiring. PoE uses one cable for both power and data, while Wi-Fi further simplifies wiring, reducing installation costs and enhancing store aesthetics.



Easy Setup

With minimal setup, VIGI devices easily connect, speeding up project delivery and saving time on manual setup.

One-Click System Initialize^Δ

VIGI NVRs enable quick camera additions, HDD initialization, and storage scheduling with a single click, reducing setup expenses.



One App for NVR Initialization

Skip opening the NVR GUI interface. Initialize the NVR directly through the App for easier operation and enhanced setup efficiency.




Auto Search and Add Devices

The VIGI app automatically detects devices under the same LAN, adding them in batches for hassle-free setup.



Auto Adoption

Allows the NVR to automatically detect and add the VIGI IPCs under the same LAN without any additional setup needed.



Wi-Fi NVR Simplifies Wireless Security System Setup in Small Shops

- Supports PPPoE Dial-up
- One App for All Tasks
- One-Click Wi-Fi IPC Addition Supported
- Wireless Speed up to 300 Mbps*
- Offers Wireless Device Internet Access
- Supports Third-party IPCs Access



*The VIGI Design Tool is available in VIGI VMS and VIGI Cloud VMS; the VIGI Calculator is available in the VIGI App or VIGI website.

^ΔActual wireless speed is not guaranteed and will vary as a result of internet service provider factors, network conditions, client limitations, and environmental factors.
^{**}The supported model is VIGI NVR1108H-W.
^ΔYou can find this feature in the NVR GUI or Web Portal.

For End Users

Loss Prevention

Non-Stop HD Videos

VIGI offers 24/7 clear imaging, enhanced by WDR and Smart IR to adapt to complex environments, ensuring no detail goes unnoticed.



Fisheye Imaging

Use one fisheye camera to monitor all corners, reducing the cost of buying four regular cameras.



Proactively Respond to Events

During off-hours, AI detection like Intrusion Detection and Line-Crossing Detection can be set up. When someone breaks in, the app will immediately send you alerts. Cameras can also deter intruders with sound and white light to minimize property loss.



VIP Notification


VIGI cameras automatically identify VIP customers and promptly notify you for reception, enabling better service. Perfect for clothing stores, jewelry shops, and more.



Longer Storage Time


Customized Recording Rules

Records only during specified times or when motion triggers, saving storage space without missing crucial events.



H.265+ Compression Technology

Reduces the required bandwidth and storage space for videos while maintaining excellent image quality.



Simple Daily Monitoring, No Technical Skills Required

- The VIGI app enables remote monitoring, including live viewing (up to 16 streams), quick playback, alarm reception, and more.
- The VIGI NVR GUI offers local management, including real-time monitoring, configuration, hardware upgrades, playback, and more.



Other Value-Added Highlights

Other Value-Added Highlights

Trusted Quality

- Independent R&D
- Superior Suppliers
- Vertical Integration
- Complete Quality Control

Superb Pre- and After-Sales Services

- Certification and Training (TPSA)
- Replacement and Warranty
- Localization Support Teams
- Lightweight Designer Tools
- Dedicated Online Support
- Official Community

SolutionX | Partner Program

<https://partner.tp-link.com/>

Join TP-Link SolutionX Partner Program to get better support and more profit.

*Calculations based on laboratory testing using a 3MP VIGI camera. Actual performance may vary according to the amount of activity recorded, resolution and other variables.

Recommended Products

High-Performance Solution

Network Cameras



InSight S245

VIGI 4MP Full-Color Dome Network Camera

- 4MP Resolution & Full-Color
- People & Vehicle Analytics
- Smart Detection
- Active Defense
- Two-Way Audio



InSight S345

VIGI 4MP Outdoor Full-Color Bullet Network Camera

- 4MP Resolution & Full-Color
- People & Vehicle Analytics
- Smart Detection
- Active Defense
- IP67 Weatherproof



InSight S445

VIGI 4MP Full-Color Turret Network Camera

- 4MP Resolution & Full-Color
- People & Vehicle Analytics
- Smart Detection
- Active Defense
- Two-Way Audio



InSight S655I

VIGI 5MP IR Fisheye Network Camera

- 360° Panoramic View
- Multiple Display Modes Supported
- 5MP Resolution with IR Night Vision
- Smart Detection
- Two-Way Audio

Network Video Recorders



VIGI NVR2016H-16MP

VIGI 16 Channel PoE+ Network Video Recorder

- 16× PoE+ Ports & 140W PoE Budget
- 320Mbps Incoming and Outgoing Bandwidth
- 4K HDMI Video Output
- 32MP Decoding Capability
- 2× 16TB HDDs*



VIGI App

- Auto Search and Batch Device Adding
- Up to 16 Live Views
- Practical Playback
- Two-Way Audio
- Instant Notifications

Software Services

Cost-effective Solution

Network Cameras



VIGI C240I

VIGI 4MP IR Dome Network Camera

- 4MP Resolution & IR Night Vision
- Smart Detection
- Built-in Microphone
- IP67 Weatherproof
- IK10 Vandal Proof



VIGI C440I

VIGI 4MP IR Turret Network Camera

- 4MP Resolution & IR Night Vision
- Smart Detection
- Built-in Microphone
- Corridor Mode
- Powered by PoE or DC

Network Video Recorders



VIGI NVR1008H-8MP

VIGI 8 Channel PoE+ Network Video Recorder

- 8× PoE+ Ports & 113W PoE Budget
- 80Mbps Incoming Bandwidth and 60Mbps Outgoing Bandwidth
- 4K HDMI Video Output
- 16MP Decoding Capability
- 1× 16TB HDD*



VIGI App

- Auto Search and Batch Device Adding
- Up to 16 Live Views
- Practical Playback
- Two-Way Audio
- Instant Notifications

Software Services



Scan for more details about VIGI products



Scan the QR code to view related cases

*HDD not included.
**All specifications are subject to change without notice.

Solutions for Chain Stores

Cloud VMS-based Solution, Unlimited to Scale

Scale: Each Store Has Fewer Than 32 Devices; Unlimited Total Stores

Challenges



Multiple Sites Across Regions




Complicated Staff Organization



Expensive Local Deployment

Full Products for Chain Stores




For more solutions, please scan the QR code for details

Solution Highlights


Unlimited Store Expansion

The cloud-based solution allows for unlimited and cost-free* expansion of your stores and devices, thereby reducing store opening expenses.




Multi-User Privilege Management

Assign varying permissions to members for each store, such as Admin, Viewer and Live Only. This ensures members access only necessary resources.



Manage Multiple Stores from Anywhere


Manage your devices, view live monitoring and playback, and receive real-time alerts using the VIGI app, Web Portal, or VIGI PC Client—all without the need of a VPN.




Simple Deployment and Maintenance

Project Design Tool for Quick Project Proposal Creation

- Easy Project Design and Management
- Complete Product Selection
- Rich Filters
- Intuitive Virtual Map
- 2D/3D Installation Simulation
- Batch Configure Simulation Options




Opening A New Store Requires Just 6 Minutes



3 Minutes to Create a New System



2 Minutes to Add Devices



1 Minute to Expand a Store



An App Handles Daily Management

Auto Search and Add Devices

The VIGI app automatically detects devices under the same LAN and adds them in batches for hassle-free setup. This speeds up installation efficiency and reduces labor costs.



Zero-touch Maintenance

No more on-site technicians and maintenance fees required, saving labor costs and ensuring a timely response to system failures.

- Remote Configuration and Initialization
- Online & Auto Firmware Upgrades
- Troubleshoot Without On-site Visits
- Real-time Device Health Alarm


AWS-Based Security

VIGI Cloud VMS, hosted on AWS servers and maintained by the TP-Link team around the clock, ensures high availability and robust security.



Practical Video Monitoring Features

Rich user-friendly video monitoring features, such as a visual dashboard, up to 64-channel* live views, event and time-based playback, real-time map monitoring, and unified event management, providing full site understanding without onsite visits.




Advanced Cross-Store Management Features

Beyond basic video monitoring, VIGI Cloud VMS also provides advanced cross-store management features to improve insights into customer behavior and cross-store management efficiency. These enhancements are supported by standard version and require a license.


Intelligent Chain Store Patrol

Compared with manual store inspections, real-time or scheduled ones save on labor costs and enhance chain store management by quickly uncovering hazards and assessing store operations.



Cross-Store Customer Flow Analysis

Analyzing customer flow at each store enhances staff allocation for better service and allows monitoring of marketing campaign effectiveness.



*For Essential Version only.

*Supported only on VIGI VMS PC Client. The actual number of live views is also limited by the performance of the device and computer.

Other Value-Added Highlights

Trusted Quality

- Independent R&D
- Superior Suppliers
- Vertical Integration
- Complete Quality Control

Superb Pre- and After-Sales Services

- Certification and Training (TPSA)
- Replacement and Warranty
- Localization Support Teams
- Lightweight Designer Tools
- Dedicated Online Support
- Official Community

SolutionX | Partner Program


https://partner.tp-link.com/

Join TP-Link SolutionX Partner Program to get better support and more profit.

Recommended Products
High-Performance Solution




Network Cameras




InSight S245
VIGI 4MP Full-Color Dome Network Camera

- 4MP Resolution & Full-Color
- People & Vehicle Analytics
- Smart Detection
- Active Defense
- Two-Way Audio




InSight S345
VIGI 4MP Outdoor Full-Color Bullet Network Camera

- 4MP Resolution & Full-Color
- People & Vehicle Analytics
- Smart Detection
- Active Defense
- IP67 Weatherproof



InSight S445
VIGI 4MP Full-Color Turret Network Camera


- 4MP Resolution & Full-Color
- People & Vehicle Analytics
- Smart Detection
- Active Defense
- Two-Way Audio



InSight S655I
VIGI 5MP IR Fisheye Network Camera

- 360° Panoramic View
- Multiple Display Modes Supported
- 5MP Resolution with IR Night Vision
- Smart Detection
- Two-Way Audio


Network Video Recorders



VIGI NVR2008H-8MP
VIGI 8 Channel PoE+ Network Video Recorder

- 8× PoE+ Ports & 90W PoE Budget
- 4K HDMI Video Output
- 320Mbps Incoming and Outgoing Bandwidth
- 32MP Decoding Capability
- 2× 16TB HDDs*

Software Services



VIGI Cloud VMS
VIGI Cloud Video Management System

- Cloud-Based, Free** and Unlimited
- Unified Management Across Sites
- Easy to Deploy and Maintain



Scan for more details about VIGI products




Scan the QR code to view related cases

*HDD not included.
**For essential version only.
†All specifications are subject to change without notice.

Recommended Products
Cost-Effective Solution




Network Cameras




VIGI C240I
VIGI 4MP IR Dome Network Camera

- 4MP Resolution & IR Night Vision
- Smart Detection
- Built-in Microphone
- IP67 Weatherproof
- IK10 Vandal Proof




VIGI C340I
VIGI 4MP Outdoor IR Bullet Network Camera

- 4MP Resolution & IR Night Vision
- Smart Detection
- Built-in Microphone
- IP67 Weatherproof
- Powered by PoE or DC



VIGI C440I
VIGI 4MP IR Turret Network Camera

- 4MP Resolution & IR Night Vision
- Smart Detection
- Built-in Microphone
- Corridor Mode
- Powered by PoE or DC



VIGI C540-W
VIGI 4MP Outdoor Full-Color Wi-Fi Pan Tilt Network Camera

- 4MP Resolution & Full-Color
- Wireless Outdoor Connectivity
- 360° Monitoring
- Smart Detection & Auto Tracking
- IP66 Weatherproof

Network Video Recorders



VIGI NVR1008H-8MP
VIGI 8 Channel PoE+ Network Video Recorder


- 8× PoE+ Ports & 113W PoE Budget
- 80Mbps Incoming Bandwidth and 60Mbps Outgoing Bandwidth
- 4K HDMI Video Output
- 16MP Decoding Capability
- 1× 16TB HDD*



VIGI NVR1108H-W
VIGI 8 Channel Wi-Fi Network Video Recorder

- One-Click Wi-Fi IPC Addition Supported
- Supports PPPoE Dial-up
- 16MP Decoding Capability
- 1× 10TB HDD*
- 80Mbps Incoming Bandwidth and 60Mbps Outgoing Bandwidth

Software Services



VIGI Cloud VMS
VIGI Cloud Video Management System

- Cloud-Based, Free** and Unlimited
- Unified Management Across Sites
- Easy to Deploy and Maintain



Scan for more details about VIGI products



Scan the QR code to view related cases

*HDD not included.
**For essential version only.
†All specifications are subject to change without notice.

Solutions for Supermarkets


Increase Profits, Protect Property

Scale: Small and Medium-Sized with 32 to 200 Devices

Challenges

- High Theft Rates
- Low Operational Efficiency
- Poor Sales and Profits

Full Products for Supermarkets



Solution Highlights

Entrances and Exits


Scenario Requirements

- Monitor for impending risks, such as identified shoplifters
- Customer-visit data for optimizing operation efforts

What We Offer


Customer Flow Analytics

Monitor store data cycle changes to assess marketing effectiveness, and allocate staff for enhanced service levels.



Denylist Alarm

Intelligently identify individuals like habitual thieves and alert security for timely intervention.



Checkout Counter

Scenario Requirements

- Reduce cashier disputes
- Promptly allocate cashiers during peak hours to enhance customer satisfaction
- The monitoring screen is more focused on the checkout counter

What We Offer


Record Audio And Video Continuously

The VIGI camera has a built-in mic for 24h sound recording up to 16ft. Coupled with HD video, it serves as evidence for disputes.



Queue Management

Automatically detects queue lengths and alerts you to allocate additional staff as needed, enhancing customer satisfaction.



Motorized Varifocal

By adjusting the field of view, you can concentrate more on checkout counters, minimizing invalid detection zones.



Store Room

Scenario Requirements

- Property loss prevention
- Security team needs to react to incidents timely

What We Offer


IR Night Vision

The VIGI IR camera offers night vision up to 50 m* (164 ft) with Smart IR and 3D DNR enhancing image quality at night, ensuring clear details in store rooms.



Efficient Incident Response

Enable Area Intrusion and Abnormal Sound Detection after hours. VIGI cameras will promptly alert you to any anomalies while deterring intruders with red and blue flashing lights and sirens.



Parking Lot


Scenario Requirements

- Trace target vehicles in time

What We Offer

License Plate Recognition**

Recognizes license plate numbers and colors, allowing for quick searches of related videos for a target vehicle. This significantly enhances post-event search efficiency and enables prompt response to incidents.



Shopping Area

Scenario Requirements

- Ensure the safety of customers, employees, and property

What We Offer


No More Blind Spots

Utilize fisheye camera to cover every corner of your supermarket without missing any details.



Corridor Mode

Helps you monitor long and narrow shelf areas more efficiently for theft prevention.




Density Heat Map

Easily identify both "hot spots" and "dead zones" to optimize merchandise displays and increase profits.




Regional People Counting

Tailor hot zones to analyze customer stay duration and other data, assessing marketing effectiveness.




LightPro Night Vision

During non-business hours, VIGI camera intelligently switches between IR and Full-Color night vision by detecting people or vehicles.



When no person is detected, the cameras uses IR night vision to reduce power consumption and improve concealment.



When a person is detected, Full-Color night vision is automatically switched for clear details and to deter intruders.



When a person leaves, the camera switches back to the IR night vision.

*Supported models: VIGI C320I, VIGI C330I, and VIGI C340I.

**License plate recognition is supported only in certain countries; please refer to the specific details for each region.

Monitoring Room

Scenario Requirements

- Respond promptly to on-site events
- Searching for individuals afterward is labor-intensive
- Intuitive software reduces training costs


What We Offer

Prompt Reaction to Events

VIGI VMS allows for efficient monitoring and prompt alarm notifications to help you manage events in a timely manner.


Dashboard

Keep an eye on global alarms and device statuses for quick response to abnormalities and alerts.




Live View

Switch between live views, with the capability to simultaneously view up to 64* surveillance images, ensuring no detail is missed.



Event Management


Centrally view alarm events, access event details, and filter events by device, time, and event type for efficient tracking.



VCA-Based Smart Search

By Human Attribute

Filter people of interest by various attributes, such as hair length and clothing color for improved searching efficiency.




By Face

By searching for an existing face from the face library or by uploading a face image, you can find all related videos person across cameras.



Evidence Collection


Promptly save monitoring footage and centrally archive and manage crucial evidence. Customize evidence type, tags, and remarks for easier backtracking.



Other Value-Added Highlights

Project Design Tool* for Quick Proposal Creation

Enables users to quickly select products, design security maps, and generate detailed proposals.



Floor Plan | Equipment List | Camera Coverage

Easy-to-Install Cameras

- Various installation and power supply choices such as Wi-Fi and PoE, tailored to different scenario requirements.
- User-friendly design features like a universal metal ball bracket, along with support for ceiling, wall, and pole mounting methods, to improve installation efficiency.



Universal Metal Ball Bracket



PoE




Wi-Fi

Easy Setup


Add Devices in Batches

VIGI VMS automatically identifies devices on the same LAN and adds them in batches, accelerating project delivery.



Remote & Batch Device Configuration

Set configuration rules remotely and apply them to devices in batches for quick configuration, saving time.



Trusted Quality

- Independent R&D
- Superior Suppliers
- Vertical Integration
- Complete Quality Control

Superb Pre- and After-Sales Services

- Certification and Training (TPSA)
- Replacement and Warranty
- Localization Support Teams
- Dedicated Online Support
- Official Community

*Supported only on VIGI VMS PC Client. The actual number of live views is also limited by the performance of the device and computer.

*The VIGI Design Tool is available in VIGI VMS and VIGI Cloud VMS.

Recommended Products

High-Performance Solution



Network Cameras



InSight S345S
VIGI 4MP Outdoor ColorPro Bullet Network Camera

- AI-ISP Powered Ultra Low-Light Imaging
- Face Recognition
- People & Vehicle Analytics
- Smart Detection
- IP67 Weatherproof



InSight S345ZI
VIGI 4MP Outdoor IR Motorized Varifocal Bullet Network Camera

- 5X Optical Zoom
- 4MP Resolution with IR Night Vision
- Smart Detection
- Two-Way Audio
- 1/1 Alarm IN/OUT
- IP67 Weatherproof



InSight S385PI
VIGI 8MP Outdoor IR Panoramic Bullet Camera

- 180° Panoramic
- 4K UHD with IR Night Vision
- People Counting
- Active Deterrence with Red-Blue Alarm Lights
- IP67 Weatherproof



InSight S445
VIGI 4MP Full-Color Turret Network Camera

- 4MP Resolution & Full-Color
- People & Vehicle Analytics
- Smart Detection
- Active Defense
- Two-Way Audio



InSight S665I
VIGI 5MP IR Fisheye Network Camera

- 360° Panoramic View
- Multiple Display Modes Supported
- 5MP Resolution with IR Night Vision
- Smart Detection
- Two-Way Audio

Network Video Recorders



VIGI NVR2016H-16MP
VIGI 16 Channel PoE+ Network Video Recorder

- 16× PoE+ Ports & 140W PoE Budget
- 320Mbps Incoming and Outgoing Bandwidth
- 4K HDMI Video Output
- 32MP Decoding Capability
- 2× 16TB HDDs*



VIGI NVR8064H
VIGI 64 Channel Network Video Recorder

- 4K HDMI Video Output
- 400Mbps Incoming and Outgoing Bandwidth
- 64MP Decoding Capability
- 8× 16TB HDDs*

Software Services



VIGI VMS
VIGI Video Management System

- Local Deployment
- 24/7 System Security
- Faster Response
- Remote Management with TP-Link ID
- Unlimited and License Free



Scan for more details about VIGI products



Scan the QR code to view related cases

*HDD is not included.
**All specifications are subject to change without notice.

Recommended Products

Cost-Effective Solution



Network Cameras



VIGI C240I
VIGI 4MP IR Dome Network Camera

- 4MP Resolution & IR Night Vision
- Smart Detection
- Built-in Microphone
- IP67 Weatherproof
- IK10 Vandal Proof



VIGI C340I
VIGI 4MP IR Bullet Network Camera

- 4MP Resolution & IR Night Vision
- Smart Detection
- Built-in Microphone
- IP67 Weatherproof
- Powered by PoE or DC



VIGI C440I
VIGI 4MP IR Turret Network Camera

- 4MP Resolution & IR Night Vision
- Smart Detection
- Built-in Microphone
- Corridor Mode
- Powered by PoE or DC



VIGI C540
VIGI 4MP Outdoor Full-Color PT Network Camera

- 4MP Resolution & Full-Color
- 360° Monitoring
- Smart Detection & Auto Tracking
- Active Defense
- IP67 Weatherproof



VIGI C540V
VIGI 4MP Outdoor Full-Color Dual-Lens Varifocal PT Network Camera

- 3X Mixed Zoom
- Instant & Smooth Zoom
- 4MP Resolution & Full-Color
- 360° Monitoring
- Smart Detection & Auto Tracking
- IP66 Weatherproof



InSight S665I
VIGI 5MP IR Fisheye Network Camera

- 360° Panoramic View
- Multiple Display Modes Supported
- 5MP Resolution with IR Night Vision
- Smart Detection
- Two-Way Audio

Network Video Recorders



VIGI NVR2016H-16MP
VIGI 16 Channel PoE+ Network Video Recorder

- 16× PoE+ Ports & 140W PoE Budget
- 320Mbps Incoming and Outgoing Bandwidth
- 4K HDMI Video Output
- 32MP Decoding Capability
- 2× 16TB HDDs*



VIGI NVR4064H
VIGI 64 Channel Network Video Recorder

- 320Mbps Incoming and Outgoing Bandwidth
- 4K HDMI Video Output
- 32MP Decoding Capability
- 4× 16TB HDDs*

Software Services



VIGI VMS
VIGI Video Management System

- Local Deployment
- 24/7 System Security
- Faster Response
- Optional Cloud Access
- Unlimited and Free



Scan for more details about VIGI products



Scan the QR code to view related cases

*HDD is not included.
**All specifications are subject to change without notice.



Solutions for Hotels

Centralized Management, Protect Customer Safety

Scale: Small and Medium-Sized with 32 to 200 Devices



Solutions for Hotels

Centralized Management, Protect Customer Safety

Scale: Small and Medium-Sized with 32 to 200 Devices





Solutions for Hotels


Centralized Management, Protect Customer Safety

Scale: Small and Medium-Sized with 32 to 200 Devices


Challenges


 Delayed Accident Response


 Complex Customer Composition

 Complex Installation Environment


Challenges


 Delayed Accident Response


 Complex Customer Composition

 Complex Installation Environment


Challenges


 Delayed Accident Response


 Complex Customer Composition

 Complex Installation Environment


Challenges

 Delayed Accident Response

 Complex Customer Composition

 Complex Installation Environment

Full Products for Hotels



Solution Highlights

Lobby

Solution Highlights

Lobby

Scenario Requirements


- Wide-area monitoring coverage
- Quickly discover lost items
- HD Videos even in complex environments

- ## Scenario Requirements
- Wide-area monitoring coverage
 - Quickly discover lost items
 - HD Videos even in complex environments

<h2>What We Offer</h2> <h3>180° Panoramic</h3> <p>Provides a 180° wide view for lobbies with clear details and minimal distortion, to ensure no detail goes unnoticed.</p>	<h3>Abandoned Object Detection</h3> <p>Detects items left in the lobby beyond a set time limit and alerts you to take action.</p>
--	---

<h2>What We Offer</h2> <h3>180° Panoramic</h3> <p>Provides a 180° wide view for lobbies with clear details and minimal distortion, to ensure no detail goes unnoticed.</p>	<h3>Abandoned Object Detection</h3> <p>Detects items left in the lobby beyond a set time limit and alerts you to take action.</p>
--	---

<h2>What We Offer</h2> <h3>180° Panoramic</h3> <p>Provides a 180° wide view for lobbies with clear details and minimal distortion, to ensure no detail goes unnoticed.</p>	<h3>Abandoned Object Detection</h3> <p>Detects items left in the lobby beyond a set time limit and alerts you to take action.</p>
--	---




Abandoned Object Detection

Detects items left in the lobby beyond a set time limit and alerts you to take action.

Abandoned Object Detection

Detects items left in the lobby beyond a set time limit and alerts you to take action.



Reception

Scenario Requirements

- Reduce disputes and conflicts
- Promptly dispatch staff during peak hours, enhancing customer satisfaction

- ## Scenario Requirements
- Reduce disputes and conflicts
 - Promptly dispatch staff during peak hours, enhancing customer satisfaction

- What We Offer**
 - Record Sound and Image Simultaneously**

The VIGI camera has a built-in mic for 24h sound recording up to 16G. Coupled with HD video, it serves as evidence for disputes.
 - Queue Management**

Automatically detects queue lengths and alerts you to allocate more staff as needed, enhancing service quality.

- What We Offer**
 - Record Sound and Image Simultaneously**


The VIGI camera has a built-in mic for 24h sound recording up to 16G. Coupled with HD video, it serves as evidence for disputes.
 - Queue Management**

Automatically detects queue lengths and alerts you to allocate more staff as needed, enhancing service quality.

- What We Offer**
 - Record Sound and Image Simultaneously**

The VIGI camera has a built-in mic for 24h sound recording up to 16G. Coupled with HD video, it serves as evidence for disputes.
 - Queue Management**

Automatically detects queue lengths and alerts you to allocate more staff as needed, enhancing service quality.




Queue Management

Automatically detects queue lengths and alerts you to allocate more staff as needed, enhancing service quality.

Queue Management

Automatically detects queue lengths and alerts you to allocate more staff as needed, enhancing service quality.



Indoor Public Spaces


Scenario Requirements

- Accommodate diverse indoor spaces and security requirements
- Prompt emergency response

What We Offer

Various Form Factors

VIGI offers cameras in different shapes with various power supply and network options like PoE, meeting indoor monitoring needs and simplifying installation.



Sharp Videos Around the Clock

VIGI captures full-color images 24/7, ensuring no details are missed. With technologies like 120dB WDR, it provides clear images even in strong light contrast, such as by a window.



Specially Designed for Elevators

Compact Product Design

VIGI dome cameras are compact and vandal-proof, ideal for installation in confined spaces like elevators.



24/7 Image & Voice Recording

VIGI cameras record clear images and voices day and night for seamless emergency response.



Simple Installation


Simply push the camera upwards and rotate it clockwise to snap it into the mounting bracket, then complete the installation.



Specially Designed for Corridors


Corridor Mode

Optimizes camera coverage in narrow spaces like hotel corridors, ensuring no blind spots by precisely focusing on the intended areas.



Loitering Detection

Detect suspicious individuals loitering in the corridor for a set time and receive advanced warnings.



Outdoor Public Areas

Scenario Requirements

- Monitor key areas of interest
- Ultra low-light monitoring
- Reduce false alarm
- Prompt response to emergencies
- Cut installation costs
- Streamline wiring

What We Offer

Motorized Varifocal

By adjusting the FOV, you can focus the monitoring view more on the area of interest and reduce non-critical areas.



PTZ

The VIGI PTZ camera ensures 360° monitoring with its pan, tilt, zoom capabilities, while automatically zooming in and tracking alarm-triggered objects.





Human & Vehicle Classification

Differentiates humans and vehicles from other moving objects like birds and leaves to provide precise event notifications and reduce time spent reviewing unnecessary alerts.



VIGI AI ISP-Powered ColorPro 2.0 Imaging

VIGI AI ISP-Powered ColorPro 2.0 technology captures colorful and clear images even in ultra low-light conditions without fill lights, enhancing situational awareness.



VIGI AI ISP-Powered ColorPro 2.0 Night Vision

LightPro Night Vision

VIGI camera intelligently switches between IR and Full-Color night vision by detecting people or vehicles.

- More Details
- Less Light Pollution
- More Deterrence
- More Concealment

Infrared Light On



When there is no vehicle or person, the camera will use IR night vision to reduce power consumption and enhance concealment.

White Light On



When the camera detects a person or vehicle, Full-Color night vision is automatically switched, providing clear, full-color videos and acting as a deterrent.

Infrared Light On



When the people or vehicle leaves, the camera will switch back to IR night vision for black-and-white images.

Immediate Response to Events

Enable Line-Crossing Detection to receive instant alarms when someone attempts to cross the prohibited areas. Simultaneously, the connected alarm device will automatically activate to deter the intruder, protecting your property.



Parking Lot


Scenario Requirements

- Trace the target vehicles in time

What We Offer

License Plate Recognition*

Smartly recognizes license plate colors and numbers, allowing for quick searches of related videos for a target vehicle. This significantly enhances post-event search efficiency and enables prompt response to incidents.



*License plate recognition is supported only in certain countries; please refer to the specific details for each region.

Monitoring Room

Scenario Requirements

- Respond promptly to on-site events
- Quickly locate targets
- Intuitive software to reduce training costs


What We Offer

Prompt Reaction to Events

VIGI VMS allows for efficient monitoring and prompt alarm notifications to help you manage events in a timely manner.


Dashboard

Keep an eye on global alarms and device status for prompt response to abnormalities and alerts.




AI Monitoring

Captures moving humans in real time without missing anomalies. Smart framing also enhances visibility of moving objects.



Event Management


Centrally view alarms, access event details with one click, and filter events by device, time, and event type for efficient tracking.



VCA-Based Smart Search


By Human Attributes

Filter people of interest by various attributes, such as hair length and clothing color for improved searching efficiency.




By Vehicle Attributes

Identify and search for targeted vehicles based on vehicle color and type for targeting meaningful events in a short time.



By Face

By searching for a existing face from the face library or by uploading a face image, you can find all related videos person across cameras, simplifying the process of locating this person swiftly.



Evidence Collection


Promptly save monitoring footage and centrally archive and manage crucial evidence. Customize evidence type, tags, and remarks for easier backtracking.

Evidence Collection						
Keyword: <input type="text"/>	Evidence Type: <input type="text"/>	Source Device: <input type="text"/>				
Result/Conclusion: <input type="text"/>	Keyword: <input type="text"/>	Start Date: <input type="text"/>	End Date: <input type="text"/>	Reset	Verify	
EVIDENCE NAME	EVIDENCE TYPE	EVIDENCE TAG	SOURCE DEVICE	RESULT/CONCLUSION	EVENT TIME	DESCRIPTION
Suspicious Behavior	Others	Attack	Device Name2	Others	2022-04-16 10:35:28	Panel
Suspicious Behavior	Rubbish	Attack	ABC Test	No Trace Found	2022-04-16 10:35:28	ssdPC Device ac
Suspicious Behavior	Missing Person	Attack	TEST Device	TEST Device	2022-04-16 10:35:28	Description
Suspicious Behavior	Suspicious Behavior	Attack	ABC Test	No Trace Found	2022-04-16 10:35:28	Panel
Suspicious Behavior	Missing Person	Attack	TEST Device	waiting	2022-04-16 10:35:28	Description
Suspicious Behavior	Theft	Attack	ABC Test	No Trace Found	2022-04-16 10:35:28	Description
Suspicious Behavior	Attack	Attack	TEST Device	waiting	2022-04-16 10:35:28	Description

Other Value Added Highlights

Project Design Tool* for Quick Proposal Creation

Enables users to quickly select products, design security maps, and generate detailed proposals.




Floor Plan | Equipment List | Camera Coverage

Easy Setup


Add Devices in Batches

VIGI VMS can automatically identify devices on the same LAN and add them in batches, accelerating project delivery.



Remote & Batch Device Configuration

Set configuration rules remotely and apply them to devices in batches for quick configuration, saving time.



Trusted Quality

- Independent R&D
- Superior Suppliers
- Vertical Integration
- Complete Quality Control

Superb Pre- and After-Sales Services


- Certification and Training (TPSA)
- Replacement and Warranty
- Localization Support Teams
- Dedicated Online Support
- Official Community

*The VIGI Design Tool is available in VIGI VMS and VIGI Cloud VMS.

Recommended Products
High-Performance Solution




Network Cameras




InSight S285
VIGI 8MP Full-Color Dome Network Camera

- 4K (8MP) Ultra HD & Full-Color
- People & Vehicle Analytics
- Smart Detection
- Active Defense
- Two-Way Audio




InSight S345S
VIGI 4MP Outdoor ColorPro Bullet Network Camera

- AI-ISP Powered Ultra Low-Light Imaging
- People & Vehicle Analytics
- Smart Detection
- IP67 Weatherproof




InSight S485
VIGI 8MP Full-Color Turret Network Camera

- 4K (8MP) Ultra HD & Full-Color
- People & Vehicle Analytics
- Smart Detection
- Active Defense
- Two-Way Audio



InSight S485PI
VIGI 8MP IR Panoramic Turret Camera

- 180° Panoramic
- 4K UHD with IR Night Vision
- People Counting
- Active Deterrence with Red-Blue Alarm Lights
- Two-Way Audio



InSight S345ZI
VIGI 4MP Outdoor IR Motorized Varifocal Bullet Network Camera

- 5X Optical Zoom
- 4MP Resolution with IR Night Vision
- Smart Detection
- Two-Way Audio
- 1/1 Alarm IN/OUT
- IP67 Weatherproof

Network Video Recorders



VIGI NVR4032H
VIGI 32 Channel Network Video Recorder


- 320Mbps Incoming and Outgoing Bandwidth
- 4K HDMI Video Output
- 32MP Decoding Capability
- 4× 16TB HDDs*



VIGI NVR8064H
VIGI 64 Channel Network Video Recorder

- 4K HDMI Video Output
- 400Mbps Incoming and Outgoing Bandwidth
- 64MP Decoding Capability
- 8× 16TB HDDs*

Software Services



VIGI VMS
VIGI Video Management System

- Local Deployment
- 24/7 System Security
- Faster Response
- Remote Management with TP-Link ID
- Unlimited and License Free



*HDD is not included.
**All specifications are subject to change without notice.

Recommended Products

Cost-Effective Solution

Network Cameras



VIGI C240I
VIGI 4MP IR Dome
Network Camera

- 4MP Resolution & IR Night Vision
- Smart Detection
- Built-in Microphone
- IP67 Weatherproof
- IK10 Vandal Proof



VIGI C230I Mini
VIGI 3MP IR Mini Dome
Network Camera

- 3MP Resolution & IR Night Vision
- Smart Detection
- Two-Way Audio
- Corridor Mode
- Powered by PoE or DC



VIGI C340I
VIGI 4MP IR Bullet
Network Camera

- 4MP Resolution & IR Night Vision
- Smart Detection
- Built-in Microphone
- IP67 Weatherproof
- Powered by PoE or DC



VIGI C440I
VIGI 4MP IR Turret
Network Camera

- 4MP Resolution & IR Night Vision
- Smart Detection
- Built-in Microphone
- Corridor Mode
- Powered by PoE or DC



VIGI C540V
VIGI 4MP Outdoor Full-Color
Dual-Lens Varifocal PT
Network Camera

- 3X Mixed Zoom
- Instant & Smooth Zoom
- 4MP Resolution & Full-Color
- 360° Monitoring
- Smart Detection & Auto Tracking
- IP66 Weatherproof



VIGI C540S
VIGI 4MP Outdoor ColorPro
Pan Tilt Network Camera

- Ultra Low-Light Imaging
- 360° Monitoring
- Face Recognition
- People & Vehicle Analytics
- Smart Detection
- IP66 Weatherproof

Network Video Recorders



VIGI NVR4032H
VIGI 32 Channel Network
Video Recorder

- 320Mbps Incoming and Outgoing Bandwidth
- 4K HDMI Video Output
- 32MP Decoding Capability
- 4× 16TB HDDs*



VIGI NVR4064H
VIGI 64 Channel Network
Video Recorder

- 320Mbps Incoming and Outgoing Bandwidth
- 4K HDMI Video Output
- 32MP Decoding Capability
- 4× 16TB HDDs*

Software Services



VIGI VMS
VIGI Video
Management System

- Local Deployment
- 24/7 System Security
- Faster Response
- Remote Management with TP-Link ID
- Unlimited and License Free



Scan for more details
about VIGI products



Scan the QR code to view
related cases

*HDD is not included.
**All specifications are subject to change without notice.



Solutions for Kindergartens and K-12 Schools

Centralized Management, Protect Schools

Scale: Small and Medium-Sized with 32 to 200 Devices

Challenges



Slow Accident Response




Student Concerns for Campus Safety



Frequent Events at the Perimeter

Full Products for Schools



For more solutions, please scan
the QR code for details

Solution Highlights

School Gates

Scenario Requirements

- Prevent unauthorized entry and provide timely reminders
- Ultra low-light monitoring

What We Offer

Unauthorized Visitor Management

Using facial analysis, VIGI cameras detect unfamiliar visitors and alerts you to manage them promptly, streamlining school entrance control and enhancing school security.



VIGI AI ISP-Powered ColorPro 2.0 Image

Captures colorful and clear images even in ultra low-light conditions without fill lights, enhancing situational awareness. Captures colorful enhancing situational awareness



Naked Eyes

VIGI AI ISP-Powered ColorPro 2.0

Parking Lot


Scenario Requirements

- Quickly locate a vehicle of interest

What We Offer

License Plate Recognition*

Smartly recognizes license plate colors and numbers, allowing for quick searches of related videos for a target vehicle. This significantly enhances post-event search efficiency and enables prompt response to incidents.



*License plate recognition is supported only in certain countries; please refer to the specific details for each region.

Public Spaces

Scenario Requirements


- 360° Monitoring
- Enhanced student privacy protection
- Complex deployment environments

What We Offer

Specially Designed for Canteens, Playgrounds, and Other Spacious Areas

Wide-Angle Duo Splicing Imaging

Renders 32:9 ultra-wide images without overlaps or gaps, effectively minimizing blind spots at campus corners.



Active Deterrence with Red-Blue Lights and Sirens

VIGI cameras deter intruders with flashing red and blue lights and sirens to safeguard campuses.

PTZ


VIGI PTZ cameras offer 360° monitoring coverage of wide areas, utilizing their powerful rotation, tilt, and zoom capabilities.



Specially Designed for Corridors

Corridor Mode

Optimizes camera coverage in narrow spaces like school corridors, ensuring no blind spots by precisely focusing on the intended areas.



Specially Designed for Classrooms

Abnormal Sound Detection

Automatically detects unusual sounds like screams and glass breaking, triggering alarms to safeguard students' safety.



Face Blurring for Privacy Protection

Monitor the campus with privacy in mind by blurring faces in live video streams, instantly unblurring them when an incident occurs.



Easy Installation

- Various installation and power supply choices such as PoE, tailored to different scenario requirements.
- User-friendly design features like a universal metal ball bracket, along with support for ceiling, wall, and pole mounting methods, improve installation efficiency.



Corridors



Classrooms



Dining Hall



Playgrounds

Perimeter

Scenario Requirements

- Minimize false alarms from irrelevant objects like leaves and birds
- Prevent students or intruders from breaching the perimeter
- Reduce light pollution and power consumption at night

What We Offer

LightPro Night Vision

VIGI camera intelligently switches between IR and Full-Color night vision by detecting people or vehicles.

More Details


Less Light Pollution

More Deterrence

More Concealment



When no vehicles or people are present, the camera switches to IR night vision to reduce power consumption and enhance concealment.




When the camera detects a person or vehicle, Full-Color night vision is automatically switched, providing clear, full-color videos and acting as a deterrent.



When the people or vehicle leaves, the camera will switch back to IR night vision for black-and-white images.

Human & Vehicle Classification

Differentiate humans and vehicles from other moving objects like birds and leaves to receive precise event notifications and avoid spending time reviewing unnecessary alerts.



Immediate Response to Events

Enable Line-Crossing Detection to receive instant alarms when students or suspicious individuals try to cross the perimeter. Meanwhile, sound and light alarms will automatically activate to deter the intruder.



CCTV Room

Scenario Requirements

- Prompt responses to on-site events
- Quick post-event searches for individuals
- Intuitive software to reduce training costs


What We Offer

Prompt Reactions to Events

VIGI VMS allows for efficient monitoring and prompt alarm notifications to help you manage events in a timely manner.


Dashboard

Keep an eye on global alarms and device status for prompt response to abnormalities and alerts.




AI Monitoring

Captures moving humans in real time without missing anomalies. Smart framing also enhances visibility of moving objects.



Event Management


Centrally view alarm events, access event details, and filter events by device, time, and event type for efficient tracking.



VCA-Based Smart Search


By Human Attribute

Filter people of interest by various attributes, such as hair length and clothing color for improved searching efficiency.




By Face

By searching for a existing face from the face library or by uploading a face image, you can find all related videos person across cameras.



Evidence Collection


Promptly save monitoring footage and centrally archive and manage crucial evidence. Customize evidence type, tags, and remarks for easier backtracking.



Other Value Added Highlights

Lightweight Design Tool* For Quick Deployment


Enables users to quickly select products and generate detailed project proposals for installation guidance.



Easy Setup


Add Devices in Batches

VIGI VMS can automatically identify devices on the same LAN and add them in batches, accelerating project delivery.



Remote & Batch Device Configuration

Set configuration rules remotely and apply them to devices in batches for quick configuration, saving time.



Other Value-Added Highlights

Trusted Quality

- Independent R&D
- Superior Suppliers
- Vertical Integration
- Complete Quality Control

Superb Pre- and After-Sales Services

- Certification and Training (TPSA)
- Replacement and Warranty
- Localization Support Teams
- Lightweight Designer Tools
- Dedicated Online Support
- Official Community

SolutionX | Partner Program

<https://partner.tp-link.com/>

Join TP-Link SolutionX Partner Program to get better support and more profit.

Recommended Products

High-Performance Solution

Network Cameras



InSight S285
VIGI 8MP Full-Color Dome Network Camera

- 4K (8MP) Ultra HD & Full-Color
- People & Vehicle Analytics
- Smart Detection
- Active Defense
- Two-Way Audio



InSight S385DPS
VIGI 8MP Outdoor ColorPro Panoramic Bullet Network Camera

- 32:9 Ultra-Wide Angle
- AI-ISP Powered Ultra Low-Light Imaging
- 4K UHD & ePTZ
- People & Vehicle Analytics
- IP67 Weatherproof



InSight S345S
VIGI 4MP Outdoor ColorPro Bullet Network Camera

- AI-ISP Powered Ultra Low-Light Imaging
- Face Recognition
- People & Vehicle Analytics
- Smart Detection
- IP67 Weatherproof



InSight S385PI
VIGI 8MP Outdoor IR Panoramic Bullet Camera

- 180° Panoramic
- 4K UHD with IR Night Vision
- People Counting
- Active Deterrence with Red-Blue Alarm Lights
- IP67 Weatherproof



InSight S445
VIGI 4MP Full-Color Turret Network Camera

- 4MP Resolution & Full-Color
- People & Vehicle Analytics
- Smart Detection
- Active Defense
- Two-Way Audio

Network Video Recorders



VIGI NVR4032H
VIGI 32 Channel Network Video Recorder

- 320Mbps Incoming and Outgoing Bandwidth
- 4K HDMI Video Output
- 32MP Decoding Capability
- 4x 16TB HDDs*



VIGI NVR8064H
VIGI 64 Channel Network Video Recorder

- 4K HDMI Video Output
- 400Mbps Incoming and Outgoing Bandwidth
- 64MP Decoding Capability
- 8x 16TB HDDs*

Software Services



VIGI VMS
VIGI Video Management System

- Local Deployment
- 24/7 System Security
- Faster Response
- Remote Management with TP-Link ID
- Unlimited and License Free



Scan for more details about VIGI products



Scan the QR code to view related cases

*The VIGI Design Tool is available in VIGI VMS and VIGI Cloud VMS. The tool's entry point can be adjusted. Please check with your local technical support for details.

*HDD is not included.

**All specifications are subject to change without notice.

Recommended Products

Cost-Effective Solution

Network Cameras



VIGI C240I
VIGI 4MP IR Dome
Network Camera

- 4MP Resolution & IR Night Vision
- Smart Detection
- Built-in Microphone
- IP67 Weatherproof
- IK10 Vandal Proof



VIGI C340I
VIGI 4MP IR Bullet
Network Camera

- 4MP Resolution & IR Night Vision
- Smart Detection
- Built-in Microphone
- IP67 Weatherproof
- Powered by PoE or DC



VIGI C340S
VIGI 4MP Outdoor ColorPro
Bullet Network Camera

- Ultra Low-Light Imaging
- Face Recognition
- People & Vehicle Analytics
- Smart Detection
- IP67 Weatherproof



VIGI C440I
VIGI 4MP IR Turret
Network Camera

- 4MP Resolution & IR Night Vision
- Smart Detection
- Built-in Microphone
- Corridor Mode
- Powered by PoE or DC



VIGI C540
VIGI 4MP Outdoor Full-Color
PT Network Camera

- 4MP Resolution & Full-Color
- 360° Monitoring
- Smart Detection & Auto Tracking
- Active Defense
- IP66 Weatherproof



VIGI C540V
VIGI 4MP Outdoor Full-Color
Dual-Lens Varifocal PT
Network Camera

- 3X Mixed Zoom
- Instant & Smooth Zoom
- 4MP Resolution & Full-Color
- 360° Monitoring
- Smart Detection & Auto Tracking
- IP66 Weatherproof

Network Video Recorders



VIGI NVR4032H
VIGI 32 Channel Network
Video Recorder

- 320Mbps Incoming and Outgoing Bandwidth
- 4K HDMI Video Output
- 32MP Decoding Capability
- 4× 16TB HDDs*



VIGI NVR4064H
VIGI 64 Channel Network
Video Recorder

- 320Mbps Incoming and Outgoing Bandwidth
- 4K HDMI Video Output
- 32MP Decoding Capability
- 4× 16TB HDDs*

Software Services



VIGI VMS
VIGI Video
Management System

- Local Deployment
- 24/7 System Security
- Faster Response
- Remote Management with TP-Link ID
- Unlimited and License Free



Scan for more details
about VIGI products



Scan the QR code to view
related cases

*HDD is not included.
**All specifications are subject to change without notice.



Solar Power Solution

Farmlands | Islands | Construction Sites and More

Non-Stop Power Where the Sun Shines


Challenges

- Complex Wiring
- Hard to Maintain
- Poor System Stability
- Difficult Installation and Removal
- Short System Standby Time
- Difficult Event Tracing

What We Offer

Manage and Maintain Without On-Site Visits

Control devices centrally, monitor power statistics, receive low-battery alerts, update firmware, and reboot the system via the VIGI app or VIGI Cloud VMS. Enjoy peace of mind, no matter your location.




VIGI Cloud VMS



VIGI App

Customized Assembling


Easily tailor your solar power system with our modular hardware design. Mix and match solar panels, batteries, and onboard devices (3× DC voltage output ports available) to meet your deployment needs freely.




For more solutions, please scan
the QR code for details

Flexible Deployment


1. 4G IPC-Solar Power Solution



2. 4G Router-IPC-Solar Power Solution




3. Wireless Bridge-IPC-Solar Power Solution



Simple Installation

The modular design allows for quick bracket installation and disassembly within minutes.




Adjustable Angle

Adjustable angles of 5°, 15°, 25°, 35°, 45°, and 55° ensure optimal alignment and maximum sunlight utilization.



Longer Standby Time

Industrial-Grade Solar Panel




Grade **A** Solar Panel

21.6%* ↑ Conversion Efficiency

25+ Year Lifespan

Up to **180W[†]** Optional

Automotive-Grade Lithium Battery



Up to **93.6Ah** Optional



Discharge Efficiency up to **99%**

> 500 Cycles

Remaining Capacity **> 70%** after 500 Cycles

Independent Protection Circuit**

Ensures battery safety and uninterrupted device operation.



MPPT Controller Boosts Charging Efficiency

An MPPT (Maximum Power Point Tracking) controller optimizes solar panel power, reduces power loss, and increases charging efficiency by 20% compared to PWM (Pulse Width Modulation) controllers.




*The model of the 4G IPC is InSight S345-4G.
*The model of the 4G router is ER703WP-4G-Outdoor.

*This value is compared to the conversion efficiency of polycrystalline silicon solar modules.
**Applicable to VIGI PS90.
†Requires 2*VIGI Solar Panel 90W.

High System Stability Reduces Subsequent Maintenance Costs


Enterprise Level Hardware Design




Intelligent Auxiliary Heating Technology

The built-in smart battery supports intelligent auxiliary heating technology, which allows the battery to operate normally across a wide temperature range.

Charge and Discharge Temperature Limit Comparison



Actual Discharge Comparison at the Same Temperature



*The auxiliary heat will only be turned on when the photovoltaic system has a certain input or the battery has a certain amount of power. The test environment consisted of a 20°C aging box and 1A constant current discharge.

Rapid Incident Handling

In remote areas like orchards and farms, dim lighting at night complicates intruder detection. Delays in reaching the scene may mean incidents are already happening, compounded by complex terrain hindering intruder tracking.

VIGI AI ISP-Powered ColorPro 2.0 Image

Captures colorful and clear images even in ultra low-light conditions without fill lights, enhancing situational awareness.



*Complies with international standard ISO 898-1.


Smart Detection

VIGI's smart detection, like intrusion and line crossing, will notify you promptly of any breach, enabling swift action on your part.



Active Defense

Instantly deter potential intruders with sound and light, proactively protecting your property even when you're away.



Auto Tracking

Continuously tracks intruders and provides seamless footage. This enables swift comprehension of intruders' paths.



Suitable for Remote Areas and Temporary Applications



Other Value-Added Highlights

Trusted Quality

- Independent R&D
- Superior Suppliers
- Vertical Integration
- Complete Quality Control

Superb Pre- and After-Sales Services

- Certification and Training (TPSA)
- Replacement and Warranty
- Localization Support Teams
- Lightweight Designer Tools
- Dedicated Online Support
- Official Community

SolutionX | Partner Program

<https://partner.tp-link.com/>

Join TP-Link SolutionX Partner Program to get better support and more profit.

Recommended Products

Solar Power Supply System*



VIGI SP18090
VIGI Intelligent Solar
Power Supply System

- 2× 90W Photovoltaic Panels
- 93.6Ah/10.95V Lithium Battery
- 3× DC Voltage Output Ports
- Modular Design
- IP66 Weatherproof



VIGI SP9030
VIGI Intelligent Solar
Power Supply System

- 90W Photovoltaic Panel
- 31.2Ah/10.8V Lithium Battery
- 3× DC Voltage Output Ports
- Modular Design
- IP66 Weatherproof



Network Cameras



InSight S345-4G
VIGI 4MP Outdoor Full-Color
4G Bullet Network Camera

- 3× LAN Ports to Power Downstream Devices
- 4G Mobile Network**
- 4MP Resolution & Full-Color
- Smart Detection
- Active Defense and Two-Way Audio
- IP66 Weatherproof and On-board Storage**



VIGI C540-4G
VIGI 4MP Outdoor Full-Color
4G Pan Tilt Network Camera

- 4MP Resolution & Full-Color
- 4G Mobile Network**
- 360° Monitoring & Auto Tracking
- Human & Vehicle Classification
- Smart Detection
- Active Defense and Two-Way Audio
- IP66 Weatherproof and On-board Storage**



Software Services



VIGI App

- Remote Management and Maintenance without On-site Presence
- Practical Playback
- Two-Way Audio
- Instant Notifications



VIGI Cloud VMS
VIGI Cloud Video
Management System

- Cloud-Based, Free* and Unlimited
- Unified Management Across Sites
- Zero-touch Maintenance
- Easy to Deploy

Solar System Selector†

By specifying parameters such as load device power and desired system operating time, select the suitable solar products quickly.

Choosing the right solar equipment

Calculation tool for working hours of load device

Step 1. Select the load device (up to 3)

Device Count: 3/3 Total Power: 13.308000000000001W

NO	Type	Model	Power Consumption(W)
1	VIGI Camera	VIGI C45	2.95 Average Consumption
2	Omada Outdoor Bridge	EA7215-Bridge KIT	7.50 Average Consumption
3	VIGI Camera	VIGI C35	2.85 Average Consumption

Step 2. Requirement for working hours of load device

* Working hours per day for load device: 24.00 Hours (0-24)

VIGI Solar System supports powering down the device when it is not working to save battery power.

* Expected hours of continuous work without Sun/Light: 6.00 Hours

Solar charging efficiency is extremely low in cloudy and rainy weather; the larger the battery capacity, the longer it can support the load device's operating hours.

Expected fully charged time with load in Sun/Light: 6 Hours

Choosing the right solar equipment

Calculation tool for working hours of load device

Step 1. Select the load device (up to 3)

Device Count: 3/3 Total Power: 13.7940W

NO	Type	Model	Power Consumption(W)
1	VIGI Camera	InSight S355	2.90 Average Consumption
2	VIGI Camera	InSight S385	3.38 Average Consumption
3	Omada Outdoor Bridge	EA7215-Bridge KIT	7.50 Average Consumption

Step 2. Choose the Solar System

Model: VIGI SP1800

Specification: Total Battery Capacity: 200Wh, Total Charge Power: 60W

Step 3. Choosing where to install the solar system



Scan for more details
about VIGI products



Scan the QR code to view
related cases

*Different combinations of lithium batteries, solar panels, and solar mounts can create diverse solar power supply systems. For more information, visit the VIGI official website.

**Nano SIM card and MicroSD card are not included in the package.

†VIGI Solar System Selector is available in the VIGI App or VIGI website.

*For Essential version only.

Omada Central

Integrated Networking and Surveillance Solutions


Empower Your Business with Ease



Unified Management

Integrating Omada Networking and VIGI Surveillance


Manage and maintain your network and surveillance devices across sites with a single interface.



Simple Deployment and Setup


Auto Discover and Add Devices in Batch

Automatically detect and identify cameras and NVRs on the network, including VIGI and third-party security devices, with support for bulk addition to streamline deployment.



Flexibly Scale Your Business

Scale your sites and devices effortlessly as your business grows, without compromising performance




*The listed functions and images are for reference only. Please consult the actual software for details.

Quick Troubleshooting


IntelliRecover

Continuously monitor the device's online status. Upon identifying an anomaly, Omada Central automatically triggers a PoE port restart to attempt a repair, ensuring uninterrupted monitoring.



NAT Traversal

Enables remote access and management of devices in complex network environments, enhancing system availability and flexibility.



Advanced Network Features Empowering Physical Security



Auto QoS

Prioritizes identification and allocation of traffic to video in congested networks.



Enterprise-Level Authentication

Supports Captive Portal, PPSK, Mac-Auth, Dot1x, etc. to further enhance network security and safer video transmission.



Flow Control

Resolve burst traffic issues using device buffers, and reduce the bandwidth pressure caused by I-frame stacking.



Jumbo frames

Automatically configure switch ports for IPCs that support jumbo frames to ensure compatibility, preventing frame drops and video freezes caused by fragmented I-frame transmissions.




Port Isolation

Automatically enable isolation for camera and NVR device ports to prevent east-west traffic broadcast storms, reduce unnecessary network consumption.

*The listed functions and images are for reference only. Please consult the actual software for details.

VIGI Products





VIGI Software Services


- VIGI VMS
- VIGI Cloud VMS
- VIGI App
- VIGI Project Design Tool
- VIGI Config Tool
- VIGI Device GUI and Web
- VIGI OpenAPI & Web SDK

VIGI VMS

—Local-Deployed, Suitable for Medium Projects


Brief

VIGI VMS is a local-deployed software system designed for centralized management of medium-scale surveillance projects like supermarkets, hotels and schools. It includes features such as real-time video monitoring, user permission management, alarm handling, evidence collection, and virtual map integration, aiming to enhance your video management efficiency.



Always On, Continuous Awareness


VIGI VMS, with local deployment, provides continuous and stable monitoring, ensuring real-time scene awareness and timely responses.



Faster Response


Live Views

View up to 64* channels simultaneously. Customize your layout and quickly access frequently used monitoring devices.




AI Monitoring

Captures moving people and vehicles in real time without missing anomalies, with smart framing to enhance visibility.



Unified Event Management

Centrally view alarm events, access event details, and filter events by device, time, and event type for efficient tracking.



Remote Management

No VPN or complex setups are required. Users can simply access their local-deployed VMS by logging in with their TP-Link ID and manage devices remotely.



*Supported only on VIGI VMS PC Client. The actual number of live views is also limited by the performance of the device and computer.

Perfect for Mid-Size Businesses



Hotels



Supermarkets



Offices



Schools

Specifications

Features		Performance
Supported and Language		English, Japanese, Turkish, Spanish, Portuguese, Brazilian Portuguese, Traditional Chinese, French, Italian, German, Spanish(Mexico), Russian, Korean, Thai, Polish, Czech, Slovak, Hungarian, Serbian, Romanian, Bulgarian, Ukrainian
General	Org Owner	1
	User	Unlimited
	Site	Unlimited
	Site Level	10 levels (Organization-site-subsite)
	Site Member	Unlimited
Devices	Channel	Unlimited
Video	Live View	64-ch live view at a time on one screen
	Playback	4-ch playback at a time
	Favorite Device	256
Log	Log Number	1,000,000
Events & Rules	Device Events	1,000,000
	Custom Events	1,000,000
	Device Rules	100
	Event Rules	100
	Rules History	10,000
Map	Map File Size	20MB
	Map Number	2048
	Map Marker	500 for each map
Evidence	Evidence Type	100
	Result Type	100
	Evidence Number	10,000
	File Size	100MB for each file
	File Number	20 for each evidence
	Custom Tag	10 for each evidence

VIGI Cloud VMS

—Cloud-Based, Suitable for Distributed Scenarios


Brief

VIGI Cloud VMS is a video management system hosted on public cloud servers like AWS. It allows centralized and remote management of security devices across multiple sites, offering features like device access, video monitoring, and multi-user permission control—perfect for multi-site monitoring scenarios, such as chain stores.




Free* and Unlimited

Expand your sites and devices freely without local front-end deployment, VPN, or IT maintenance, greatly saving on your project expenses.




User Privilege Management

Assign varying permissions to members for each site, such as Admin, Viewer and Live Only. This ensures members access only necessary resources.



Remote Management


Manage your devices, view live monitoring and playback, and receive real-time alerts using the VIGI app, Web Portal, or VIGI PC Client—all without the need of a VPN.



Practical Monitoring Features


Dashboard

Displays overall device status across sites, alarm trends, and the latest alarms.




Event Center

Centrally manage events and filter events by device, time, and event type.



Map Monitoring

View device distribution on a floor plan and click any camera for live view.



Scan the QR code to experience it now.
<https://vms.tplinkcloud.com/>

*For Essential version only.

Deploy and Maintain with Ease

Deliver a Project in Minutes

- 6 minutes to expand a new site.
- Automatically search devices on the same LAN and adds them in batch.

Zero-touch Maintenance

- Remote Configuration and Initialization
- Online & Auto Firmware Upgrades
- Troubleshoot Without On-site Visits
- Real-time Device Health Alarm

Extended Cloud Storage Service

By purchasing a license, you can flexibly expand your cloud storage space, enhancing data access and security while reducing the cost of purchasing and maintaining local storage devices.

AWS-Based Reliability

VIGI Cloud VMS, hosted on AWS servers and maintained by the TP-Link team 24/7, ensures high availability and robust security.



Typical Application Scenarios

 Chain Stores/Distributed Offices

 Multi-location Solar System

Two Variant for Your Choose

Essential

Free Unlimited

Free version, providing basic video monitoring features.

- ✓ Basic Features, including Organization, Site, Users, Video, Alarm, and more
- ✓ Event Notifications via App
- ✓ Site Map
- ✓ Third-Party Camera Access
- ✓ Audit Log

Standard*

Paid version, providing value-added features.

- ✓ Everything Essential Has
- ✓ Event Notifications via Email
- ✓ Intelligent Search using People and Vehicle Attributes
- ✓ Single Sign-on
- ✓ User Groups
- ✓ More Advanced Features like Intelligent Chain-store Patrol, Heatmap, Customer Flow Analytics, and Crowd/Queue Management



Scan the QR code to experience it now.
<https://vms.tplinkcloud.com/>

*The features are for reference only. Please refer to the actual software features.

VIGI App

—Designed for Lightweight Management Scenarios

Brief

The VIGI app is a lightweight management software ideal for remotely overseeing small scenarios, such as stores and cafes. It offers robust video monitoring features, such as 24/7 live view, convenient playback, and instant alarm notifications. Its user-friendly design also helps reduce installation, setup, and maintenance costs.



Integrated Live Views and Playback

Access up to 16 live views and quickly locate events using timeline and event types in a single interface.




Intuitive Multi-Screen Preview

With the optimized UI design, Live View becomes more intuitive and detail-focused.




Instant Alarms

Receive real-time alerts to stay up-to-date with what's happening.




Device Sharing

Easily share devices with up to five users and assign different permissions.



Practical Toolkits

Various installation tools enhance installation efficiency and lower labor costs.



Auto Search and Batch Device Adding

The VIGI app can automatically detect devices under the same LAN, adding them in batches for hassle-free setup.



One App for NVR Initialization

Initialize the NVR directly through the VIGI app, without the need for a screen.



*The listed functions and images are for reference only. Please consult the actual software for details.

VIGI Project Design Tool

—Designed for Quick Project Proposal Creation



Brief

The VIGI Project Design Tool allows users to quickly select the right products, simulate surveillance deployment on the virtual map, and generate detailed project proposals. This tool is ideal for installers, pre-sales engineers, and similar professionals, reducing deployment time and costs.



Complete Product Selection & Rich Filters


Our design tool supports selecting all product categories, including VIGI products, Omada products, and third-party products. It also offers filters like focal length and installation height to help you pick the right product easily and quickly.



Easy Project Design


Intuitive DORI Display

- Display different DORI levels within the same sector using color depth, and show the current monitoring distance and pixel density as the mouse moves.
- Provides a clearer understanding of the camera's performance at different distances.




3D Installation Simulation

Displays a more realistic camera Installation effect, aiding in precise planning and adjustment of device models and installation methods.






Batch Configure Simulation Options

Batch configure installation simulation parameters, modify models, and remove walls to enhance deployment efficiency.




Diversified Reporting

Supports exporting equipment lists, installation reports, camera deployment renderings, and more, meeting the diverse needs of different users.



Efficient Project Management

- Supports project import, export, copy, and collaborative editing features.
- Allows for exporting Word, Excel, and PDF files with watermarks.
- Custom upload your brand logo to increase brand exposure.



VIGI Config Tool

—Designed for Effortless System Configuration

Brief

VIGI Config Tool speeds up system configuration with full device management capabilities, extensive batch configuration options, and reusable configuration templates.

Batch Device Management


Easily activate the device, manage passwords, upgrade firmware, reboot, etc.

Batch Configuration

Supports batch configuration of devices, including OSD, Active Defense, Basic Events, etc.

Configuration by Template

Create reusable templates like recording schedules. Distribute configurations to multiple devices via templates.



*The VIGI Project Design Tool is available in VIGI VMS and VIGI Cloud VMS.
**The listed functions and images are for reference only. Please consult the actual software for details.

VIGI Device GUI and Web

—Stand-alone Management System Comes with Device

VIGI NVR GUI


Connect the NVR to a display screen using an HDMI or VGA cable to access local NVR GUI monitoring. Ideal for local 24/7 monitoring in small and mid-size scale scenarios.

VIGI NVR Web

The VIGI NVR can also be controlled from the web browser via the IP address, providing a convenient way free from local video cable.

VIGI IPC Web


With VIGI IPC web access, you can configure the IPC parameters and watch videos from a web browser by entering the device's IP address.



VIGI OpenAPI & Web SDK

—Open Capability for Third-Party Integration

Enables third-party to access live streams, video playback, and event lists from VIGI IPC and NVR systems.



*The listed functions and images are for reference only. Please consult the actual software for details.
































VIGI Network Cameras

- EasyCam Series
- InSight Series

EasyCam Series

Easy-to-Use, Time Saved












Product Type	Product Model							
Dome Camera	VIGI C220I*† 2MP IR Dome		VIGI C230I Mini 3MP IR Dome		VIGI C230I*† 3MP IR Dome		VIGI C230*† 3MP Full-Color Dome	
	VIGI C240I*† 4MP IR Dome		VIGI C240† 4MP Full-Color Dome		VIGI C250† 5MP Full-Color Dome			
Bullet Camera	VIGI C320I*† 2MP IR Bullet		EasyCam C320† 2MP Full-Color Bullet		VIGI C330I*† 3MP IR Bullet		VIGI C330*† 3MP Full-Color Bullet	
	VIGI C340I*† 4MP IR Bullet		VIGI C340*† 4MP Full-Color Bullet		VIGI C340-W*† 4MP Full-Color Wi-Fi Bullet		VIGI C340S 4MP ColorPro Bullet	
	VIGI C350† 5MP Full-Color Bullet							
Turret Camera	VIGI C420I*† 2MP IR Turret		EasyCam C420† 2MP Full-Color Turret		VIGI C430I*† 3MP IR Turret		VIGI C430*† 3MP Full-Color Turret	
	VIGI C440I*† 4MP IR Turret		VIGI C440*† 4MP Full-Color Turret		VIGI C440-W* 4MP Full-Color Wi-Fi Turret		VIGI C450† 5MP Full-Color Turret	
PT Camera	VIGI C540* 4MP Full-Color PT		VIGI C540-W* 4MP Full-Color Wi-Fi PT		VIGI C540-4G 4MP Full-Color 4G PT		VIGI C540V 4MP Dual-Lens Varied Focal Full-Color PT	
	VIGI C540S 4MP ColorPro PT							

*Images and functions may vary between versions; please refer to the actual version for details.
†Subject to the benchmark focal length, there may be derivative models with different focal lengths under research in the shipped projects.

Specifications

Bullet Cameras











Product Type	Bullet								
Product Image									
Product Model	VIGI C340S	VIGI C350	VIGI C340	VIGI C340-W	VIGI C330	EasyCam C320	VIGI C340I	VIGI C330I	VIGI C320I
Pixels	4MP, ColorPro	5MP, Full-Color	4MP, Full-Color	4MP, Full-Color	3MP, Full-Color	2MP, Full-Color	4MP, IR	3MP, IR	2MP, IR
Image Sensor	1/1.8"	1/2.7"	1/3"	1/3"	1/2.8"	1/3"	1/3"	1/2.8"	1/3"
Aperture	F1.0	F1.6	F1.6	F1.6	F1.6	F2.0	4/6mm: F2.0 2.8mm: F2.2	4/6mm: F2.0 2.8mm: F2.2	4/6mm: F2.0 2.8mm: F2.2
Focal Length	4mm	2.8/4/6mm	2.8/4/6mm	4mm	2.8/4/6mm	2.8/4/6mm	2.8/4/6mm	2.8/4/6mm	2.8/4/6mm
Min. Illumination	Color: 0.0005 Lux; 0 Lux with White Light	Color: 0.005 Lux; 0 Lux with White Light					Color: 0.01 Lux; 0 Lux with IR		
Video Compression	H.265+/H.264+/ H.265/H.264								
Smart Detection [†]	●	●	●	●	●	●	●	●	●
Human & Vehicle Classification	●	●	●	●	●	●	●	●	●
People & Vehicle Analytics*	●	●	-	-	-	-	-	-	-
Facial Recognition	●	-	-	-	-	-	-	-	-
SmartVid	●	●	●	●	●	●	●	●	●
WDR	120dB	120dB	DWDR	DWDR	DWDR	DWDR	DWDR	DWDR	DWDR
IR Light Range	-	30 m	30 m	30 m	30 m	30 m	50 m	50 m	50 m
Built-In Microphone	●	●	●	●	●	●	●	●	●
Built-In Speaker	●	●	●	●	-	-	-	-	-
Micro-SD Card Slot [‡]	Yes, Up to 512 GB					-			
Network	Ethernet	Ethernet	Ethernet	Wi-Fi, Ethernet	Ethernet	Ethernet	Ethernet	Ethernet	Ethernet
Protection	IP67	IP67	IP67	IP66	IP67	IP67	IP67	IP67	IP67
Power Supply	DC 12V; PoE	DC 12V; PoE	DC 12V; PoE	DC 9-12V	DC 12V; PoE	PoE	DC 12V; PoE	DC 12V; PoE	PoE
Operating Temperature	-30~60°C								

*When People & Vehicle Analytics is enabled, 120dB is not supported and only DWDR is supported.
**All specifications are subject to change without notice.
†Smart Detection refers to multiple AI detections and may vary based on product models and versions. AI detections include Scene Change Detection, Loitering Detection, Object Abandoned Detection, Object Removal Detection, Intrusion Detection, Line-Crossing Detection, Region Exiting Detection, Region Entering Detection, Abnormal Sound Detection, Vehicle Detection, and Human Detection.
‡SD card is not included in the package.

Specifications

Turret Cameras










Product Type	Turret							
Product Image								
Product Model	VIGI C450	VIGI C440	VIGI C440-W	VIGI C430	EasyCam C420	VIGI C440I	VIGI C430I	VIGI C420I
Pixels	5MP, Full-Color	4MP, Full-Color	4MP, Full-Color	3MP, Full-Color	2MP, Full-Color	4MP, IR	3MP, IR	2MP, IR
Image Sensor	1/2.7"	1/3"	1/3"	1/2.8"	1/3"	1/3"	1/2.8"	1/3"
Aperture	F1.6	F1.6	F1.6	F1.6	F2.0	2.8mm: F2.2 4mm: F2.0	4mm: F2.0 2.8mm: F2.2	4mm: F2.0 2.8mm: F2.2
Focal Length	2.8/4mm	2.8/4mm	4mm	2.8/4mm	2.8/4mm	2.8/4mm	2.8/4mm	2.8/4mm
Min. Illumination	Color: 0.005 Lux; 0 Lux with IR/White Light					Color: 0.01 Lux; 0 Lux with IR		
Video Compression	H.265+/H.264+/ H.265/H.264							
Smart Detection [†]	●	●	●	●	●	●	●	●
Human & Vehicle Classification	●	●	●	●	●	●	●	●
People & Vehicle Analytics*	●	-	-	-	-	-	-	-
Facial Recognition	-	-	-	-	-	-	-	-
SmartVid	●	●	●	●	●	●	●	●
WDR	120dB	DWDR	DWDR	DWDR	DWDR	DWDR	DWDR	DWDR
IR Light Range	30 m	30 m	30 m	30 m	30 m	30 m	30 m	30 m
Built-In Microphone	●	●	●	●	●	●	●	●
Built-In Speaker	●	●	●	-	-	-	-	-
Micro-SD Card Slot [‡]	Yes, Up to 512 GB				-			
Network	Ethernet	Ethernet	Wi-Fi, Ethernet	Ethernet	Ethernet	Ethernet	Ethernet	Ethernet
Protection	-	-	-	-	-	-	-	-
Power Supply	DC 12V; PoE	DC 12V; PoE	DC 9-12V	DC 12V; PoE	PoE	DC 12V; PoE	DC 12V; PoE	PoE
Operating Temperature	-30~60°C							

*When People & Vehicle Analytics is enabled, 120dB is not supported and only DWDR is supported.
**All specifications are subject to change without notice.
[†]Smart Detection refers to multiple AI detections and may vary based on product models and versions. AI detections include Scene Change Detection, Loitering Detection, Object Abandoned Detection, Object Removal Detection, Intrusion Detection, Line-Crossing Detection, Region Exiting Detection, Region Entering Detection, Abnormal Sound Detection, Vehicle Detection, and Human Detection.
[‡]SD card is not included in the package.

Specifications

Dome Cameras








Product Type	Dome						
Product Image							
Product Model	VIGI C250	VIGI C240	VIGI C230	VIGI C240I	VIGI C230I	VIGI C220I	VIGI C230I Mini
Pixels	5MP, Full-Color	4MP, Full-Color	3MP, Full-Color	4MP, IR	3MP, IR	2MP, IR	3MP, IR
Image Sensor	1/2.7"	1/3"	1/2.8"	1/3"	1/2.8"	1/3"	1/2.8"
Aperture	F1.6	F1.6	F1.6	2.8mm: F2.2 4mm: F2.0	4mm: F2.0 2.8mm: F2.2	4mm: F2.0 2.8mm: F2.2	F1.6
Focal Length	2.8/4mm	2.8/4mm	2.8/4mm	2.8/4mm	2.8/4mm	2.8/4mm	2.8mm
Min. Illumination	Color: 0.005 Lux; 0 Lux with IR/White Light			Color: 0.01 Lux; 0 Lux with IR			
Video Compression	H.265+/H.264+/ H.265/H.264						
Smart Detection†	●	●	●	●	●	●	●
Human & Vehicle Classification	●	●	●	●	●	●	●
People & Vehicle Analytics*	●	-	-	-	-	-	-
Facial Recognition	-	-	-	-	-	-	-
SmartVid	●	●	●	●	●	●	●
WDR	120dB	DWDR	DWDR	DWDR	DWDR	DWDR	DWDR
IR Light Range	30 m	30 m	30 m	30 m	30 m	30 m	30 m
Built-In Microphone	●	●	●	●	●	●	●
Built-In Speaker	-	-	-	-	-	-	●
Micro-SD Card Slot‡	Yes, Up to 512 GB		-	-	-	-	Yes, Up to 512 GB
Network	Ethernet						
Protection	IP67, IK10						IP67, IK08
Power Supply	DC 12V; PoE	DC 12V; PoE	DC 12V; PoE	DC 12V; PoE	DC 12V; PoE	PoE	DC 12V; PoE
Operating Temperature	-30~60°C						

*When People & Vehicle Analytics is enabled, 120dB is not supported and only DWDR is supported.
**All specifications are subject to change without notice.
[†]Smart Detection refers to multiple AI detections and may vary based on product models and versions. AI detections include Scene Change Detection, Loitering Detection, Object Abandoned Detection, Object Removal Detection, Intrusion Detection, Line-Crossing Detection, Region Exiting Detection, Region Entering Detection, Abnormal Sound Detection, Vehicle Detection, and Human Detection.
[‡]SD card is not included in the package.

Specifications

Pan Tilt Cameras
































Product Type	Pan Tilt				
Product Image					
Product Model	VIGI C540S	VIGI C540V	VIGI C540	VIGI C540-W	VIGI C540-4G
Pixels	4MP, ColorPro	4MP, Full-Color	4MP, Full-Color	4MP, Full-Color	4MP, Full-Color
Image Sensor	1/1.8"	1/3"	1/3"	1/3"	1/3"
Aperture	F1.0	F1.6	F1.6	F1.6	F1.6
Focal Length	4mm	4 to 12mm (Mixed Zoom)	4mm	4mm	4mm
Min. Illumination	Color: 0.0005 Lux; 0 Lux with White Light	Color: 0.005 Lux; 0 Lux with IR/White Light			
Video Compression	H.265+/H.264+/ H.265/H.264				
Smart Detection†	●	●	●	●	●
Human & Vehicle Classification	●	●	●	●	●
People & Vehicle Analytics*	●	-	-	-	-
Facial Recognition	●	-	-	-	-
SmartVid	●	●	●	●	●
WDR	120dB	DWDR	DWDR	DWDR	DWDR
IR Light Range	-	30 m	30 m	30 m	30 m
Built-In Microphone	●	●	●	●	●
Built-In Speaker	●	●	●	●	●
Micro-SD Card Slot‡	Yes, Up to 512 GB				
Network	Ethernet	Ethernet	Ethernet	Wi-Fi, Ethernet	Ethernet, 4G†
Protection	IP66	IP66	IP66	IP66	IP66
Power Supply	DC 12V; PoE	DC 12V; PoE	DC 12V; PoE	DC 12V	DC 12V
Operating Temperature	-30~60°C				

*When People & Vehicle Analytics is enabled, 120dB is not supported and only DWDR is supported.
**All specifications are subject to change without notice.
†Smart Detection refers to multiple AI detections and may vary based on product models and versions. AI detections include Scene Change Detection, Loitering Detection, Object Abandoned Detection, Object Removal Detection, Intrusion Detection, Line-Crossing Detection, Region Exiting Detection, Region Entering Detection, Abnormal Sound Detection, Vehicle Detection, and Human Detection.
‡SD card and Nano-SIM card are not included in the package.

InSight Series

Intelligent with Durable Metal Case












Product Type	Product Model					
Dome Camera	InSight S225* 2MP Full-Color Dome 	InSight S245ZI 4MP IR Motorized Varifocal Dome 	InSight S245* 4MP Full-Color Dome 	InSight S245S 4MP ColorPro Dome 		
	InSight S285* 8MP Full-Color Dome 	InSight S285S 8MP ColorPro Dome 	InSight S285ZI 8MP IR Motorized Varifocal Dome 			
Bullet Camera	InSight S325* 2MP Full-Color Bullet 	InSight S345ZI 4MP IR Motorized Varifocal Bullet 	InSight S345* 4MP Full-Color Bullet 		InSight S345-4G 4MP Full-Color 4G Bullet 	
	InSight S345S 4MP ColorPro Bullet 	InSight S355* 5MP Full-Color Bullet 	InSight S385* 8MP Full-Color Bullet 		InSight S385S 8MP ColorPro Bullet 	
	InSight S385DPS 8MP ColorPro Panoramic Bullet 	InSight S385PI 8MP IR Panoramic Bullet 	InSight S385ZI 8MP IR Motorized Varifocal Bullet 			
Turret Camera	InSight S425* 2MP Full-Color Turret 	InSight S445ZI 4MP IR Motorized Varifocal Turret 	InSight S445* 4MP Full-Color Turret 		InSight S445S 4MP ColorPro Turret 	
	InSight S455* 5MP Full-Color Turret 	InSight S465* 6MP Full-Color Turret 	InSight S485* 8MP Full-Color Turret 		InSight S485S 8MP ColorPro Turret 	
	InSight S485PI 8MP IR Panoramic Turret 	InSight S485ZI 8MP IR Motorized Varifocal Turret 				
Fisheye Camera	InSight S655I* 5MP IR Fisheye 	InSight S685I* 8MP IR Fisheye 				
PTZ Camera	InSight PTZ7832 7-inch 8MP 32X Full-Color PTZ 	InSight PTZ5425 5-inch 4MP 25X Full-Color PTZ 				

*Subject to the benchmark focal length, there may be derivative models with different focal lengths under research in the shipped projects.
**Images may vary between versions and are for reference only; please refer to the actual version for details.

Specifications

Bullet Cameras










Product Type	Bullet								
Product Image									
Product Model	InSight S385DPS	InSight S345S	InSight S385	InSight S345-4G	InSight S355	InSight S345	InSight S325	InSight S385PI	InSight S345ZI
Pixels	8MP, ColorPro	4MP, ColorPro	8MP, Full-Color	4MP, Full-Color	5MP, Full-Color	4MP, Full-Color	2MP, Full-Color	8MP, IR	4MP, IR
Image Sensor	1/1.8"	1/1.8"	1/2.7"	1/3"	1/2.7"	1/2.7"	1/3"	1/2.7"	1/2.7"
Aperture	F1.0	F1.0	F1.6	F1.6	F1.6	F1.6	F2.0	F2.0	F1.6
Focal Length	2*3.6mm	4mm	2.8/4mm	4mm	2.8/4/6mm	2.8/4/6mm	2.8/4/6mm	1.65mm	2.7 to 13.5mm, 5× Optical Zoom
Min. Illumination	Color: 0.0005 Lux; 0 Lux with IR/White Light		Color: 0.005 Lux; 0 Lux with IR/White Light				Color: 0.01 Lux; 0 Lux with IR/White Light	Color: 0.005 Lux; 0 Lux with IR Light	
Video Compression	H.265+/H.264+/H.265/H.264								
Smart Detection [†]	●	●	●	●	●	●	●	●	●
Human & Vehicle Classification	●	●	●	●	●	●	●	●	●
People & Vehicle Analytics*	●	●	●	-	●	●	-	●	-
Facial Recognition	-	●	-	-	-	-	-	-	●
SmartVid	●	●	●	●	●	●	●	●	●
WDR	120dB	120dB	120dB	120dB	120dB	120dB	DWDR	120dB	120dB
IR Light Range	30 m	30 m	30 m	30 m	30 m	30 m	30m	20 ~30m	60 m
Two-Way Audio	●	●	●	●	●	●	-	●	●
Alarm In/Out	1/1	-	-	-	-	-	-	1/1	1/1
Red & Blue Lights	●	-	-	-	-	-	-	●	-
Micro-SD Card Slot [‡]	Yes, Up to 512 GB								
Network	Ethernet	Ethernet	Ethernet	4G [†] , Ethernet (Supports 3*LAN Ports)	Ethernet	Ethernet	Ethernet	Ethernet	Ethernet
Protection	IP67	IP67	IP67	IP66	IP67	IP67	IIP67, IK10	IP67	IP67, IK10
Power Supply	DC 12V; PoE	DC 12V; PoE	DC 12V; PoE	DC 12V	DC 12V; PoE	DC 12V; PoE	DC 12V; PoE	DC 12V; PoE	DC 12V; PoE
Operating Temperature	-30~60°C								

*When People & Vehicle Analytics is enabled, 120dB is not supported and only DWDR is supported.
**All specifications are subject to change without notice.
[†]Smart Detection refers to multiple AI detections and may vary based on product models and versions. AI detections include Scene Change Detection, Loitering Detection, Object Abandoned Detection, Object Removal Detection, Intrusion Detection, Line-Crossing Detection, Region Exiting Detection, Region Entering Detection, Abnormal Sound Detection, Vehicle Detection, and Human Detection.
[‡]SD card and Nano-SIM card are not included in the package.

Specifications

Turret Cameras








Product Type	Turret						
Product Image							
Product Model	InSight S445S	InSight S485	InSight S455	InSight S445	InSight S425	InSight S485PI	InSight S445ZI
Pixels	4MP, ColorPro	8MP, Full-Color	5MP, Full-Color	4MP, Full-Color	2MP, Full-Color	8MP, IR	4MP, IR
Image Sensor	1/1.8"	1/2.7"	1/2.7"	1/2.7"	1/3"	1/2.7"	1/2.7"
Aperture	F1.0	F1.6	F1.6	F1.6	F2.0	F2.0	F1.6
Focal Length	2.8mm	2.8/4mm	2.8/4mm	2.8/4mm	2.8/4mm	1.65mm	2.7 to 13.5mm, 5× Optical Zoom
Min. Illumination	Color: 0.0005 Lux; 0 Lux with IR/White Light	Color: 0.005 Lux; 0 Lux with IR/White Light			Color: 0.01 Lux; 0 Lux with IR/White Light	Color: 0.005 Lux; 0 Lux with IR White Light	
Video Compression	H.265+/H.264+/H.265/H.264						
Smart Detection†	●	●	●	●	●	●	●
Human & Vehicle Classification	●	●	●	●	●	●	●
People & Vehicle Analytics*	●	●	●	●	-	●	-
Facial Recognition	●	-	-	-	-	-	●
SmartVid	●	●	●	●	●	●	●
WDR	120dB	120dB	120dB	120dB	DWDR	120dB	120dB
IR Light Range	30 m	30 m	30 m	30 m	30 m	20~30m	60 m
Two-Way Audio	●	●	●	●	-	●	●
Alarm In/Out	-	-	-	-	-	1/1	1/1
Red & Blue Lights	-	-	-	-	-	●	-
Micro-SD Card Slot‡	Yes, Up to 512 GB						
Network	Ethernet	Ethernet	Ethernet	Ethernet	Ethernet	Ethernet	Ethernet
Protection	IP67	IP67	IP67	IP67	IP67, IK10	IP67	IP67, IK10
Power Supply	DC 12V; PoE	DC 12V; PoE	DC 12V; PoE	DC 12V; PoE	DC 12V; PoE	DC 12V; PoE	DC 12V; PoE
Operating Temperature	-30~60°C						

*When People & Vehicle Analytics is enabled, 120dB is not supported and only DWDR is supported.
**All specifications are subject to change without notice.
[†]Smart Detection refers to multiple AI detections and may vary based on product models and versions. AI detections include Scene Change Detection, Loitering Detection, Object Abandoned Detection, Object Removal Detection, Intrusion Detection, Line-Crossing Detection, Region Exiting Detection, Region Entering Detection, Abnormal Sound Detection, Vehicle Detection, and Human Detection.
[‡]SD card and Nano-SIM card are not included in the package.

Specifications

Dome & Fisheye Cameras





Product Type	Dome				Fisheye
Product Image					
Product Model	InSight S285	InSight S245	InSight S225	InSight S245ZI	InSight S655I
Pixels	8MP, Full-Color	4MP, Full-Color	2MP, Full-Color	4MP, IR	5MP, IR
Image Sensor	1/2.7"	1/2.7"	1/3"	1/2.7"	1/2.7"
Aperture	F1.6	F1.6	F2.0	F1.6	F2.0
Focal Length	2.8/4mm	2.8/4mm	2.8/4mm	2.7 to 13.5mm, 5× Optical Zoom	1.44mm
Min. Illumination	Color: 0.005 Lux; 0 Lux with IR/White Light		Color: 0.01 Lux; 0 Lux with IR/White Light	Color: 0.005 Lux; 0 Lux with IR Light	Color: 0.01 Lux; 0 Lux with IR light
Video Compression	H.265+/H.264+/H.265/H.264				
Smart Detection†	●	●	●	●	●
Human & Vehicle Classification	●	●	●	●	-
People & Vehicle Analytics*	●	●	-	-	-
Facial Recognition	-	-	-	●	-
SmartVid	●	●	●	●	●
WDR	120dB	120dB	DWDR	120dB	120dB
IR Light Range	30 m	30 m	30 m	30 m	10 m
Two-Way Audio	●	●	-	●	●
Alarm In/Out	-	-	-	1/1	-
Micro-SD Card Slot‡	Yes, Up to 512 GB				
Network	Ethernet	Ethernet	Ethernet	Ethernet	Ethernet
Protection	IP67, IK10	IP67, IK10	IP67, IK10	IP67, IK10	IP67, IK10
Power Supply	DC 12V; PoE	DC 12V; PoE	DC 12V; PoE	DC 12V; PoE	DC 12V; PoE
Operating Temperature	-30~60°C				

*When People & Vehicle Analytics is enabled, 120dB is not supported and only DWDR is supported.
**All specifications are subject to change without notice.
†Smart Detection refers to multiple AI detections and may vary based on product models and versions. AI detections include Scene Change Detection, Loitering Detection, Object Abandoned Detection, Object Removal Detection, Intrusion Detection, Line-Crossing Detection, Region Exiting Detection, Region Entering Detection, Abnormal Sound Detection, Vehicle Detection, and Human Detection.
‡SD card and Nano-SIM card are not included in the package.

Specifications

PTZ Cameras



Product Type	PTZ	
Product Image		
Product Model	InSight PTZ7832	InSight PTZ5425
Pixels	8MP, Full-Color	4MP, Full-Color
Image Sensor	1/1.8"	1/2.7"
Aperture	F1.6 Max	F1.6 Max
Focal Length	4.8 to 153m (32X Optical Zoom)	4.8 to 120mm (25X Optical Zoom)
Zoom Speed	Approx. 5s	Approx. 5s
Min. Illumination	Color 0.005 Lux, 0 Lux with IR/White Light	
Supplement Light Type	IR, White Light	
Supplement Light Range	150m	100m
Red & Blue Lights	●	●
Video Compression	H.265+/H.265/H.264+/H.264	
Pan/tilt Range	Pan: 0° to 360°, Tilt: -20°~90°	
Pan Speed	Configurable from 0°~160°/s, Preset Speed: 240°/s	Configurable from 0°~160°/s, Preset Speed: 240°/s
Tilt Speed	Configurable from 0°~120°/s, Preset Speed: 200°/s	Configurable from 0°~120°/s, Preset Speed: 200°/s
PTZ Control	• Eight-way Direction Key Adjustment • Aperture Size Control • Intelligent Tracking • Pattern Scan: Support pre-configured/recorded PTZ trajectories	
Auto Tracking	●	●
Digital Defog	●	●
WDR	120dB	120dB
SmartVid	●	●
Smart Detection*	●	●
Face Capture	Supports capturing up to 5 faces simultaneously	
Micro-SD Card Slot†	Yes, Up to 512 GB	
Audio In/Out	1/1	1/1
Alarm In/Out	2/1	1/1
RS485	1	1
Built-in Mic	N/A	N/A
Built-in Speaker	●	●
Power Supply	• DC/AC • PoE: 802.3at, class 4, Max. 30W	• DC/AC • PoE: 802.3at, class 4, Max. 25W
Protection	IP66, IK10, 6KV	IP66, IK10, 6KV
Operating Temperature	-30~60°C	

*Smart Detection refers to multiple AI detections and may vary based on product models and versions. AI detections include Scene Change Detection, Loitering Detection, Object Abandoned Detection, Object Removal Detection, Intrusion Detection, Line-Crossing Detection, Region Exiting Detection, Region Entering Detection, Abnormal Sound Detection, Vehicle Detection, and Human Detection.
**All specifications are subject to change without notice.
†SD card is not included in the package.

Naming Rules

InSight S 3 4 5 S - W - (4mm)




















InSight	Series Name; Includes EasyCam and InSight		S	Letters representing supported special features. P: Panoramic S: ColorPro Night Vision V: Variable Focal Lens I: Infrared DP: Dual-Lens Panoramic Z: Optical Zoom Empty: Full Color
S	S: InSight Series	C: EasyCam Series		
3	2: Dome Camera 3: Bullet Camera 4: Turret Camera	5: Pan Tilt Camera 6: Fisheye Camera		
4	2: 2MP 3: 3MP 4: 4MP	5: 5MP 8: 8MP		
0	0-9: Small Updates in Appearance or Functions 5: Metal Shell			
			W	W: Wi-Fi Camera 4G: 4G Camera Empty: Wired Camera
			(4mm)	Focal Length



VIGI Network Video Recorders




NVR



Product Type	Product Model				
16 SATA	 VIGI NVR16128H 128 Channel, 16 SATA Interfaces				
8 SATA	 VIGI NVR8064H 64 Channel, 8 SATA Interfaces	 VIGI NVR8096H 96 Channel, 8 SATA Interfaces			
4 SATA	 VIGI NVR4016H 16 Channel, 4 SATA Interfaces	 VIGI NVR4032H 32 Channel, 4 SATA Interfaces	 VIGI NVR4064H 64 Channel, 4 SATA Interfaces		
2 SATA	 VIGI NVR2008H-8MP-2TB 8 Channel, 8 PoE+ Ports, 2TB HDD Preinstalled	 VIGI NVR2008H-8MP* 8 Channel, 2 SATA Interfaces, 8 PoE+ Ports	 VIGI NVR2016H* 16 Channel, 2 SATA Interfaces	 VIGI NVR2016H-16MP/16P* 16 Channel, 2 SATA Interfaces, 16 PoE+ Ports	 VIGI NVR2016H-16MP-4TB 16 Channel, 16 PoE+ Ports, 4TB HDD Preinstalled
1 SATA	 VIGI NVR1104H-4P 4 Channel, Built-In Speaker, 4 PoE+ Ports	 VIGI NVR1004H-4P 4 Channel, 4 PoE+ Ports	 VIGI NVR1004H-4P-2TB 4 Channel, 4 PoE+ Ports, 2TB HDD Preinstalled	 VIGI NVR1004H 4 Channel, 1 SATA Interface	 VIGI NVR1008H-8MP/8P* 8 Channel, 1 SATA Interface, 8 PoE+ Ports
	 VIGI NVR1008H* 8 Channel, 1 SATA Interface	 VIGI NVR1108H-W Wireless Paring, Built-In Speaker 1 SATA Interface, 300Mbps**	 VIGI NVR1016H* 16 Channel, 1 SATA Interface		

NVR Kit



Product Type	Product Model	
2 SATA	 VIGI NK16MP-T12425-4T 1*VIGI NVR2016H-16MP + 12*InSight S445(2.8mm) + 1*4TB HDD Preinstalled	
1 SATA	 VIGI NK4P-T4425-2T 1*VIGI NVR1004H-4P + 4*InSight S445(2.8mm) + 1*2TB HDD Preinstalled	 VIGI NK8MP-T6425-2T 1*VIGI NVR1008H-8MP + 6*InSight S445(2.8mm) + 1*2TB HDD Preinstalled

*Images may vary between versions and are for reference only; please refer to the actual version for details.
**Actual wireless speed is not guaranteed and will vary as a result of internet service provider factors, network conditions, client limitations, and environmental factors.

Highlights

One-Click for System Initialization

VIGI NVRs enable quick camera additions, HDD initialization, and storage scheduling with a simple one-click operation. This greatly increases your setup efficiency.




Multiple Live Views

Sharp image definition up to 4K and a 4/8/16/32/48/64-channel display ensure you capture every detail, from every angle.



Practical Playback

Replay multiple channels simultaneously and easily find target footage by date, event type, and tag for quick event response.



Independent Video Output

Allows users to view multiple feeds simultaneously on separate screens, improving monitoring efficiency.



Long-Distance Mode—Up to 270m[†] PoE Transmission

With Long-Distance mode turned on, PoE transmission can extend up to 270 meters (886 feet), making it perfect for medium-scale IP camera installations.



Up to 270 m

Extended is 10[†] Mbps/port



100 m

Default is 100/10 Mbps/port



VIGI PoE Camera

[†]All VIGI PoE NVRs support Long-Distance Mode. You can enable this function on the NVR GUI or Web Portal.
[†]The speed of the network ports will downgrade to 10 Mbps in the Long-Distance mode, but it will still meet the network requirements for a single IPC. The actual transmission distance may vary due to power consumption of PoE-powered devices or the cable quality and type.

Dual Ethernet Port Design

Supports multiple network modes to enhance the reliability, performance, and flexibility of the surveillance system.

- Multi-Address Mode

Allows your NVR and IPCs to be on two different networks. This way, you won't have all cameras bogging down your main network
- Network Fault-Tolerance

The two ethernet ports are in mutual backup, creating a safeguard or redundancy for your data.
- Load Balance

Enables both ethernet ports to "share" the load of video data, reducing the "lagging" or "skipping" on video from the cameras.



Dual Ethernet Ports


Smart Fan

- Noise Reduction:** Runs at full speed upon startup and slows down once fully operational.
- Energy Saving:** The speed increases when the hard disk or CPU begins to overheat.




Smart Fan

ONVIF* for Third-Party Compatibility



RAID 1/5† Supported



Specifications



Model	PoE NVR				
Product Image					
Product Model	VIGI NVR2016H - 16MP†	VIGI NVR2016H-16MP-4TB	VIGI NVR2016H-16P†	VIGI NVR2008H-8MP-2TB	VIGI NVR2008H-8MP†
Incoming Bandwidth	320 Mbps	80 Mbps	160 Mbps	80 Mbps	320 Mbps
Outgoing Bandwidth	320 Mbps	60 Mbps	160 Mbps	60 Mbps	320 Mbps
Network Video Input	16 channels	16 channels	16 channels	8 channels	8 channels
Network Interface	1*1000Mbps	1*100Mbps	1*1000Mbps	1*100Mbps	1*1000Mbps
PoE Interface	16*10/100 Mbps, PoE Budget 140W, 802.3 af/at	16*10/100 Mbps, PoE Budget 140W, 802.3 af/at	16*10/100 Mbps, PoE Budget 90W, 802.3 af/at	8*10/100 Mbps, PoE Budget 93W, 802.3 af/at	8*10/100 Mbps, PoE Budget 90W, 802.3 af/at
Video Compression	H.265+/H.264+/H.265/H.264				
Smart Analysis	AI Search				
Decoding Capability	4-ch @ 8MP, 8-ch @ 4MP, 16-ch @ 1080P	4-ch @ 4MP, 8-ch @ 2MP	10-ch @ 2MP, 4-ch @ 5MP, 2-ch @ 8MP	4-ch @ 4MP, 8-ch @ 2MP	4-ch @ 8MP, 8-ch @ 4MP
Recorded Resolution	Up to 4K (8MP)				
Video Interface	1 HDMI; 1 VGA				
Hard Drive	2 SATA interfaces (Max 16TB for each*)	2 SATA interfaces (Max 16TB for each and 4TB HDD preinstalled)	2 SATA interfaces (Max 16TB for each*)	2 SATA interfaces (Max 16TB for each and 2TB HDD preinstalled)	2 SATA interfaces (Max 16TB for each*)
eSATA*	1				
Power Supply	DC 53.5 V, 3.37 A	DC 53.5 V, 3.37 A	DC 53.5 V, 2.43 A	DC 53.5 V, 2.43 A	DC 53.5 V, 2.43 A




Model	PoE NVR				
Product Image					
Product Model	VIGI NVR1008H-8MP†	VIGI NVR1008H-8P†	VIGI NVR1004H-4P	VIGI NVR1004H-4P-2TB	VIGI NVR1104H-4P
Incoming Bandwidth	80 Mbps	80 Mbps	80 Mbps	80 Mbps	80 Mbps
Outgoing Bandwidth	60 Mbps	60 Mbps	60 Mbps	60 Mbps	60 Mbps
Network Video Input	8 channels	8 channels	4 channels	4 channels	4 channels
Network Interface	1*100Mbps				
PoE Interface	8*10/100 Mbps, PoE Budget 113W, 802.3 af/at	8*10/100 Mbps, PoE Budget 53W, 802.3 af/at	4*10/100 Mbps, PoE Budget 53W, 802.3 af/at	4*10/100 Mbps, PoE Budget 53W, 802.3 af/at	4*10/100 Mbps, PoE Budget 53W, 802.3 af/at
Video Compression	H.265+/H.264+/H.265/H.264				
Smart Analysis	AI Search	AI Search	-	-	-
Decoding Capability	4-ch @ 4MP, 8-ch @ 2MP	4-ch @ 4MP, 8-ch @ 2MP	4-ch @ 4MP	4-ch @ 4MP	4-ch @ 4MP
Recorded Resolution	Up to 4K (8MP)				
Video Interface	1 HDMI; 1 VGA	1 HDMI; 1 VGA	1 HDMI; 1 VGA	1 HDMI; 1 VGA	1 HDMI; 1 VGA (Built-in Speaker)
Hard Drive	1 SATA interface (Max 16TB for each*)	1 SATA interface (Max 16TB for each*)	1 SATA interface (Max 10TB for each*)	1 SATA interface (10TB max and 2TB HDD preinstalled)	1 SATA interface (Max 10TB for each*) (HDD Quick Installation)
eSATA*	-				
Power Supply	DC 53.5 V, 2.43 A	DC 53.5 V, 1.31 A	DC 53.5 V, 1.31 A	DC 53.5 V, 1.31 A	DC 53.5 V, 1.31 A




*All VIGI NVR products are compatible with ONVIF Profile S.
†VIGI NVR4032H and VIGI NVR4016H support RAID1 and RAID5 via software arrays. RAID5 requires at least three disks and can tolerate only one disk failure. If two disks fail simultaneously, data recovery is not possible.

†Features and appearance may vary slightly based on product version.
*A hard disk is not included in the package.
**All specifications are subject to change without notice. The product images are for reference only, please refer to the actual products shipped.

Specifications






Model	Non-PoE NVR		
Product Image			
Product Model	VIGI NVR4064H	VIGI NVR4032H	VIGI NVR4016H
Incoming Bandwidth	320Mbps	320 Mbps	320 Mbps
Outgoing Bandwidth	320Mbps	320Mbps	320Mbps
Network Video Input	64 channels	32 channels	16 channels
Network Interface	2*1000Mbps	2*1000Mbps	2*1000Mbps
Video Compression	H.265+/H.264+/H.265/H.264		
Smart Analysis	AI Search		
Decoding Capability	16-ch @ 2MP, 32-ch @ 720P, 64-ch @ D1	4-ch @ 8MP, 8-ch @ 4MP, 16-ch @ 2MP	4-ch @ 8MP, 8-ch @ 4MP, 16-ch @ 2MP
Recorded Resolution	Up to 4K (8MP)		
Video Interface	HDMI1/VGA Simultaneous or Independent Output; HDMI1/HDMI2 Simultaneous or Independent Output	1 HDMI & 1 VGA Independent Output	HDMI1/VGA Simultaneous or Independent Output; HDMI1/HDMI2 Simultaneous or Independent Output
Hard Drive	4 SATA interface (Max 16TB for each*)	4 SATA interface (Max 16TB for each*)	4 SATA interface (Max 16TB for each*)
eSATA*	1	-	1
Power Supply	100 to 240 VAC, 50 to 60 Hz; 1.5A	100 to 240 VAC, 50 to 60 Hz; 1.5 A	100 to 240 VAC, 50 to 60 Hz; 1.5 A

Model	Non-PoE NVR				
Product Image					
Product Model	VIGI NVR2016H [†]	VIGI NVR1016H [†]	VIGI NVR1108H-W	VIGI NVR1008H [†]	VIGI NVR1004H
Incoming Bandwidth	160 Mbps	80 Mbps	80 Mbps	80 Mbps	80 Mbps
Outgoing Bandwidth	160 Mbps	60 Mbps	60 Mbps	60 Mbps	60 Mbps
Network Video Input	16 channels	16 channels	8 channels	8 channels	4 channels
Network Interface	1*1000Mbps	1*100Mbps	2*100Mbps, Wireless Rate up to 300Mbps [‡]	1*100Mbps	1*100Mbps
Video Compression	H.265+/H.264+/H.265/H.264				
Smart Analysis	AI Search	-	-	AI Search	-
Decoding Capability	4-ch @ 4MP, 8-ch @ 2MP	4-ch @ 4MP, 8-ch @ 2MP	4-ch @ 4MP, 8-ch @ 2MP	4-ch @ 4MP, 8-ch @ 2MP	4-ch @ 4MP, 2-ch @ 8MP
Recorded Resolution	Up to 4K (8MP)				
Video Interface	1 HDMI; 1 VGA	1 HDMI; 1 VGA	1 HDMI; 1 VGA	1 HDMI; 1 VGA	1 HDMI; 1 VGA
Hard Drive	2 SATA interface (Max 16TB for each*)	1 SATA interface (Max 16TB for each*)	1 SATA interface (Max 10TB for each*)	1 SATA interface (Max 16TB for each*)	1 SATA interface (Max 10TB for each*)
eSATA*	1	-	-	-	-
Power Supply	DC 12 V, 3.3 A	DC 12 V, 1.5 A	DC 12 V, 2 A	DC 12 V, 1.5 A	DC 12 V, 1.5 A

[†]A hard disk is not included in the package.
^{**}All specifications are subject to change without notice. The product images are for reference only, please refer to the actual products shipped.
[‡]Features and appearance may vary slightly based on product version.
[‡]Actual wireless speed is not guaranteed and will vary as a result of internet service provider factors, network conditions, client limitations, and environmental factors.

Specifications



Model/No		NVR Kit*		
Kit Image				
Kit Model		VIGI NK16MP-T12425-4T	VIGI NK8MP-T6425-2T	VIGI NK4P-T4425-2T
Kit Contents		1*VIGI NVR2016H-16MP + 12*InSight S445(2.8mm) + 1*4TB HDD Preinstalled	1*VIGI NVR1008H-8MP + 6*InSight S445(2.8mm) + 1*2TB HDD Preinstalled	1*VIGI NVR1004H-4P + 4*InSight S445(2.8mm) + 1*2TB HDD Preinstalled
NVR Spec	Network Video Input	16 Channels	8 Channels	4 Channels
	Incoming Bandwidth	320 Mbps	80 Mbps	80 Mbps
	Outgoing Bandwidth	320Mbps	60Mbps	60Mbps
	PoE Interface	16*10/100 Mbps, Max 140W, 802.3af/at	8*10/100 Mbps, Max 113W, 802.3af/at	4*10/100 Mbps, Max 53W, 802.3af/at
	Network Interface	1*1000 Mbps	1*100 Mbps	1*100Mbps
	Decoding Capability	4-ch @ 8MP, 8-ch @ 4MP, 16-ch @ 1080P	4-ch @ 4MP, 8-ch @ 2MP	4-ch @ 4MP
	Recorded Resolution	Up to 4K (8MP)		
	Hard Drive	2× SATA interfaces (Max 16 TB for each)	1× SATA interface (Max 16 TB)	1× SATA interface (Max 10 TB)
Camera Spec	Case Type	Turret	Turret	Turret
	Pixels	4MP, Full-Color	4MP, Full-Color	4MP, Full-Color
	Focal Length	2.8mm	2.8mm	2.8mm
	Video Compression	H.265+/H.264+/ H.265/H.264		
	Built-In Microphone	•	•	•
	Built-In Speaker	•	•	•
	Built-in microSD Slot*	Yes, Up to 512 GB		
	Power Supply	DC 12V; PoE	DC 12V; PoE	DC 12V; PoE
	People & Vehicle Analytics	•	•	•
	Human & Vehicle Classification	•	•	•
	Smart Detection**	•	•	•
	Protection	IP67, Metal	IP67, Metal	IP67, Metal

[†]All specifications are subject to change without notice.
^{*}SD card is not included in the package.
^{**}Smart Detection refers to multiple AI detections and may vary based on product models and versions. AI detections include Scene Change Detection, Loitering Detection, Object Abandoned Detection, Object Removal Detection, Intrusion Detection, Line-Crossing Detection, Region Exiting Detection, Region Entering Detection, Abnormal Sound Detection, Vehicle Detection, and Human Detection.

Naming Rules

NVR

VIGI NVR 4 0 32 H - XX - XTB

VIGI	VIGI: Brand Name		32	XX: Number of Channels (08/16/32/48/64)	
NK	NVR: Network Video Recorder		H	H: H.265+ Empty: H.264+	
4	X: HDD Numbers 1: 1 HDD 2: 2 HDD	4: 4 HDD 8: 8 HDD	W	XX: Special Function P/MP: PoE Supply, P/MP for Different Budget W: Wi-Fi	
0	0: Reserved Number 1: Simple HDD Installation		XTB	Built-in HDD Capability	

PoE Kit

VIGI NK 16 (M)P - T 12 4 2 X - XT

VIGI	VIGI: Brand Name		4	Camera Resolution (2/3/4/5/8)	
NK	NVR Kit		2	Focal Length 2: 2.8mm 4: 4mm 6: 6mm	
16	Number of Channels (08/16/32/48/64/128)		X	5: Metal Case DP: Dual-Lens Panoramic P: Panoramic Z: Optical Zoom S: ColorPro Night Vision Empty: Full Color V: Mixed Varifocal I: Infrared	
(M)P	PoE Supply, P/MP for Different Budget				
T	D: Dome Camera T: Turret Camera B: Bullet Camera P: Pan&Tilt Camera				
12	Number of Cameras		XT	Preinstalled HDD Capability	







VIGI Solar Power Systems




Specifications






Integrated Solar Power Supply Models

Product Type	VIGI Solar Panel System			
Product Image				
Product Model	VIGI SP18090	VIGI SP9030	VIGI SP6030	VIGI SP6020
Solar Panel Power	180W	90W	60W	60W
Battery Capacity	Three 31.2Ah@10.95V batteries (supports 1/2/3 customizable configurations) with a total capacity of up to 93.6Ah@10.95V	31.2Ah@10.8V Ternary Lithium	31.2Ah@10.8V Ternary Lithium	20.8Ah@10.8V Ternary Lithium
Operating Temperature	Charging: -30°C~45°C(With intelligent auxiliary heat) Discharging: -30°C~60°C(With intelligent auxiliary heat)			
Panel Adjust Angle	5°/15°/25°/35°/45°/55°			
Management	VIGI App, VIGI Cloud VMS			
Software Features	Load Control, Battery Over-temperature Protection, Battery Level Display, Generation Power Display, Load Power Display, Generation Power and Load Power Statistics, Time Zone Selection, Region Selection, Daylight Savings, Firmware Remote Update, Remote Reboot			
Output	Output1&2: 9~12.6V/2A, Output3: 12V/2A			
Network Interface	RJ45 interface × 1, 10/100 Mbps adaptive			
Weatherproofing	IP66	IP66	IP66	IP66

Modular Solar Power Supply Models

Product Type	VIGI Solar System Components*		
Product Image			
Product Model	VIGI PS90	VIGI PS30	VIGI PS20
Intelligent Auxiliary Heat	Yes		
Battery Capacity	Three 31.2 Ah batteries are housed in a waterproof box (supports 1/2/3 customizable configurations), with a total capacity of up to 93.6V.	31.2 Ah, built in MPPT controller	20.8 Ah, built in MPPT controller
Voltage	10.95 V	10.8 V	10.8 V
Max. Output Voltage	12.6 V	12.6 V	12.6 V
Output	Output1&2: 9~12.6V/2A, Output3: 12V/2A		
Life	More than 500 cycles		
Charging Condition	0°C~45°C -30°C~45°C (With intelligent auxiliary heating)		
Discharging Condition	-20°C~60°C -30°C~60°C (With intelligent auxiliary heating)		
Weatherproofing	IP66		

Product Type	VIGI Solar Panel*	
Product Image		
Product Model	VIGI Solar Panel 90W	VIGI Solar Panel 60W
Solar Panel Power	90 W	60 W
Voltage	18 V	18 V
Weatherproofing	IP67	
Dimensions	998×516×30 mm (39.3×20.3×1.2 in)	690×516×30 mm (27.2×20.3×1.2 in)




Product Type	VIGI Solar Mount*
Product Image	
Product Model	VIGI 180W Solar Mount
Materials	SGCC Galvanized Steel



*Different combinations of lithium batteries, solar panels, and solar brackets can create diverse solar power supply systems. For more detailed information, please consult your local sales team.



VIGI Accessories

Specifications

Product Type	Junction Box		
Product Image			
Product Model	VJB-300	VJB-305	VJB-240
Features	<ul style="list-style-type: none">• Conceals Cables• Aluminum Build with Waterproof Capabilities• Compatible with Most VIGI Cameras• Easy to Install• Suitable for Indoor or Outdoor Wall/Ceiling Mounting	<ul style="list-style-type: none">• Conceals Cables• Aluminum Build with Waterproof Capabilities• Compatible with InSight Series Cameras• Easy to Install• Suitable for Indoor or Outdoor Wall/Ceiling Mounting	<ul style="list-style-type: none">• Conceals Cables• Aluminum Build• Compatible with VIGI Dome/Turret/Fisheye Cameras• Easy to Install• Suitable for Indoor and Outdoor Wall Mounting

Product Type	Mounting Bracket	
Product Image		
Product Model	VMB-350	VMB-240
Features	<ul style="list-style-type: none">• Compatible with VIGI Bullet/PT Cameras• Easy to Install• Suitable for Indoor and Outdoor Pole Mounting	<ul style="list-style-type: none">• Compatible with VIGI Dome/Turret/Fisheye Cameras• Suitable for Indoor Pendant Mounting• Practical Design for Hiding Cables• Adjustable Length



Scan for compatible camera models

VIGI Technology



VIGI ColorPro 2.0 Night Vision Technology

See Vivid Colors, Even in Darkness

Traditional hardware upgrades for enhancing night vision have reached their limits, still resulting in issues like low brightness and color distortion. To address these challenges, VIGI employs AI ISP-powered technology to enhance image quality, enabling the camera to capture vivid, bright images with clear details of moving objects even in extremely dark environments.



Unprecedented Image Improvement Through AI-Powered ISP

AI WDR


- Ensures that bright areas are not overexposed while dark areas are brightened.
- Enables the camera to automatically turn on or off WDR based on ambient brightness.

AI Noise Reduction


- Improves static brightness, clarity, and saturation.

Restore True Color

- Enhances saturation and improve color accuracy.




Four Technology Breakthroughs



Energy-Saving with Less Light Pollution

VIGI's ColorPro 2.0 camera features integrated infrared-white lights and can intelligently switch between IR and color night vision by detecting people or vehicles.



Typical Applications

VIGI ColorPro 2.0 Night Vision is ideal for scenes with extremely low illumination at night, such as farms, orchards, parks, and more. It can help capture high-definition details so that you can respond to events in a timely manner.



Applicable Models




*This value is compared with the traditional F2.0 aperture, 1/3" target surface sensor.

VIGI LightPro Night Vision Technology



Pain Points of Traditional Night Vision

Traditionally, cameras operate in either IR or Full-Color Night Vision. IR Night Vision produces black-and-white images with less detail, while Full-Color Night Vision consumes more power and increases light pollution due to the constant bright illumination.



Only IR Night Vision



Only Full-Color Night Vision

What VIGI LightPro Night Vision Offers

VIGI cameras intelligently switches between IR and Full-Color night vision by detecting people or vehicles.

- More Details
- Less Light Pollution
- More Deterrence
- More Concealment



When there is no vehicle or person, the camera will use IR night vision for lower power use and better concealment.



Camera switches to Full-Color night vision on detecting people or vehicles, providing clear videos and deterrence.



When the people or vehicle leaves, the camera will switch back to IR night vision for black-and-white images.

Typical Applications



Residential

Less Light Pollution | More Concealment



Retail

Less Energy Consumption | More Details



Warehouses

More Deterrence | More Details



Parks

Less Light Pollution | Effective Warning



Scan to view applicable models



TP-Link Systems Inc.

E-Mail: info@tp-link.com
Homepage: www.vigi.com

TP-Link and VIGI are trademarks of TP-Link Systems Inc. or its affiliates. ©2024 TP-Link Systems Inc. All rights reserved.

*Some products and functions may be in development and may vary from the depicted images and features.

PN: 8392501234