

Reliably Smart www.tp-link.com 2022

SOHO Product Guide

Meet your networking needs. 📕



CORPORATE PROFILE

TP-Link serves as the network backbone for homes and businesses worldwide. With humble beginnings in 1996, the company has grown to what it is today: a global leader.

You can find our Reliably Smart devices connecting 1.7 billion people in over 170 countries and regions. These numbers have led analyst firm IDC to rank us as the No. 1 provider of Wi-Fi devices for over a decade.*

We understand the importance of the always-connected lifestyle. Our products feature the latest technologies and are engineered to last. The TP-Link portfolio includes home-business-ISP networking, surveillance, and consumer electronics. Rest assured that you're receiving our proven stability, performance, and value with every device.

As our lives grow ever more connected, TP-Link will continue to pursue excellence and explore the possibilities of tomorrow.



*According to the latest published IDC Worldwide Quarterly WLAN Tracker Report, Q3 2021 Final Release.

Contents

Key Technology of This Year / 01



A True Whole Home Mesh Wi-Fi Solution / 09

Whole Home Mesh Wi-Fi 6E System / 13 Whole Home Mesh Wi-Fi 6 System / 14 4G/5G Whole Home Mesh Wi-Fi 6 Router / 18 DSL Whole Home Mesh Wi-Fi 6 Modem Router / 20 Whole Home Powerline Mesh Wi-Fi System / 21 Smart Home Mesh Wi-Fi System / 24 Whole Home Mesh Wi-Fi 5 System / 25



Wi-Fi Routers / 29

Wi-Fi 6E Routers / 31 Wi-Fi 6 Routers / 32 Wi-Fi 5 Routers / 36 Wi-Fi 4 Routers / 39 Portable Routers / 39

Range Extenders / 45

Wi-Fi 6 (11ax) Wi-Fi Range Extenders / 48 Wi-Fi 5 (11ac) Wi-Fi Range Extenders / 49 Single-Band Range Extenders / 50



Powerline / 53

G.hn Powerline Wi-Fi Extender / 54 G.hn Powerline Network Extenders / 55 HomePlug AV2 Wireless Powerline Extenders / 56 HomePlug AV2 Passthrough Powerline Adapters / 57 HomePlug AV2 Powerline Adapters / 58

3G/4G Routers / 61

4G LTE Routers / 62 4G LTE Telephony Router / 63 3G/4G Wireless Routers / 63



DSL Modem Routers / 65

VDSL Modem Routers / 67 Telephony VDSL Modem Routers / 68 ADSL Modem Router / 68



Adapters / 70

High-Gain Wireless USB Adapters / 72 Wireless USB Adapters / 74 PCI Express Wireless Adapters / 75 Ethernet Network Adapters / 78 Bluetooth Adapters / 78



High Power / 87

High Power Wireless Routers / 88 High-Power Wireless USB Adapter / 88



Gaming Series / 89







SOHO Switches / 95

JetStream 10G & 2.5G Switches / 96 JetStream Switches / 97 LiteWave Switches / 97

Key Technology of This Year

TP-Link has always been committed to researching the world's cutting-edge, emerging technologies. We strive to make our products smarter and more powerful, providing truly seamless connections between devices and giving users better experiences.

Take a glance at our annual list of the key technologies which will play an important role in our products and have a profound effect on your home or business network.

- · Wi-Fi 6E
- 5G
- · Deco Mesh Technology
- · Al-Driven Mesh
- · EasyMesh
- · HomeShield



Wi-Fi 6E

Beyond the Boundaries of Wi-Fi 6

Wi-Fi 6E means Wi-Fi 6 extended to the 6 GHz band. 6 GHz is the new frequency band ranging from 5.925 GHz to 7.125 GHz, allowing up to 1,200 MHz of additional spectrum. Access to the 6 GHz frequency brings more bandwidth, faster speeds, and lower latency.



6 GHz Band Makes a Difference

Wider Lanes for Faster Speeds

6 GHz band allows for 7 additional 160 MHz channels that double bandwidth and throughput, enabling more simultaneous transmissions at the highest possible speeds.



Improved Capacity with More Spectrum

6 GHz band offers up to 1.200 MHz of additional spectrum. fulfilling the needs of ever-increasing Wi-Fi usage. The 1.2 GHz of contiguous spectrum more than doubles the number of pathways currently available for sending and receiving data, dramatically increasing network capacity while reducing congestion.



> Wi-Fi 6E: Unlock the Full Potential of Wi-Fi 6

Wi-Fi 6 brings about upgraded performance in network efficiency and capacity. Whereas the advantages of Wi-Fi 6 are not fully realized while competing with transmissions from Wi-Fi 5. Opening the 6 GHz band changes the game for Wi-Fi 6, allowing Wi-Fi 6 to meet its intended potential.

A Greenfield Spectrum for Wi-Fi 6

Unlike the crowded 2.4 GHz and 5 GHz bands, the wide-open 6 GHz spectrum is occupied only by efficient Wi-Fi 6E connections, removing frustrations currently caused by overcrowded many Wi-Fi networks. Channels on the 6 GHz and also wouldn't overlap with each other, greatly reducing network congestion.



> The 6th Generation of Wi-Fi

Wi-Fi 6 is designed to improve the overall spectral efficiency, especially in dense usage scenarios.



1024-QAM Longer OFDM Symbol

Wi-Fi 6 single stream's speed has been raised to 1.2 Gbps – 20% faster than connecting through a gigabit Ethernet. More devices can share high-speed Wi-Fi at the same time



OFDMA and MU-MIMO make Wi-Fi sharing enjoyable by dramatically improving the efficiency of Wi-Fi transmission

OFDMA



BSS Coloring Target Wake Time

Target Wake Time schedules transmissions and allows a power saving 20 MHz stream to coexist with a high speed 160 MHz stream. BSS Color improves efficiency by avoiding unnecessary slowdown and minimizing Wi-Fi interference.

What is 5G?

5G is the 5th generation of mobile networking, which enables connections for virtually everything.

> How does 5G work?

The new 5G NR air interface will further enhance OFDM to deliver a much higher degree of flexibility and scalability. 5G can operate in both lower bands (e.g., sub-6 GHz) as well as mmWave (e.g., 24 GHz and up), which will bring extreme capacity, multi-Gbps throughput, and low latency.



5G applications

VR

Enhanced mobile broadband

5G mobile technology ushers in new immersive experiences such as VR and AR with faster, more uniform data rates, lower latency, and lower cost-per-bit.





Self-Driving Cars

n 160MHz channels may not be all available in the 6 GHz band in some regions/countries due to regulatory





Denser Connections

The Number of Devices per 1 km² Supports





Mission-critical communications

5G enables new services that can transform industries with ultra-reliable, available, low-latency links like selfdriving cars and remote operation.



Massive IoT

5G can seamlessly connect a massive number of embedded sensors in virtually everything to provide extremely lean and low-cost connectivity solutions.







> A True Whole Home Mesh Wi-Fi Solution

Deco Mesh is a technology that can help you build a strong and reliable Wi-Fi signal for your home. With all models working together, you can boost coverage by simply adding another unit. Control everything on your network with the Deco app, which simplifies management of your Wi-Fi.

Ki-Fi 6E Mesh

The latest Wi-Fi technology incorporates the 6 GHz band for faster speed, lower latency, and improved capacity.

5G Mesh

Simple plug-and-play SIM card setup. Download speeds reach up to 5 Gbps with latency down to 1 ms.

Al-Driven Mesh

Your network constantly learns and optimizes itself to provide the ideal mesh Wi-Fi unique to your home and network environment. **IoT Mesh** Experience whole-home IoT coverage powered by Wi-Fi,

Experience whole-home lol coverage powered by Wi-Fi, Bluetooth, and Zigbee, all in a single system.

AI-Driven Mesh

Superintelligent Wi-Fi for the Ultimate Coverage



> Seamless AI-Roaming: Superior Roaming Experience

Compared to common roaming, Al-roaming self-adapts to your network environment and helps your devices switch to the best network source seamlessly. You no longer need to switch networks manually and won't experience lag while switching between sources. Just relax and enjoy your movies or games from anywhere in your home.



Al-Driven Mesh

Connect to the Optimal Deco

Al-Roaming guides your device connections to the optimal Deco according to the loading conditions of each node to efficiently utilize your network bandwidth.



Perfectly Timed Roaming

Al-Roaming learns and records the roaming habits of your devices from experience, and sends well-timed roaming invitations when the devices are most likely to accept them. This greatly improves overall roaming efficiency.



> Wi-Fi Dead Zone Killer

TP-Link Mesh Technology eliminates weak signal areas with a single Wi-Fi network that covers every corner of your home with Seamless Roaming, adaptive path selection, and self-healing. No more searching around for a stable connection, whether you're in the basement, garage, or backyard.

Seamless Roaming

Seamless Mesh tech ensures a non-drop Wi-Fi experience throughout your home.

Adaptive Path Selection

Keeps your network running at top speed by automatically choosing the fastest connection path.

Self-Healing

If one Deco has an issue, the system automatically reroutes data to other Decos to keep you online.

> More than Gigabits Speeds

Decos commonly feature Gigabit ethernet ports up to 10 GbE for the ultimate internet experience.





Connect over 200 Devices

Integrating OFDMA and MU-MIMO technology, our flagship Deco connects over 200 devices. No matter how many devices are running at the same time, everyone is able to enjoy immersive streaming and gaming with no drops or buffering.





Router + Range Extenders

> A Customized Mesh Solution

How a mesh network is internally bridged directly affects your Wi-Fi performance. Al-Driven Mesh weighs factors that influence your Wi-Fi, all while establishing a mesh network. These factors include the number of your mesh nodes, their product types, and how they connect with each other. After analyzing all of these, Al-Driven Mesh custom creates the ideal mesh Wi-Fi solution for you.





EasyMesh

The Simplest Way to Create Whole Home Mesh Wi-Fi

Experience strong, stable, and seamless wireless connections throughout your home with EasyMesh^{™,1} The Wi-Fi CERTIFIED EasyMesh[™] standard works across different access points for ultimate flexibility.

Range Extenders for Network

Expansion

Unique Home Mesh Solution



Main Router EasyMesh™ Router for Mesh Network Onboarding & Management

Seamless Wi-Fi Coverage

EasyMesh[™] connects mobile devices to your routers or extenders that provide the best coverage. The devices also share a single Wi-Fi name so you stay connected in every room.



One-Click Settings

Simply choose your main router and satellite devices, then press their WPS buttons.² Seamless EasyMesh[™] Wi-Fi is as simple as that.



1. Routers and range extenders must support EasyMesh™ or OneMesh™. Firmware upgrades may be required 2. Satellite routers should change to satelli

Satellite Devices Whole Home Seamless Network EasyMesh™ Routers and

Stability Meets Flexibility

With a TP-Link EasyMesh™ router, choose from a wide array of models to build your solid whole home mesh network.

EasyMesh



Every Dollar Goes Farther

No need to scrap your entire system when upgrading your coverage. Just add EasyMesh™ access points as needed to your existing Wi-Fi network.





Network security is always what we care about. With HomeShield, managing the family's internet has been easier. Many potencial riscks can be controlled effectively (e.g. Private info leakage or child internet addiction).

Network Protection





Real-Time IoT Protection Protects your IoT and other connected devices from any cyber threats and attacks.

Malicious Site Blocker Safeguards your family by intelligently

Robust Parental Controls

Age-level filters and online time limits provide your family with personalized and appropriate internet access. With a detailed report of your home network, you can check the sites your children visit and how much time they spend on each. It's a great way to know your children are safe while they're having fun online.

Content Filter



(e Go to bec 07:30 рм

vour family.

Filter and block content that may not be appropriate for your children to search for or read by setting key words like, sex, violence, or drugs.

Quality of Service (QoS)

55 Mbps

With QoS, assign bandwidth to the devices you use most to keep them running their best.



100 Mbps J

214 Mbps 91 Mbps J



07 | Key Technology of This Year



preventing access to malicious URLs.



Intrusion Prevention Identifies and blocks potential threats and fixes vulnerabilities in the network.



Ensure your family maintains healthy digital habits by setting a bed time to limit internet for

| _ | | | | |
|-----|----|----|-----|-----|
| Tim | еF | ۲e | var | 'ds |



Grant extra online time to your kids as kind of rewards anytime necessary. Or children can also apply for more time to spend online.

Comprehensive Reports

Would like to know the online behaviors of your family members or the security performance of your network? HomeShield helps you gain insight and better control of your home network with comprehensive Wi-Fi reports.

4 Hours 31 mil

| | Network Security Statistics | End Device Statistics |
|--------|------------------------------------|---|
| | 1 Antivirus 0 | Scan Statistics |
| | More Preventions than last month | Total Scans Total Optimizations |
| | 126 Times The reput | 2 Trees 2 Trees |
| | 106 Years Last reacts | 10 "Well done! Scan regularly for safety." |
| | I Preventions Per Day 💿 | New Devices ◎ Sone's iPhone A1-81-C1-C1-C1-P1 |
| Servin | | Sona's IPhone A1-81-01-01-81-P1 Januard 2016 3-16 |
| | 8.19 8.20 8.21 8.22 8.23 8.24 8.25 | |

Full-scenario Installation

Deco provides installation solutions for all scenarios, and you can choose different installation methods according to your demands including desktop, ceiling mount, wall plate, and even outdoor. To accommodate these requirements, technologies such as IP65 and PoE have been integrated into the Deco line.



Mesh Wi-Fi + Powerline Hybrid Bandwidth

Deco combines Wi-Fi and powerline to transmit data between Deco units. Powerline technology uses your home's electrical wiring to create stronger connections, reducing the impact of walls and other obstacles on signals.



Ideal Mesh Built for Smart Living

Organize your smart products into a unified home network system with Deco Mesh—perfect for your centralized control and management. For the ultimate smart home experience, Deco Voice features built-in Alexa.



CCCO

A True Whole Home Mesh Wi-Fi Solution

Deco Mesh provides your home with an integrated, comprehensive mesh Wi-Fi solution, no matter the size of your home or your internet access type. Flexibly create your whole home mesh Wi-Fi system and enjoy a seamless network experience.

Advanced Mesh with the Latest Technology

Deco Mesh combines the latest technologies to build a strong and reliable mesh network. It integrates speed, stability, and security—all essential for your home networking. From 5G to Wi-Fi 6E, Deco will be at the forefront to provide cutting-edge products. Powered by WPA3 and TP-Link's technologies such as HomeShield and Al-Driven Mesh, enjoy seamless roaming and solid network security.



Flexible Internet Access

Users can access the internet in different ways without changing their existing network deployment. Deco enables internet access via Ethernet cable, DSL, or 4G/5G SIM cards to meet your specific needs.



*Product images for reference only. Some models' appearances and specifications are not determined and will be updated accordingly.

> All Decos Work Together

With TP-Link Mesh Technology, every Deco unit works together to immerse your whole home in powerful Wi-Fi no matter its size or shape. Want more Coverage? Simply add more Decos.



Fast. Smart. Powerful. Everywhere.

New-Gen AXE11000 Whole Home Tri-Band Mesh Wi-Fi 6E System



Wi-Fi 6E: Faster Speed, Lower Latency, and Improved Capacity

Wi-Fi 6E means Wi-Fi 6 extended to the 6 GHz band, a newly-opened frequency that brings more bandwidth, faster speeds, and lower latency. Deco XE200 is TP-Link's latest mesh system with the latest Wi-Fi 6E technology, taking your Wi-Fi to the next level.

New 6 GHz Wi-Fi Band

The wide-open 6 GHz band is available only for Wi-Fi 6E traffic to bypass the congestion on other networks. This makes it ideal for use as a stable backhaul connection.



Ultra-Fast Tri-Band Experience with 16 Streams

With 16 simultaneous streams, a Wi-Fi 6E powered tri-band network boosts overall speeds up to a stunning 11,000 Mbps, ideal for demanding applications like 8K video and cloud gaming.



160 MHz Bandwidth for More Throughput

Allows for 7 additional 160 MHz channels that double bandwidth and throughput, enabling more simultaneous connections with no buffering.



Incredible Speed up to 10 Gbps

Deco XE200 takes your wired network to the next level with a 10 Gbps port. This lets you transfer files between computers on the network at 1.25 GB/s. That's the same as downloading a movie in seconds.



Shortens transmission of a 2 GB file by 90%

AI-Driven Mesh: Keep Learning and Optimizing Smart Wi-Fi for the Ultimate Experience

Armed with Al-Driven Mesh, Deco XE200 delivers smart Wi-Fi that follows you wherever you are, without interruption. It automatically learns your network environment, client quality, and user behavior. Sophisticated algorithms account for various factors so that Deco XE200 provides ideal mesh Wi-Fi, unique to your home. Walk through your home and enjoy seamless streaming at the fastest possible speeds.



Designed for More Devices

Adopting OFDMA and MU-MIMO technology, Deco is aimed at dramatically improving capacity and efficiency in traffic-dense environments. No matter how many devices are running at the same time, everyone is able to enjoy immersive streaming and gaming with no drops or buffering.



Powerful Network Experience in All Ways



((•)) Minimized Range and Efficiency

16 high-gain antennas

Ultimate Secure Home Wi-Fi

WPA3 Protocol

TP-Link HomeShield Technology





Cover up to 9,000 ft² / 840 m² (3-pack)

sh + 👩 HomeShield + Wi-Fi ôE

Whole Home Mesh Wi-Fi 6 System

Superior Mesh Wi-Fi, Everywhere

AXE5400 Whole Home Mesh Wi-Fi 6E System







Deco XE200 AXE11000 Whole Home Mesh Wi-Fi 6E System

- AXE11000 Tri-Band Wi-Fi (1) 4804 Mbps (6 GHz) + 4804 Mbps (5 GHz) + 1148 Mbps (2.4 GHz)
- R Wi-Fi Dead Zone Killer Cover up to 9,000 ft² / 840 m² (3-pack)
- **10Gbps Wired Speed** 1× 10Gbps WAN/LAN Port + 2× Gigabit WAN/LAN Ports
- $((\cdot, \cdot))$ High-Gain Antennas 16 High-Gain Antennas
- Improved Capacity Connections over 200 devices



Deco XE75 Pro AXE5400 Whole Home Mesh Wi-Fi 6E System

- AXE5400 Tri-Band Wi-Fi 2402 Mbps (6 GHz) +
- 574 Mbps (2.4 GHz) Wi-Fi Dead Zone Killer Â Cover up to 7,200 ft² / 670 m² (3-pack)
- ഹ 2.5 Gbps Wired Speed 1× 2.5 Gbps WAN/LAN Port+ 2× Gigabit WAN/LAN Ports

2402 Mbps (5 GHz) +

Improved Capacity Connections up to 200 devices



Deco XE75

AXE5400 Whole Home Mesh Wi-Fi 6E System

- AXE5400 Tri-Band Wi-Fi 2402 Mbps (6 GHz) + 2402 Mbps (5 GHz) + 574 Mbps (2.4 GHz)
- Wi-Fi Dead Zone Killer R Cover up to 7,200 ft² / 670 m² (3-pack)
- ഹം **High-Speed Internet Access** 3× Gigabit WAN/LAN Ports
- Improved Capacity Connections up to 200 devices



Deco X95 AX7800 Whole Home

Mesh Wi-Fi 6 System

- (10) AX7800 Tri-Band Wi-Fi 4804 Mbps (5 GHz-1) + 2402 Mbps (5 GHz-2) + 574 Mbps (2.4 GHz)
- Wi-Fi Dead Zone Killer Cover up to 6,100 ft² / 570 m² (2-pack)
- **A** AI-Driven Mesh Ideal Mesh Wi-Fi Unique to Your Home
- ഹ 2.5 Gbps Wired Speed 1× 2.5 Gbps WAN/LAN Port+ 2× Gigabit WAN/LAN Ports
- Smart Antennas ((•)) 2 Smart Antennas + 4 High-Gain Antennas

Enhanced Security TP-Link HomeShield



Deco X80 AX6000 Whole Home Mesh Wi-Fi 6 System

(10) AX6000 Dual-Band Wi-Fi 4804 Mbps (5 GHz) + 1148 Mbps (2.4 GHz)

> Wi-Fi Dead Zone Killer Cover up to 7,200 ft² / 670 m² (3-pack) 2.5 Gbps Wired Speed

ക് 1× 2.5 Gbps WAN/LAN Port + 2× Gigabit WAN/LAN Ports

ً

 $\overline{\mathbf{O}}$ Enhanced Security TP-Link HomeShield

- WiFi 6E Work on the 6 GHz Band with more bandwidth and higher efficiency.
- Al-Driven Mesh Provides the ideal mesh Wi-Fi unique to your home and network environment by intelligently learning and improving itself from experience.
- · Higher Capacity OFDMA and MU-MIMO technologies enable simultaneous transmissions and improve capacity.
- Ultra-Low Latency Greater reduction in latency enables more responsive gaming and video chatting.
- Minimized Wi-Fi Interference BSS Color avoids unnecessary slowdown and minimizes Wi-Fi interference from the neighborhood.
- · Seamless Roaming Deco units work together to form a unified network. Walk through your home and stay connected with the fastest possible speeds.
- TP-Link HomeShield The premium security services keep your home network safe with cutting-edge features and IoT protection.
- Total Security WPA3, the next-gen encryption method creates extra protection for your network

- AI-Driven Mesh Provides the ideal mesh Wi-Fi unique to your home and network environment by intelligently learning and improving itself from experience.
- Improved Capacity OFDMA and MU-MIMO technologies enable simultaneous transmissions up to 200 devices.
- Ultra-Low Latency Greater reduction in latency enables more responsive gaming and video chatting.
- Minimized Wi-Fi Interference BSS Color avoids unnecessary slowdown and minimizes Wi-Fi interference from the neighborhood.
- · Seamless Roaming Deco units work together to form a unified network. Walk through your home and stay connected with the fastest possible speeds.
- Total Security WPA3, the next-gen encryption method creates extra protection for your network.



Superior Mesh WiFi,



Deco X75

AX5400 Whole Home Mesh Wi-Fi 6 System

| ((î •)) | / |
|-----------|---|
| | 2 |
| | |

AX5400 Tri-Band Wi-Fi 2402 Mbps (5 GHz-1) + 2402 Mbps(5 GHz-2) + 574 Mbps (2.4 GHz)





Wi-Fi Dead Zone Killer Cover up to 7,200 ft² / 670 m² (3-pack)

High-Speed Internet Access

්

 \bigcirc

Enhanced Security TP-Link HomeShield

3× Gigabit WAN/LAN Ports







*Product images for reference only. Some models' appearances and specification are not determined and will be updated accordingly **Some features may require software upgrades or subscriptions

- AI-Driven Mesh Provides the ideal mesh Wi-Fi unique to your home and network environment by intelligently learning and improving itself from experience.
- Improved Capacity OFDMA and MU-MIMO technologies enable simultaneous transmissions over 150 devices.
- Ultra-Low Latency Greater reduction in latency enables more responsive gaming and video chatting.
- · Seamless Roaming Deco units work together to form a unified network. Walk through your home and stay connected with the fastest possible speeds.
- Total Security WPA3, the next-gen encryption method creates extra protection for your network.

((•))

R

[Poe]

ഹ

• Minimized Wi-Fi Interference - BSS Color avoids unnecessary slowdown and minimizes Wi-Fi interference from the neighborhood.

Deco Mesh Hybrid Gateway System

More Ways. Less Hassle.





5G: Unrivaled Speed, Feel No Lag

The Fastest Speed Ever

5G greatly boosts the download speed up to 5.0 Gbps (based on R15 Sub-6GHz) – 16.7x faster than 4G LTE-Advanced and 33x faster than 4G LTE.



Wi-Fi 6 Mesh: Faster, Broader, For More Devices

AX6000 Dual Band Wi-Fi ((•)) Speeds up to 6.0 Gbps **Connect Numerous Devices** Connect up to 200 Devices Save Clients' Power Ē SIM Target Wake Time helps mobile devices, especially IoT devices,

consume less power during data

transmission cycles to prolong

battery life.

Then Plug and Play With a integrated 5G modem and a built-in SIM card slot, all you have to do is to insert a nano SIM card and turn on the router.

Ultra-Low Latency

5G brings fast responsive network connections to tomorrow's mobile devices, with only 1 ms latency.





Whole Home Mesh Wi-Fi Covers up to 2,900 ft²



Seamless Roaming

Always Stay Connected While Walking Around





Outstanding Wired Performance

1× 2.5 Gbps WAN/LAN Port + 1× Gigabit WAN/LAN Port.

Cutting-Edge 5G, **Ultra-Fast Expereience**

5G AX3000 Whole Home Mesh Wi-Fi 6 Router





DSL Whole Home Mesh Wi-Fi 6 Modem Router

Connect with Ultra-Fast Wi-Fi

AX5400 VDSL Whole Home Wi-Fi 6 Modem Router

Deco X73-DSL

(DSL) + Mesh + Wi-Fi 6



Deco X50-DSL VDSL Whole Home Wi-Fi 6 Modem Router

- Super VDSL Speed Downstream up to 350 Mbps
- ((•)) 2402 Mbps (5 GHz) + 574 Mbps (2.4 GHz)

VoIP Telephony Supports VolP

Deco X80-5G 5G Whole Home Wi-Fi 6 Router

- Unrivaled Speed 5Ĝ with 5G Brings the Download Speed up to 5.0 Gbps, 33x Faster than 4G
- Ultra-Low Latency <u>=</u> Brings Fast Responsive Connections with Only 1 ms Latency
- AX6000 Dual Band ((•)) Wi-Fi 4804 Mbps (5 GHz) + 1148 Mbps (2.4 GHz)
- VoLTE Telephony Supports VoLTE Telephony Features
- **Enhanced Security** $\overline{\bigcirc}$ TP-Link HomeShield



Deco X50-5G 5G Whole Home Wi-Fi 6 Router

- Unrivaled 5G 5Ĝ Faster Speed, Lower Latency, Enhanced Capacity
- Ultra-Low Latency <u>=(1)</u> Brings Fast Responsive Connections with Only 1 ms Latency
- ((•)) AX3000 Dual Band Wi-Fi 2402 Mbps (5 GHz) +
- 574 Mbps (2.4 GHz) SIM Card Plug and SIM Play

No Configuration, Unlocked, and Simply Plug and Play

• Ultra-Low Latency - Greater reduction in latency enables more responsive gaming and video chatting.

• Setup Made Easier than Ever - The Deco app walks you through setup step by step.

· Seamless Roaming - Deco units work together to form a unified network, Keeping you stay connected from anywhere.

• Minimized Wi-Fi Interference - BSS Color technology avoids unnecessary slowdowns and minimizes Wi-Fi interference. Improved Capacity - OFDMA and MU-MIMO technologies enable simultaneous transmissions to over 150 devices.

• Flexible Internet Access - Multiple Gigabit WAN/LAN ports provide flexible access and lightning-fast wired performance.

Enhanced Security TP-Link HomeShield



Deco X50-4G 4G+ Whole Home Wi-Fi 6 Router

- Internet Everywhere 4G+ with 4G+ Speed Provides Wi-Fi 6 Mesh Coverage through 4G+ Cat6 Access
- AX3000 Dual Band ((•)) Wi-Fi 2402 Mbps (5 GHz) + 574 Mbps (2.4 GHz)
- SIM Card Plug SIM and Play No Configuration, Unlocked,

and Simply Plug and Play **Enhanced Security**

 \bigcirc TP-Link HomeShield



Deco X20-4G 4G+ Whole Home Wi-Fi 6 Router

- Internet Everywhere 4G+ with 4G+ Speed Provides Wi-Fi 6 Mesh Coverage through 4G+ Cat6 Access
- ((•)) AX1800 Dual-Band Wi-Fi 1201 Mbps (5 GHz) + 574 Mbps (2.4 GHz)
- SIM Card Plug and Play No Configuration, Unlocked, and Simply Plug and Plav \bigcirc

Enhanced Security TP-Link HomeShield

• Seamless Roaming - Deco units work together to form a unified network, keeping you stay connected from anywhere.

- TP-Link HomeShield The premium security services keep your home network safe with cutting-edge features and IoT protection. • Ultra-Low Latency - Greater reduction in latency enables more responsive gaming and video chatting.
- Minimized Wi-Fi Interference BSS Color technology avoids unnecessary slowdowns and minimizes Wi-Fi interference.
- Improved Capacity OFDMA and MU-MIMO technologies enable simultaneous transmissions to over 150 devices.
- Flexible Internet Access Multiple Gigabit WAN/LAN ports provide flexible access and lightning-fast wired performance. • Setup Made Easier than Ever - The Deco app walks you through setup step by step.
- · Great Compatibility All Decos work together.

• Great Compatibility - All Decos work together.

Supports VolP

(2.4 GHz)

Deco X73-DSL

Modem Router

[Ψ]

VDSL Whole Home Wi-Fi 6

Super VDSL Speed

((•)) AX5400 Dual-Band Wi-Fi

VoIP Telephony

Downstream up to 350 Mbps

4804 Mbps (5 GHz) + 574 Mbps

Supports Profile 35b Tech to Deliver



Supports Profile 35b Tech to Deliver

AX3000 Dual Band Wi-Fi



Deco X20-DSL

VDSL Whole Home Wi-Fi 6 Modem Router



Super VDSL Speed Supports Profile 35b Tech to Deliver Downstream up to 350 Mbps



AX1800 Dual-Band Wi-Fi 1201 Mbps (5 GHz) + 574 Mbps (2.4 GHz)



Gigabit Ethernet Backup 4 x Gigabit WAN/LAN Ports Provide Ethernet Access Backup

Fast. Stable. Everywhere.

AX3000 Whole Home Powerline Mesh Wi-Fi 6 System

Deco PX50

Compatible wit amazon alexa



Deco PX50 AX3000+G2000 Whole Home Hybrid Mesh Wi-Fi System

- AX3000 Dual-band Wi-Fi + ((小)) Powerline Hybrid Bandwidth 2402 Mbps (5GHz) +574 Mbps (2.4 GHz)+2000 Mbps (powerline)
- **Broad Wi-Fi Coverage** R Cover up to 6,500 ft² / 600 m² (3-pack)
- **Full Gigabit Ports** ஹ் 3× Gigabit WAN/LAN Ports
- Work through Walls $\widehat{}$ Reduce the impact of walls and other obstacles on signal

Enhanced Security TP-Link HomeShield



deco

deco

Deco P9

AC1200 + AV1000 Whole Home Hybrid Mesh Wi-Fi System

((/y) AC1200 Dual-band Wi-Fi + Powerline Hybrid Bandwidth 867 Mbps (5GHz) +300 Mbps (2.4 GHz)+1000 Mbps (powerline)

- Broad Wi-Fi Coverage ً Cover up to 6,000 ft² / 560 m² (3-pack)
- Full Gigabit Ports Ľш 2× Gigabit WAN/LAN Ports
- Work through Walls (A) Reduce the impact of walls and other obstacles on signal

Enhanced Security Network Protection



Meet the Superior Mesh Wi-Fi 6

The Deco whole-home mesh Wi-Fi 6 system is designed to deliver a huge boost in coverage, speed, and total capacity. Get the latest mesh Wi-Fi 6 to enjoy a future-proof network that loads faster and connects all of your devices.



- · Seamless Roaming Deco units work together to form a unified network. Walk through your home and stay connected with the fastest possible speeds.
- MU-MIMO Technology Simultaneously transfers data to multiple devices for faster performance.
- Boosted Speeds Powerline and wireless connections work together to transmit data between Deco units. The total network speed is greatly improved compared with using Wi-Fi only.
- Quality of Service Prioritize devices for faster performance when needed.
- Setup Made Easier than Ever The Deco app walks you through setup step by step.
- Great Compatibility All Decos work together.





Broader Coverage

Larger Capacity

Covers up to 4,500 ft² / 420 m² (2-pack)

Connect over 150 devices, reliable in dense usage.



Corner to Corner Wi-Fi 6 Corner to Corner Voice Control

AX3000 Mesh Wi-Fi 6 System with Built-in Smart Speaker

Deco Voice X50

deco



Higher Speed

Enjoy smooth streaming with Wi-Fi 6 speeds up to 3000 Mbps.

Alexa Built-In

With Amazon Alexa built-in, Deco Voice transforms your smart home. Manage your smart home devices, get today's weather, make changes to your schedule, and queue your favorite playlists. All you have to do is to ask Alexa.



Corner to Corner Acoustic Experiences

A powerful acoustic solution delivers premium sound throughout your home. Stream audio through Amazon Music, Spotify, Pandora, Tune in, and other platforms, cast your favorite songs or podcasts anywhere in your home.

TUNE IN

amazon music spotify pandora

WilleartRADIO



Easy on the Ears Delivers robust sound with clear, natural acoustics and deep. penetrating bass

> All Decos Work Together

Deco Voice X50 is compatible with every other Deco model to form a unified mesh network. Extend mesh Wi-Fi coverage anytime by simply adding more Deco units.



*Amazon, Alexa, and all related logos are trademarks of Amazon.com, Inc., or its affiliates

**The Spotify Software is subject to third party licenses found here: www.spotify.com /third-party-licenses



Deco X55 Plus AX3000 Smart Home Mesh Wi-Fi 6 System ((•)) AX3000 Dual-Band Wi-Fi

2402 Mbps (5 GHz) + 574 Mbps (2.4 GHz)

ً

Wi-Fi Dead Zone Killer Cover up to 6,500 ft² / 600 m² (3-pack)

Built-in Smart Hub Connects and Controls All Your Smart Home Devices



- Seamless Roaming Deco units work together to form a unified network, keeping you stay connected from anywhere.
- Setup Made Easier than Ever The Deco app walks you through setup step by step.
- Great Compatibility All Decos work together.



Deco M9 Plus AC2200 Smart Home Mesh Wi-Fi System

- AC2200 Tri-Band Wi-Fi (i) 2× 867 Mbps (5 GHz) and 400 Mbps (2.4 GHz)
- Ø

Wi-Fi Dead Zone Killer Cover up to 6,500 ft² / 600 m² (3-pack)

Built-in Smart Hub Connects and Controls All Your Smart Home Devices

Deco Voice X50

AX3000 Mesh Wi-Fi 6 System with Built-in Smart Speaker

AX3000 Dual-Band Wi-Fi 2402 Mbps (5 GHz) + 574 Mbps (2.4 GHz)

Wi-Fi Dead Zone Killer Cover up to 6,500 ft² / 600 m² (3-pack)

Alexa Built-In Enjoy Whole-Home Voice Control with Alexa

• Connect More Device - Deco handles traffic from even the busiest network, providing lag-free connections for over 150 devices. • HomeShield - Real-time IoT protection, antivirus and premium parental controls. (Deco M9 Plus supports HomeCare™ only)



• Connect More Devices - Deco handles traffic from even the busiest network, providing lag-free connections for up to 100 devices.

- · Seamless Roaming Deco units work together to form a unified network. Walk through your home and stay connected with the fastest possible speeds.
- · 2-in-1 Router and Access Point Modes Choose the mode for your actual demands and experience the maximum wireless flexibility.
- MU-MIMO Technology Simultaneously transfers data to multiple devices for faster performance.
- Quality of Service Prioritize devices for faster performance when needed.
- Robust Parental Controls Manage content and control when each device can access the internet.
- Setup Made Easier than Ever The Deco app walks you through setup step by step.
- Great Compatibility All Decos work together.



Deco E4

AC1200 Whole Home Mesh Wi-Fi System

((•)) AC1200 Dual-Band Wi-Fi 867 Mbps (5GHz) + 300 Mbps (2.4 GHz)

Whole Home Coverage Cover up to 4,500 ft² / 420 m² (3-pack)

ŝ Fast Ethernet Ports 2× 10/100 Mbps Ethernet Ports



Deco S7 AC1900 Whole Home Mesh Wi-Fi System

((•)) AC1900 Dual Band Wi-Fi 1300 Mbps (5GHz) + 600 Mbps (2.4 GHz)

Broad Wi-Fi Coverage Þ Cover up to 5,600 ft² / 520 m² (3-pack)

Full Gigabit Ports ۵ 3× Gigabit Ports

WHICH IS THE RIGHT TP-Link WHOLE HOME MESH WI-FI FOR YOU?

| | | | | Whole Home Mes | h Wi-Fi System | | | |
|--|---|--|--|--|--|--|--|--|
| | Ū | | 0 | | 9 | | 9 | |
| Model | Deco XE200 | Deco X95 | Deco X80 | Deco X80-5G | Deco XE75 Pro | Deco XE75 | Deco X75 | Deco X73-DSL |
| Packs | 3-pack/2-pack/ 1-pack | 2-pack/1-pack | 3-pack/2-pack/ 1-pack | 1-pack | 3-pack/2-pack/ 1-pack | 3-pack/2-pack/ 1-pack | 3-pack/2-pack/ 1-pack | 3-pack/2-pack/ 1-pack |
| Speed | AXE11000 | AX7800 | AX6000 | AX6000 | AXE5400 | AXE5400 | AX5400 | AX5400 |
| Wi-Fi Coverage | 9,000 ft² / 840m² (3-pack) 6,500 ft² / 600 m² (2-pack) | 6,100 ft² / 570 m² (2-pack) 3,100 ft² / 290 m² (1-pack) | 7200 ft² / 670m² (3-pack) 5,500 ft² / 500 m² (2-pack) | 2,900 ft² / 270 m² (1-pack) | 7,200 ft² / 670 m² (3-pack) 5,500 ft² / 500 m² (2-pack) | 7,200 ft² / 670 m² (3-pack) 5,500 ft² / 500 m² (2-pack) | 7,200 ft² / 670 m² (3-pack) 5,500 ft² / 500 m² (2-pack) | 7,200 ft² / 670 m² (3-pack) 5,500 ft² / 500 m² (2-pack) |
| Capacity | Connect over 200 Devices | Connect up to 200 Devices | Connect up to 200 Devices | Connect up to 200 Devices | Connect up to 200 Devices | Connect up to 200 Devices | Connect up to 200 Devices | Connect up to 200 Devices |
| Wi-Fi Bands | Tri-Band | Tri-Band | Dual-Band | Dual-Band | Tri-Band | Tri-Band | Tri-Band | Dual-Band |
| Powerline | | | | | | | | |
| Wi-Fi (2.4 GHz) | 1148 Mbps | 574 Mbps | 1148 Mbps | 1148 Mbps | 574 Mbps | 574 Mbps | 574 Mbps | 574 Mbps |
| Wi-Fi (5 GHz) | 4804 Mbps | 4804 Mbps+ 2402 Mbps | 4804 Mbps | 4804 Mbps | 2402 Mbps | 2402 Mbps | 2402 Mbps + 2402 Mbps | 4804 Mbps |
| Wi-Fi (6 GHz) | 4804 Mbps | | | | 2402 Mbps | 2402 Mbps | | |
| Broadband Access Standard | | | | 5G Release 15 | | | | VDSL 2 Profile35b |
| Smart Home Hub | Wi-Fi | Wi-Fi | Wi-Fi | Wi-Fi | Wi-Fi | Wi-Fi | Wi-Fi | Wi-Fi |
| Interface | 1×10 GE+ 2× GE(WAN/LAN) | 1×2.5 GE+ 2× GE(WAN/LAN) | 1× 2.5 GE + 2× GE(WAN/LAN) | 1× Phone + 1×2.5 GE (WAN/ LAN) + 1× GE(WAN/LAN) + 1× Nano SIM Card Slot+ 2 External Antenna Ports | 1× 2.5 GE + 2× GE(WAN/LAN) | 3x GE(WAN/LAN) | 3x GE(WAN/LAN) | 1x DSL +2x Phone+ 1* USB 3.0+ 4x GE(WAN/LAN) |
| 160 MHz Channel | • | • | • | | • | • | • | • |
| OFDMA | • | • | • | • | ٠ | ٠ | ٠ | ٠ |
| 1024-QAM | • | • | • | • | • | ٠ | • | ٠ |
| MU-MIMO | • | • | • | • | • | ٠ | • | • |
| Beamforming | • | • | • | • | • | • | • | • |
| Deco App | • | • | • | • | • | • | • | • |
| AP Mode | • | • | • | • | • | ٠ | • | ٠ |
| Parental Controls | • | • | • | • | • | • | • | ٠ |
| Antivirus | • | • | • | • | • | • | • | • |
| QoS | • | • | • | • | • | • | • | • |
| Works with Amazon Alexa and Google Assistant | | | • | • | • | • | • | Alexa only |
| Works with Other Deco Models | • | ٠ | • | • | • | ٠ | • | ٠ |
| Advanced Features | Works on the 6 GHz Band | | | VoLTE | Works on the 6 GHz Band | Works on the 6 GHz Band | | VoIP |
| IPTV | ٠ | ٠ | • | ٠ | ٠ | ٠ | ٠ | ٠ |



WHICH IS THE RIGHT TP-Link WHOLE HOME MESH WI-FI FOR YOU?

| | | | | Whole | e Home Mesh W | 'i-Fi System | | | | | | | | | | | | | |
|--|-----------------------------|--|---|---|---|--|--|------------------------------------|--|--------------------------------|--|--|---|--|-----------------------------|--|--|---|--|
| | | | | | | | | | | 0 | | | | | | and and | | dee | |
| Model | Deco X60 | Deco X55 Plus | Deco X50 | Deco Voice X50 | Deco X50-5G | Deco X50-4G | Deco X50-DSL | Deco X50-PoE | Deco X50- Outdoor | Deco PX50 | Deco X20 | Deco X20-4G | Deco X20-DSL | Deco M9 Plus | Deco P9 | Deco S7 | Deco M5 | Deco M4 | Deco E4 |
| Packs | 3-pack/2-pack/ 1-pack | 3-pack/2-pack/ 1-pack | 3-pack/2-pack/ 1-pack | 3-pack/2-pack/ 1-Pack | 3-pack/2-pack/ 1-pack | 3-pack/2-pack/ 1-pack | 3-pack/2-pack/ 1-pack | 3-pack/2-pack/ 1-pack | 1-pack | 3-pack/2-pack/ 1-pack | 3-pack/2-pack/ 1-pack | 3-pack/2-pack/ 1-pack | 3-pack/2-pack/ 1-pack | 3-pack/2-pack/ 1-pack | 3-pack/2-pack/ 1-pack | 3-pack/2-pack/ 1-pack | 3-pack/2-pack/ 1-pack | 3-pack/2-pack/ 1-pack | 3-pack/2-pack/ 1-pack |
| Speed | AX3000 | AX3000 | AX3000 | AX3000 | AX3000 | AX3000 | AX3000 | AX3000 | AX3000 | AX3000+G2000 | AX1800 | AX1800 | AX1800 | AC2200 | AC1200 + AV1000 | AC1900 | AC1300 | AC1200 | AC1200 |
| Wi-Fi Coverage | (3-pack) | 6,500 ft² / 600 m² (3-pack) 4,500 ft² / 420 m² (2-pack) | 6,500 ft² / 600 m² (3-pack) 4,500 ft² / 420m² (2-pack) | 6,500 ft² / 600 m² (3-pack) 4,500 ft² / 420m² (2-pack) | 6,500 ft² / 600 m² (3-pack) 4,500 ft² / 420 m² (2-pack) | 6,500 ft² / 600 m² (3-pack) 4,500 ft² / 420 m² (2-pack) | 6,500 ft² / 600 m² (3-pack) 4,500 ft² / 420 m² (2-pack) | 6,500 ft² / 600 m² (3-pack) | 2,500 ft ² / 230m ² (1-pack) | 6,500 ft² / 600 m² (3-pack) | 5,800 ft² / 540 m² (3-pack) 4,000 ft² / 370 m² (2-pack) | 5,800 ft² / 540 m² (3-pack) 4,000 ft² / 370 m² (2-pack) | 5,800 ft² /540 m² (3-pack) 4,000 ft² / 370 m² (2-pack) | 6,500 ft² / 600 m² (3-pack) 4,500 ft² / 420 m² (2-pack) | (3-pack) | 5,600 ft² / 520 m² (3-pack) 3,900 ft² / 360 m² (2-pack) | 5,500 ft² / 500 m² (3-pack) 3,800 ft² / 350 m² (2-pack) | 5,500 ft² / 500 m² (3-pack) 3,800 ft² / 350m² (2-pack) | 4,500 ft² / 420 m² (3-pack) 3,000 ft² / 280 m² (2-pack) |
| Capacity | Connect over 150 Devices | Connect over 150 Devices | Connect over 150 Devices | Connect over 150 Devices | Connect over 150 Devices | Connect over 150 Devices | Connect over 150 Devices | Connect over 150 Devices | Connect over 150 Devices | Connect over 150 Devices | Connect over 150 Devices | Connect over 150 Devices | Connect over 150 Devices | Connect over 100 Devices | Connect up to100 Devices | Connect over 100 Devices | Connect over 100 Devices | Connect up to 100 Devices | Connect up to 100 Devices |
| Wi-Fi Bands | Dual-Band | Dual-Band | Dual-Band | Dual-Band | Dual-Band | Dual-Band | Dual-Band | Dual-Band | Dual-Band | Dual-Band | Dual-Band | Dual-Band | Dual-Band | Tri-Band | Dual-Band | Dual-Band | Dual-Band | Dual-Band | Dual-Band |
| Powerline | | | | | | | | | | G2000 | | | | | AV1000 | | | | |
| Wi-Fi (2.4 GHz) | 574 Mbps | 574 Mbps | 574 Mbps | 574 Mbps | 574 Mbps | 574 Mbps | 574 Mbps | 574 Mbps | 574 Mbps | 574 Mbps | 574 Mbps | 574 Mbps | 574 Mbps | 400 Mbps | 300 Mbps | 600 Mbps | 400 Mbps | 300 Mbps | 300 Mbps |
| Wi-Fi (5 GHz) | 2402 Mbps | 2402 Mbps | 2402 Mbps | 2402 Mbps | 2402 Mbps | 2402 Mbps | 2402 Mbps | 2402 Mbps | 2402 Mbps | 2402 Mbps | 1201 Mbps | 1201 Mbps | 1201 Mbps | 2×867 Mbps | 867 Mbps | 1300 Mbps | 867 Mbps | 867 Mbps | 867 Mbps |
| Broadband Access Standard | | | | | 5G Release 16 | 4G+ Cat6 | VDSL 2 Profile 35b | | | | | 4G+Cat6 | VDSL 2 Profile 35b | | | | | | |
| Smart Home Hub | Wi-Fi | Wi-Fi, Sub-G, ZigBee | Wi-Fi | Wi-Fi | Wi-Fi | Wi-Fi | Wi-Fi | Wi-Fi | Wi-Fi | Wi-Fi | Wi-Fi | Wi-Fi | Wi-Fi | Wi-Fi | Wi-Fi | Wi-Fi | Wi-Fi | Wi-Fi | Wi-Fi |
| Interface | 2× GE(WAN/LAN) | 3x GE(WAN/LAN) | 3× GE(WAN/LAN) | 2x GE (WAN/LAN) | 1× 2.5 GE (WAN/ LAN) + 2× GE (WAN/LAN) + 1× Nano SIM Card Slot + 2× External Antenna Ports | 1x Nano SIM Card Slot + 3x GE (WAN/LAN) | 1x DSL + 1x Phone + 3x GE (WAN/LAN) | 1x 2.5 GE + 1x GE (WAN/ LAN) | 2× GE (WAN/ LAN) | 3× GE (WAN/LAN) | 2× GE (WAN/LAN) | 1x Nano SIM Card Slot+ 3x GE (WAN/LAN) | 1x DSL + 4x GE(WAN/LAN) | 2× GE (WAN/LAN) | 2x GE (WAN/LAN) | 3× GE (WAN/LAN | 2× GE (WAN/LAN) | 2x GE (WAN/LAN) | 2× GE (WAN/LAN) |
| 160 MHz Channel | | • | • | • | • | • | • | • | • | • | | | | | | | | | |
| OFDMA | • | • | • | • | • | • | • | • | • | • | • | • | • | | | | | | |
| 1024-QAM | • | • | • | • | • | • | • | • | • | • | • | • | • | | | | | | |
| MU-MIMO | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • |
| Beamforming | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • |
| Deco App AP Mode | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • |
| Parental Controls | | • | | | | | | | • | | | • | | • | | • | • | • | |
| Antivirus | • | • | • | • | • | • | • | • | • | • | • | • | • | • | | | • | | |
| QoS | • | • | • | • | • | • | • | • | • | • | • | • | • | • | Only by Devices | • | • | Only by Devices | Only by Devices |
| Works with Amazon Alexa and Google Assistant | | • | • | • | • | • | Alexa only | • | | • | • | Alexa only | Alexa only | • | | ٠ | • | ٠ | • |
| Works with Other Deco Models | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • |
| Advanced Features | | | | Built-in Smart Speaker (Powered by Amazon Alexa) | | | VoIP | | IP65 dust and water resistance | G2000 Powerline Backhaul | | | | | | | | | |
| IPTV | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • |

Note: The Antivirus function is still developing on models of Deco P9, Deco M4, Deco M3. The Google Assistant function is still developing.

Wi-Fi **Routers**

TP-Link offers a comprehensive range of Wi-Fi routers, engineered to meet all your networking needs. For faster, stronger, and more reliable Wi-Fi, look no further than TP-Link.

TP-Link Wi-Fi routers give your home the reliable and secure network you deserve. Our range of models provide a solution to match every situation. Each one offers fast and stable Wi-Fi, while giving users the easiest management possible. App-based setup and helpful features for the whole family give you complete control. Connect and enjoy!





Wi-Fi 6E Router



> Wi-Fi 6E: Higher Efficiency, Greater Capacity

Wi-Fi 6E means Wi-Fi 6 extended to the 6 GHz band, a newly-opened frequency that brings more bandwidth, faster speeds, and lower latency. Archer AXE95 is the first TP-Link Wi-Fi 6E router, bringing your Wi-Fi to the next level.





Minimized Congestion

The wide-open 6 GHz band is available only for many Wi-Finetworks.

More Throughput

Wi-Fi 6E traffic, avoiding the overcrowding on

double bandwidth and throughput, enabling more simultaneous connections with no buffering.

Top-Notch Hardware Brings Premium Connectivity

6GHz 5 GHz-1 5 GHz-2 2.4GHz

Unrivaled Speed for Multiple 8K

Stream multiple 8K videos with AXE16000 Quad-Band Wi-Fi speed. Boosted by 1024-QAM and HE160 delivers astonishing wireless speeds, the ultra-wide bandwidth plays multiple online media instantly.



Cutting-Edge Processing

Combining Quad-band WiFi with powerful Quad-Core CPU, Archer AXE300 provides sixteen simultaneous data streams to open up more bandwidth and help your devices operate at full speed.





Allows for 7^s additional 160 MHz channels that



Improved Capacity

Provides up to 1200 MHz additional spectrum, more that doubling the number of pathways and dramatically increasing network capacity.



Multi-Gig Wired Performance

Don't waste your gigabit internet access. AXE300 is equipped with a 10 Gbps WAN/LAN Port, a 10 Gbps SFP+/RJ45 Combo LAN Port, a 2.5 Gbps WAN/LAN port, and 4x 1 Gbps LAN ports, ensuring maximum flexibility and boosted throughput. With SFP+ NAS can be provided with high-speed data transmission.



Mecha-Powered Wi-Fi

AXE11000 Tri-Band Wi-Fi 6E Router with Mechanically Rotating Antennas

Archer AXE200 Omni

Wi-Fi 6E 👩 HomeShield 📕 🔒 WPA3



Archer AXE300 AXE16000 Quad-Band Wi-Fi 6E Router

AXE16000 Quad-band Wi-Fi 4804Mbps (6GHz) + 4804Mbps (5 GHz-2) + 4804Mbps (5 GHz-1) + 1148Mbps (2.4GHz)

(1)

Cutting-Edge 2.0 Processina 2.0 GHz Quad-Core CPU

> Multi-Gig Ports 10 Gbps WAN/LAN Port + 10 Gbps SFP+/RJ45 Combo LAN Port + 2.5 Gbps WAN/LAN Port + 4× 1 Gbps LAN ports



Archer AXE200 Omni AXE11000 Tri-Band Wi-Fi 6E Router

(1) AXE11000 Tri-Band Wi-Fi 4804 Mbps (6 GHz) + 4804 Mbps (5 GHz) + 1148 (2.4 GHz)

> Cutting-Edge Processing 2.0 GHz Quad-Core CPU

Multi-Gig Ports ഹ 10 Gbps WAN/LAN Port + 2.5 Gbps WAN/LAN Port + 4×1 Gbps LAN ports

EasyMesh™* 6 Flexibly Create a Mesh Network



Archer AXE95 AXE7800 Tri-Band Wi-Fi 6E Router

(1) AXE7800 Tri-Band Wi-Fi 2402 Mbps (6 GHz) + 4804 Mbps (5 GHz) + 574 (2.4 GHz)

Connect More Devices Tri-Band + OFDMA

Multi-Gig Ports ഹ 2.5 Gbps WAN/LAN Port + 1 Gbps WAN/LAN Port + 3×1 Gbps LAN ports

EasyMesh[™]* 6 Flexibly Create a Mesh Network



Archer AXE75 AXE5400 Tri-Band Wi-Fi 6E Router

```
(1)
     AXE5400
      Tri-Band Wi-Fi
      2402 Mbps (6 GHz) +
      2402 Mbps (5 GHz) +
      574 (2.4 GHz)
```

Connect More Devices Tri-Band + OFDMA

> Lightning-Fast Media Sharing USB 3.0 Port

EasyMesh™* (6) Flexibly Create a Mesh Network



Wi-Fi 6 Routers

Faster. Broader.

👩 HomeShield

WPA3

Unstoppable.

AX6000 8-Stream Wi-Fi 6 Router

Archer AX80

Archer AX95 AX7800 Tri-Band 8-Stream Wi-Fi 6 Router

(10) AXE7800 Tri-Band Wi-Fi 4804 Mbps (5 GHz-2) + 2402 Mbps (5 GHz-1) + 574 Mbps (2.4 GHz)

> Connect More Devices Tri-Band + OFDMA

Multi-Gig Ports ഹ 2.5 Gbps WAN/LAN Port + 1 Gbps WAN/LAN Port + 3×1 Gbps LAN ports

EasyMesh[™]* 0 Flexibly Create a Mesh Network



Archer AX90 AX6600 Tri-Band Wi-Fi 6 Router

(1) AX6600 Tri-Band Wi-Fi 4804 Mbps (5 GHz-2) + 1201 Mbps (5 GHz-1) + 574 Mbps (2.4 GHz)

Multi-Gig Ports ഹ 2.5 Gbps WAN/LAN + 1 Gbps WAN/LAN + 3×1 Gbps LAN Ports

X Lightning-Fast Media Sharing USB 3.0 + USB 2.0 Ports

• WiFi 6E - Works on the 6 GHz band with more bandwidth and higher efficiency.

2.0 IHZ

- · HomeShield TP-Link's premium security services keep your home network safe with cutting-edge features for network and IoT protection.
- · OFDMA Greatly increases the number of connected devices by assigning channels to more devices simultaneously.
- MU-MIMO Simultaneously transfers data to multiple devices for faster performance.
- · Beamforming Concentrates signal to connected devices and delivers highly efficient wireless connection.
- Smart Connect Automatically assigns each device to the best available band to optimize network performance.
- · Works with Alexa Control your router using voice commands with Amazon Alexa.

* The EasyMesh™ function is still being developed on some models and will be supported in subsequent softwa

- HomeShield TP-Link's premium security services keep your home network safe with cutting-edge features for network and IoT protection. (Archer AX6000 supports HomeCare[™] only)
- · OFDMA Greatly increases the number of connected devices by assigning channels to more devices simultaneously.
- MU-MIMO Simultaneously transfers data to multiple devices for faster performance.
- · Beamforming Concentrates signal to connected devices and delivers highly efficient wireless connection.
- Smart Connect Automatically assigns each device to the best available band to optimize network performance.
- · Works with Alexa Control your router using voice commands with Amazon Alexa.

* The EasyMesh™ function is still being developed on some models and will be supported in subsequent software updates ⁶ AX80(EU/JP) will have a new appearance and will be released soor





Archer AX6000

AX6000 Gigabit Wi-Fi 6 Router

((•)) AX6000 **Dual-Band Wi-Fi** 4804 Mbps (5 GHz) + 1148 Mbps (2.4 GHz)

ക

- Multi-Gia Ports 2.5 Gbps WAN + 8×1 Gbps LAN Ports
- Lightning-Fast alle. Media Sharing USB-A 3.0 + USB-C 3.0 Ports



Archer AX80(US)[§]

AX6000 8-Stream Wi-Fi 6 Router



AX6000 Dual-Band Wi-Fi 4804 Mbps (5 GHz) +

1148 (2.4 GHz)



Cutting-Edge Processing 2.0 GHz Quad-Core CPU



Multi-Gig Ports 2.5 Gbps WAN/LAN Port + 1 Gbps WAN/LAN Port +

3×1 Gbps LAN ports



EasyMesh™* Flexibly Create a Mesh Network







Archer AX23 AX1800 Dual-Band Wi-Fi 6 Router

- ((•)) AX1800 Dual-Band Wi-Fi 1201 Mbps (5 GHz) + 574 Mbps (2.4 GHz)
- SSE **Refined Security** WPA3 reinforces encryption
- EasyMesh™* 0 Flexibly Create a Mesh Network



Archer AX20 AX1800 Dual-Band Wi-Fi 6 Router

- AX1800 Dual-Band Wi-Fi ((•)) 1201 Mbps (5 GHz) + 574 Mbps (2.4 GHz)
- Easy Sharing 2 USB 2.0 Port
- EasyMesh™* 0 Flexibly Create a Mesh Network



Archer AX10 AX1500

- Wi-Fi 6 Router
- ((•)) AX1500 Dual-Band Wi-Fi 1201 Mbps (5 GHz) + 300 Mbps (2.4 GHz)
- Powerful Processing 1.5 1.5 GHz Triple-Core CPU
- EasyMesh[™]* 0 Flexibly Create a Mesh Network



Archer C80 AC1900 Dual-Band MU-MIMO Wi-Fi Router

- ((•)) AC1900 Dual-Band Wi-Fi 1300 Mbps (5 GHz) + 600 Mbps (2.4 GHz)
- **Connect More Devices** ٢ 3×3 MU-MIMO
- EasyMesh™* 0 Flexibly Create a Mesh Network
- **Refined Security** WPA3 WPA3 Protocol



Archer A8 AC1900 Dual-Band MU-MIMO Wi-Fi Router

- ((•)) AC1900 Dual-Band Wi-Fi 1300 Mbps (5 GHz) + 600 Mbps (2.4 GHz)
- Connect More Devices 3×3 MU-MIMO
- EasyMesh™* 6 Flexibly Create a Mesh Network
- **Refined Security** WPA3 WPA3 Protocol

- · OFDMA Greatly increases the number of connected devices by assigning channels to more devices simultaneously.
- Gigabit Ports All Gigabit Ethernet ports deliver lightning-fast wired performance.
- · Beamforming Concentrates signals to connected devices and delivers highly efficient wireless connections.
- Smart Connect Automatically assigns each device to the best available band to optimize network performance.
- Works with Alexa Control your router using voice commands with Amazon Alexa.

* The EasyMesh™ function is still being developed on some models and will be supported in subsequent softwa

- Parental Controls Manage when and how connected devices can access the internet.
- · Guest Network Keep your main network secure by creating a separate network for visitors. • Access Point Mode - Transforms a wired network into a wireless one.
- IPTV Supports IGMP Proxy/Snooping, Bridge, and Tag VLAN to optimize IPTV streaming.
- Gigabit Ports All Gigabit Ethernet ports deliver lightning-fast wired performance.
- TP-Link Tether App Provides simplified control and management from your iOS or Android smartphone.





Archer C7/A7

AC1750 Dual-Band Wi-Fi Router



((•)) AC1750 Dual-Band Wi-Fi 1300 Mbps (5 GHz) + 450 Mbps (2.4 GHz)



EasyMesh™* Flexibly Create a Mesh Network



Easy Sharing USB 2.0 Port

* The EasyMesh™ function is still being developed on some models and will be supported in subsequent software updat





Archer C6U AC1200 MU-MIMO Wi-Fi Router

- ((•)) AC1200 Dual-Band Wi-Fi 867 Mbps (5 GHz) + 300 Mbps (2.4 GHz)
- EasyMesh™* 0 Flexibly Create a Mesh Network
- 2 Easy Sharing USB 2.0 Port
- **Refined Security** WPA3 WPA3 reinforces encryption



Archer A6/C6 AC1200 MU-MIMO Wi-Fi Router

- AC1200 Dual-Band Wi-Fi ((•)) 867 Mbps (5 GHz) + 300 Mbps (2.4 GHz)
- **Refined Security** WPA3 WPA3 reinforces encryption
- EasyMesh™* 6 Flexibly Create a Mesh Network



Archer A64/C64 AC1200 MU-MIMO Wi-Fi Router

- AC1200 Dual-Band Wi-Fi ((•)) 867 Mbps (5 GHz) + 400 Mbps (2.4 GHz)
 - EasyMesh™* Flexibly Create a Mesh Network
- WPA3 **Refined Security** WPA3 reinforces encryption

0



Archer C50 / A5 AC1200 Dual-Band Wi-Fi Router

((•)) AC1200 Dual-Band Wi-Fi 867 Mbps (5 GHz) +

300 Mbps (2.4 GHz)

Refined Security WPA3 WPA3 reinforces

encryption

Broad Coverage । 4× High-Performance Antennas



Archer C54 AC1200 Dual-Band Wi-Fi Router

- ((•)) AC1200 Dual-Band Wi-Fi 867 Mbps (5 GHz) + 300 Mbps (2.4 GHz)
- **Refined Security** WPA3 WPA3 Protocol
- 印 3 Modes in 1 Router, Access Point, Range Extender

- · Parental Controls Manage when and how connected devices can access the internet.
- · Guest Network Keep your main network secure by creating a separate network for visitors.
- Access Point Mode Transforms a wired network into a wireless one.
- IPTV Supports IGMP Proxy/Snooping, Bridge, and Tag VLAN to optimize IPTV streaming.
- Gigabit Ports All Gigabit Ethernet ports deliver lightning-fast wired performance.
- TP-Link Tether App Provides simplified control and management from your iOS or Android smartphone.

* The EasyMesh™ function is still being developed on some models and will be supported in subsequent softwar

- · Parental Controls Manage when and how connected devices can access the internet by blocking inappropriate content and restricting time spent online.
- Guest Network Provides separate access for guests while securing your home network.
- IPTV Supports IGMP Proxy/Snooping, Bridge, and Tag VLAN to optimize IPTV streaming.
- TP-Link Tether App Provides simplified control and management from your iOS or Android smartphone.



Archer C20 AC750 Dual-Band

Wi-Fi Router

- ((•)) AC750 Dual-Band Wi-Fi 433 Mbps (5 GHz) + 300 Mbps (2.4 GHz)
- 3 Modes in 1 令 Router, Access Point, Range Extender



Archer C24

AC750 Dual-Band Wi-Fi Router



((•)) AC750 Dual-Band Wi-Fi 433 Mbps (5 GHz) + 300 Mbps (2.4 GHz)



(3 Modes in 1 Router, Access Point, Range Extender

Wi-Fi 4 Routers

(~)

3x3

 \bigcirc



- Parental Controls Manage when and how connected devices can access the internet by blocking inappropriate content and restricting time spent online.
- Guest Network Provides separate access for guests while securing your home network.
- IPTV Supports IGMP Proxy/Snooping, Bridge, and Tag VLAN to optimize IPTV streaming.
- TP-Link Tether App Provides simplified control and management from your iOS or Android smartphone.

Portable Routers



WHICH IS THE RIGHT TP-LINK WI-FI 6E (AX) WIRELESS ROUTER FOR YOU?

| | Quad-Band | | Tri-Band | |
|------------------------|--|--|---|--------------------------|
| | | | | |
| Model | AXE300 | AXE200 Omni | AXE95 | AXE75 |
| Version | 1.0 | 1.0 | 1.0 | 1.0 |
| Wi-Fi Class | AXE16000 | AXE11000 | AXE7800 | AXE5400 |
| Wi-Fi (2.4 GHz) | 1148 Mbps | 1148 Mbps | 574 Mbps | 574 Mbps |
| Wi-Fi (5 GHz) | 4804 Mbps +4804 Mbps | 4084 Mbps | 4084 Mbps | 2402 Mbps |
| Wi-Fi (6 GHz) | 4804 Mbps | 4804 Mbps | 2402 Mbps | 2402 Mbps |
| CPU | 2.0 GHz Quad-Core CPU | 2.0 GHz Quad-Core CPU | 1.7 GHz Quad-Core CPU | 1.7 GHz Quad-Core CPU |
| Antenna | 8× Dual-Band Antennas | 4× Tri-Band Antennas | 8× | 6× |
| Ethernet Ports | 1× 10 Gbps WAN/LA Port + 1× 10 Gbps SFP+/RJ45 Combo LAN Port + 1× 2.5 Gbps WAN/LAN Port + 4× 1 Gbps LAN ports | 1× 10 Gbps WAN/LAN Port + 1× 2.5 Gbps WAN/LAN Port + 4× 1 Gbps LAN ports | 1× 2.5 Gbps WAN/LAN Port + 1× 1 Gbps WAN/LAN Port + 3× 1 Gbps LAN ports | 1× GE WAN + 4× GE LAN |
| USB Port ¹ | USB 3.0 | USB 3.0 | USB 3.0 | USB 3.0 |
| MU-MIMO | 4x4 | 4x4 | 4x4 | |
| OneMesh™ | • | • | • | • |
| EasyMesh ^{™2} | • | • | ٠ | • |
| WPA3 | • | • | • | • |
| Beamforming | • | • | ٠ | • |
| Smart Connect | • | • | • | • |
| Antivirus | Subscription | Subscription | Subscription | Subscription |
| Parental Controls | • | • | • | • |
| QoS | • | • | ٠ | ٠ |
| AP Mode | • | • | • | ٠ |
| Tether App | • | • | • | ٠ |
| Others | Alexa | Alexa | Alexa | Alexa |
| VPN Server | • | • | • | ٠ |
| VPN Client | • | • | • | • |

1. For Storage Sharing, Media Server, and FTP Server.

The FasyMesh[™] fu me models and will be supported in subsequent software update

WHICH IS THE RIGHT TP-LINK WI-FI 6 (AX) WIRELESS ROUTER FOR YOU?

| | | | Tri-Band | | | | Dual-Band | | | | | | Dual-Band | | | | |
|------------------------------|------------------------------|---|--|---|--------------------------|--|------------------------------|--|---------------------------|--------------------------|---|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|
| | | | | | | | | | | | | | | | | | |
| Model | AX11000 | GX90 | AX95 | AX90 | AX75 | AX80(US) | AX6000 | AX72 Pro | AX73 | AX72 | AX55 Pro | AX55 | AX53 | AX50 | AX23 | AX20 | AX10/AX1500 |
| Version | 1.0/2.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0/2.0 | 1.0 | 1.0 / 2.0 | 1.0 | 1.0 | 1.0 / 2.0 | 1.0 | 1.0 | 1.0/1.20 | 2.0/3.0 | 1.0 / 2.0 |
| Wi-Fi Class | AX11000 | AX6600 | AX7800 | AX6600 | AX5400 | AX6000 | AX6000 | AX5400 | AX5400 | AX5400 | AX3000 | AX3000 | AX3000 | AX3000 | AX1800 | AX1800 | AX1500 |
| Wi-Fi (2.4 GHz) | 1148 Mbps | 574 Mbps | 574 Mbps | 574 Mbps | 574 Mbps | 1148 Mbps | 1148 Mbps | 574 Mbps | 574 Mbps | 574 Mbps | 574 Mbps | 574 Mbps | 574Mbps | 574 Mbps | 574 Mbps | 574 Mbps | 300 Mbps |
| Wi-Fi (5 GHz) | 4804 Mbps + 4804 Mbps | 4804 Mbps + 1201 Mbps | 2402 Mbps + 4804 Mbps | 4804 Mbps + 1201 Mbps | 2402 Mbps + 2402 Mbps | 4804 Mbps | 4804 Mbps | 4804 Mbps | 4804 Mbps | 4804 Mbps | 2402 Mbps | 2402 Mbps | 2402Mbps | 2402 Mbps | 1201 Mbps | 1201 Mbps | 1201 Mbps |
| Wi-Fi (6 GHz) | | | | | | | | | | | | | | | | | |
| CPU | 1.8 GHz Quad-Core | 1.5 GHz Quad-Core | 1.7 GHz Quad-Core CPU | 1.5 GHz Quad-Core | 1.7 GHz Quad-Core CPU | 2.0 GHz Quad-Core CPU | 1.8 GHz Quad-Core | 1.0 GHz Dual-Core CPU | 1.5GHz Triple-Core CPU | High Performance CPU | High-Performance CPU | High-Performance CPU | High Performance CPU |
| Antenna | 8× | 8× | 8× | 8× | 6× | 8× | 8× | 6× | 6× | 6× | 4× | 4× | 4× | 4× | 4× | 4× | 4× |
| Ethernet Ports | 1× 2.5 GE WAN + 8× GE LAN | 1× 2.5 GE WAN/ LAN + 1× GE WAN/LAN + 3× GE LAN | 1× 2.5 Gbps WAN/ LAN Port + 1× 1 Gbps WAN/ LAN Port + 3× 1 Gbps LAN ports | 1× 2.5 GE WAN/ LAN + 1× GE WAN/LAN + 3× GE LAN | 1× GE WAN + 4× GE LAN | 1× 2.5 Gbps WAN/ LAN Port + 1× 1 Gbps WAN/ LAN Port + 3× 1 Gbps LAN ports | 1× 2.5 GE WAN + 8× GE LAN | 1× 2.5 Gbps WAN/ LAN Port + 1× 1 Gbps WAN/ LAN Port + 3× 1 Gbps LAN ports | 1× GE WAN + 4× GE LAN | 1× GE WAN + 4× GE LAN | 1× 2.5 Gbps WAN/ LAN Port + 1× 1 Gbps WAN/LAN Port + 3× 1 Gbps LAN ports | 1× GE WAN + 4× GE LAN |
| USB Port ¹ | USB-C 3.0 + USB-A 3.0 | USB 3.0 + USB 2.0 | USB 3.0 | USB 3.0 + USB 2.0 | USB 3.0 | USB 3.0 | USB-C 3.0 + USB-A 3.0 | USB 3.0 | USB 3.0 | USB 3.0 | USB 3.0 | USB 3.0 | | USB 3.0 | | USB 2.0 | |
| MU-MIMO | 4×4 | 4×4 | 4x4 | 4×4 | | 4×4 | 4×4 | 4×4 | 4×4 | 4×4 | | | | | | | |
| OneMesh™ | • | • | • | • | • | • | • | • | • | • | • | • | • | | • | ٠ | • |
| EasyMesh ^{™2} | • | • | • | • | • | • | • | • | • | • | • | • | ٠ | | • | ٠ | • |
| WPA3 | ٠ | • | ٠ | • | • | • | ٠ | • | • | • | ٠ | • | ٠ | | ٠ | ٠ | |
| Beamforming Smart Connect | • | • | • | • | • | • | • | • | • | • | • | • | • | | • | • | • |
| Antivirus | | | Subscription | Subscription | Subscription | Subscription | | Subscription | Subscription | Subscription | Subscription | Subscription | Subscription | | | | |
| Parental Controls | | | • | | | | | | | | | | | | • | • | • |
| QoS | • | • | • | • | • | • | • | • | • | • | • | | • | | • | • | • |
| AP Mode | ۰ | • | • | • | • | • | ٠ | ٠ | • | • | • | • | ۰ | • | ٠ | ٠ | • |
| Tether App | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • |
| Others | Bluetooth 4.1 Alexa | Alexa | Alexa | Alexa | Alexa | Alexa | Bluetooth 4.1 Alexa | Alexa | Alexa | Alexa | Alexa | Alexa | | Alexa | Alexa | Alexa | Alexa |
| VPN Server | ٠ | • | • | • | • | • | • | ٠ | • | • | • | • | ٠ | • | • | ٠ | • |
| VPN Client | ٠ | • | • | • | • | • | • | • | • | • | • | • | ٠ | | • | ٠ | |

For Storage Sharing. Media Server, and FTP Server.
 The EasyMesh™ function is still being developed on some models and will be supported in subsequent software updates.

WHICH IS THE RIGHT TP-LINK WIRELESS ROUTER FOR YOU?

| | Tri-Band | | | | | | Dual-Ban | d | | | | | | Single | -Band | | |
|------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|---------------------------|
| | | Ш | Ш | Ш | Ш | Ш | | | | | | Ш | U | | | | |
| Model | C5400X | C80 | A8 | C7/A7 | C6U | A6/C6 | C64/A64 | C50/A5 | C54/A54 | C20 | C24 | TL-WR940N | TL-WR845N | TL-WR841N | TL-WR840N | TL-WR844N | TL-WR820N |
| Version | 1.0 | 1.0 | 1.0 | 5.0 | 1.0 | 3.0/3.20 | 1.0 | 6.0 | 1.0 | 5.0 | 1.0 | 6.0 | 4.0 | 14.0 | 6.20 | 1.0 | 2.0 |
| Wi-Fi Class | AC5400 | AC1900 | AC1900 | AC1750 | AC1200 | AC1200 | AC1200 | AC1200 | AC1200 | AC750 | AC750 | N450 | N300 | N300 | N300 | N300 | N300 |
| Wi-Fi (2.4G) | 1000 Mbps | 600 Mbps | 600 Mbps | 450 Mbps | 300 Mbps | 450 Mbps | 300 Mbps |
| Wi-Fi (5G) | 2167 Mbps + 2167 Mbps | 1300 Mbps | 1300 Mbps | 1300 Mbps | 867 Mbps | 867 Mbps | 867 Mbps | 867 Mbps | 867 Mbps | 433 Mbps | 433 Mbps | | | | | | |
| Ethernet Ports | 1× GE WAN + 8× GE LAN | 1× GE WAN + 4× GE LAN | 1× FE WAN + 4× FE LAN | 1× FE WAN + 2 × FE LAN |
| USB Port ¹ | 2× USB 3.0 | | | 1× USB 2.0 | 1× USB 2.0 | | | | | | | | | | | | |
| Antenna | 8× | 4× | 3× | З× | 4× | 4× | 4× | 4× | 4× | З× | 4× | З× | З× | 2× | 2× | 2× | 2× |
| Μυ-ΜΙΜΟ | 4×4 | 3×3 | 3×3 | | 2×2 | 2×2 | 2×2 | 2×2 | 2×2 | | | | | | | | |
| Beamforming | • | • | ٠ | | • | ٠ | • | | | | | | | | | | |
| Antivirus | ٠ | | | | | | | | | | | | | | | | |
| OneMesh ™ | | • | • | • | • | • | • | | | | | | | | | | |
| EasyMesh ^{™2} | | ٠ | • | • | • | • | • | | | | | | | | | | |
| WPA3 | • | • | • | | • | • | • | • | • | | | | | | | • | • |
| Tether App | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • |
| Parental Controls | ٠ | ٠ | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • |
| QoS | ٠ | ٠ | • | • | • | • | • | • | • | • | ٠ | • | • | • | • | • | • |
| AP Mode | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • |
| IPTV | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • |
| IPv6 | • Bluetooth Alexa | ٠ | ٠ | • | • | • | • | • | • | • | • | • | • | • | • | • | • |
| Others | NitroQAM™ | | _ | Alexa | Alexa | Alexa | | Multi-Mode |
| Agile Config TR-069 | | • | • | | | • | • | | • | • | ٠ | | | | | • | • |
| 18-069 | | • | ٠ | | | • | • | | | • | | | | | | | |

For Storage Sharing. Media Server, and FTP Server.
 The EasyMesh™ function is still being developed on some models and will be supported in subsequent software updates.

Range **Extenders**

With walls, floors, and extra space, weak signals and dead zones are common in today's homes. The everincreasing number of devices under one roof also requires families to have Wi-Fi networks able to deliver high-speed and stable connections in every room.

TP-Link Wi-Fi Range Extenders help eliminate dead zones by boosting your wireless networks in your home and office. This ensures that your mobile, media, and computer devices are always connected and ready for wireless action.







AX6000 Dual Band Wi-Fi

Boosts overall speeds up to an incredible 6000 Mbps with 8× Wi-Fi streams.



Enjoy a Stable, Seamless Wi-Fi

Create a true seamless mesh network with EasyMesh™. Walk from room to room and stay connected with the fastest possible speeds.



160 MHz Channel Bandwidth

Expands bandwidth to double the network speed of traditional 80 MHz.



Cutting-Edge Wi-Fi 6

The latest Wi-Fi technology makes annoying lag, endless loading, and dead spots a thing of the past. Enjoy the future of faster network loads and more connections.





Higher Speed

Larger Latency Capacity

> Multi-Gigabit Wired Performance

With one 2.5 Gigabit port and two Gigabit ports built-in, RE900XD is more than just a range extender. Simply plug an Ethernet cable into a port to easily turn wired connections into high-speed dualband wireless signals.





Wi-Fi 6E: Higher Efficiency, Greater Capacity

Wi-Fi 6E means Wi-Fi 6 extended to the 6 GHz band, a newly-opened frequency that brings more bandwidth, faster speeds, and lower latency. RE815XE is the first TP-Link 6E range extender, bringing your Wi-Fi to the next level.



Minimized Congestion

The wide-open 6 GHz band is available only for Wi-Fi 6E traffic, avoiding the overcrowding on many Wi-Fi networks.



More Throughput

Allows for 7 additional 160 MHz channels that double bandwidth and throughput, enabling more simultaneous connections with no buffering.



Improved Capacity

Provides up to 1200 MHz additional spectrum, more that doubling the number of pathways and dramatically increasing network capacity.

Uninterrupted Streaming

Create a Mesh network by connecting to a EasyMesh[™] router for seamless whole home coverage.





RE815XE is more than just a range extender. Simply plug an Ethernet cable into its port to easily turn wired connections into high-speed tri-band wireless signals.



Wi-Fi 6 (11ax) Wi-Fi Range Extenders





- Faster Wi-Fi 6 Speed Enjoy a great boost in wireless speeds ideal for streaming, gaming and more.
- Large Capacity Wi-Fi 6 increases the average throughput by 4 times and serves more devices.
- Ultra-Low Latency Greater reduction in latency enables more responsive and smoother online experience.
- AP Mode Supports AP mode to create a new Wi-Fi access point.
- Stronger Wired Connection The Gigabit Ethernet port delivers lightning-fast wired performance.

*EasyMesh™ will be supported in subsequent software updates

RE815X

AX5400 Mesh Wi-Fi 6 Range Extender

AX5400 Tri-Band Wi-Fi (1)

2402 Mbps (5 GHz-1) + 2402 Mbps (5 GHz-2) + 574 Mbps (2.4 GHz)



160 MHz Channel Bandwidth Expands Bandwidth to Double the Network Speed of Traditional 80 MHz



EasyMesh[™]*

Flexibly Create a Mesh Network



Stronger Signals

4× External Antennas



(2.4 GHz)

RE500X

AX1800 Wi-Fi 6 Range Extender

AX1800 Dual-Band Wi-Fi 1201 Mbps (5 GHz) + 574 Mbps

Flexibly Create a Mesh Network



AX1500 Dual-Band Wi-Fi 1201 Mbps (5 GHz) + 300 Mbps

AX1500 Wi-Fi 6 Range Extender

EasyMesh™* Flexibly Create a Mesh Network



((•))

Stable Signals 2× Internal Antennas



RE505X

AX1500 Wi-Fi 6 Range Extender

AX1800 Wi-Fi 6 Range Extender

((•)) AX1800 Dual-Band Wi-Fi 1201 Mbps (5 GHz) + 574 Mbps

Flexibly Create a Mesh Network

2× External Antennas

((•)) AX1500 Dual-Band Wi-Fi 1201 Mbps (5 GHz) + 300 Mbps (2.4 GHz)



EasyMesh™* Flexibly Create a Mesh Network



Stable Signals 2× External Antennas

Wi-Fi 5 (11ac) Wi-Fi Range Extenders



RE650

AC2600 MU-MIMO Wi-Fi Range Extender

((•)) AC2600 Dual-Band Wi-Fi Simultaneous 1733Mbps on 5GHz + 800Mbps on 2.4GHz

RE365

(2.4 GHz)

EasyMesh™*

((•))

 (\cdot)

AC1200 Wi-Fi Range Extender with AC Passthrough

AC1200 Dual-Band Wi-Fi

Flexibly Create a Mesh Network

Integrated Power Socket

No Power Outlet Waste

867 Mbps (5 GHz) + 300 Mbps

EasyMesh[™]* 0 Flexibly Create a Mesh Network

High Efficiency Network 4×4 MU-MIMO

Stronger Signals । 4× External Antennas



RE550 AC1900 Wi-Fi Range Extender

- AC1900 Dual-Band Wi-Fi ((•)) 1300 Mbps (5 GHz) + 600 Mbps (2.4 GHz)
- EasyMesh™* 6 Flexibly Create a Mesh Network
- Stable Signals Ø 3× External Antennas

Ptp-link



RE450 AC1750 Wi-Fi Range Extender

- AC1750 Dual-Band Wi-Fi ((•)) 1300 Mbps (5 GHz) + 450 Mbps (2.4 GHz)
- EasyMesh™* Flexibly Create a Mesh Network

RE305

AC1200 Wi-Fi

Range Extender

Stable Signals ً 3× External Antennas



RE330

AC1200 Wi-Fi

Range Extender



Range Extender



(•) AC1200 Dual-Band Wi-Fi

RE315

AC1200 Wi-Fi

Range Extender

Simultaneous 867Mbps on 5GHz + 300Mbps on 2.4GHz

· Wi-Fi Dead Zone Killer - Keeps your entire home connected with powerful Wi-Fi extensions at top speeds.

- EasyMesh™ Easily Create an Economical Whole-Home Mesh Wi-Fi.
- Smart Signal Indicator Helps find the best location for optimal Wi-Fi coverage by showing signal strength.
- Access Control Flexibly restricts / allows access via Black / Whitelisting.
- · AP Mode Supports AP mode to create a new Wi-Fi access point (excluding RE300).
- · Ultimate Compatibility Extends the range of any Wi-Fi router or wireless access point.
- TP-Link Tether App Provides simplified control and management from your iOS or Android phone.

*FasyMesh™ will be supported in subsequent software updates

RE230 AC750 Wi-Fi Range Extender

RE215 Extender

(•) AC750 Dual-Band Wi-Fi

Simultaneous 433Mbps on 5GHz + 300Mbps on 2.4GHz

- Wi-Fi Dead Zone Killer Keeps your entire home connected with powerful Wi-Fi extensions at top speeds.
- EasyMesh™ Easily Create an Economical Whole-Home Mesh Wi-Fi.
- Smart Signal Indicator Helps find the best location for optimal Wi-Fi coverage by showing signal strength.
- · Access Control Flexibly restricts / allows access via Black / Whitelisting.
- AP Mode Supports AP mode to create a new Wi-Fi access point (excluding RE300).
- · Ultimate Compatibility Extends the range of any Wi-Fi router or wireless access point.
- TP-Link Tether App Provides simplified control and management from your iOS or Android phone.



- · Wi-Fi Dead Zone Killer Keeps your entire home connected with powerful Wi-Fi extensions at top speeds.
- Smart Signal Indicator Helps find the best location for optimal Wi-Fi coverage by showing signal strength. Access Control - Flexibly restricts / allows access via Black / Whitelisting.
- Ultimate Compatibility Extends the range of any Wi-Fi router or wireless access point.
- TP-Link Tether App Provides simplified control and management from your iOS or Android phone.



RE205

AC750 Wi-Fi Range

AC750 Wi-Fi Range Extender



RE200/RE220

AC750 Wi-Fi Range Extender



TL-WA854RE 300 Mbps Wi-Fi

Range Extender



N300 Wi-Fi 300 Mbps Wi-Fi Speed Meets Your Daily Internet Needs



TL-WA850RE

300 Mbps Wi-Fi Range Extender



N300 Wi-Fi

300 Mbps Wi-Fi Speed Meets Your Daily Internet Needs



AP Mode

Supports AP Mode to Create a New Wi-Fi Access Point

WHICH IS THE RIGHT TP-Link RANGE EXTENDER FOR YOU?

| | Tri-E | Band | | | | | Dual- | Band | | | | | | | | | | | | | | | Single | e-Band | |
|-------------------------------------|--|--|--|--|---|---|---|---|---|---|--------------------------------------|--------------------------------------|---|-----------------------------------|-----------------------------------|-----------------------------------|-----------------------------------|----------------------------------|----------------------------------|----------------------------------|----------------------------------|---|-------------------------------------|-------------------------------------|-------------------------------------|
| | | | | dar Area | dar Arrest | 4 | | 4 | A North | 0 1 | | | | den. | | | * | -) | , den | |] | | | 0 | 0 |
| Model | RE815XE | RE815X | RE900XD | RE700X | RE600X | RE500X | RE705X | RE605X | RE505X | RE650 | RE550 | RE450 | RE365 | RE315 | RE305 | RE330 | RE300 | RE230 | RE215 | RE205 | RE200/ RE220 | TL-WA860RE | TL-WA855RE | TL-WA854RE | TL-WA850RE |
| Description | AXE5400 Mesh Wi-Fi 6E Range Extender | AX5400 Mesh Wi-Fi 6 Range Extender | AX6000 Mesh Wi-Fi 6 Range Extender | AX3000 MeshWi-Fi 6 Range Extender | AX1800 Mesh Wi-Fi 6 Range Extender | AX1500 Mesh Wi-Fi 6 Range Extender | AX3000 Mesh Wi-Fi 6 Range Extender | AX1800 Mesh Wi-Fi 6 Range Extender | AX1500 Mesh Wi-Fi 6 Range Extender | AC2600 MU-MIMO Wi-Fi Range Extender | AC1900 Wi-Fi Range Extender | AC1750 Wi-Fi Range Extender | AC1200 Wi-Fi Range Extender with AC Passthrough | AC1200 Wi-Fi Range Extender | AC1200 Wi-Fi Range Extender | AC1200 Wi-Fi Range Extender | AC1200 Wi-Fi Range Extender | AC750 Wi-Fi Range Extender | AC750 Wi-Fi Range Extender | AC750 Wi-Fi Range Extender | AC750 Wi-Fi Range Extender | 300 Mbps Wi-Fi Range Extender with AC Passthrough | 300 Mbps Wi-Fi Range Extender | 300 Mbps Wi-Fi Range Extender | 300 Mbps Wi-Fi Range Extender |
| Wi-Fi Speed (2.4 GHz) | 574 Mbps | 574 Mbps | 1148 Mbps | 574 Mbps | 574 Mbps | 300 Mbps | 574 Mbps | 574 Mbps | 300 Mbps | 800 Mbps | 600 Mbps | 450 Mbps | 300 Mbps | 300 Mbps | 300 Mbps | 300 Mbps | 300 Mbps | 300 Mbps | 300 Mbps | 300 Mbps | 300 Mbps | 300 Mbps | 300 Mbps | 300 Mbps | 300 Mbps |
| Wi-Fi Speed (5 GHz) | 2402 Mbps | 1: 2402 Mbps 2: 2402 Mbps | 4804 Mbps | 2402 Mbps | 1201 Mbps | 1201 Mbps | 2402 Mbps | 1201 Mbps | 1201 Mbps | 1733 Mbps | 1300 Mbps | 1300 Mbps | 867 Mbps | 867 Mbps | 867 Mbps | 867 Mbps | 867 Mbps | 433 Mbps | 433 Mbps | 433 Mbps | 433 Mbps | | | | |
| Wi-Fi Speed (6GHz) | 2402 Mbps | | | | | | | | | | | | | | | | | | | | | | | | |
| Ethernet Ports | 1x Gigabit Ethernet | 1x Gigabit Ethernet | 1x 2.5 Gigabit 2x Gigabit Ethernet | 1× Gigabit Ethernet | 1× Gigabit Ethernet | 1× Gigabit Ethernet | 1× Gigabit Ethernet | 1× Gigabit Ethernet | 1× Gigabit Ethernet | 1× Gigabit Ethernet | 1× Gigabit Ethernet | 1× Gigabit Ethernet | 1× Fast Ethernet | 1× Fast Ethernet | 1× Fast Ethernet | 1× Fast Ethernet | | 1× Fast Ethernet | 1× Fast Ethernet | | 1× Fast Ethernet |
| Antennas | 4x External | 4x External | 4x Internal | 2× Internal | 2× Internal | 2× Internal | 2× External | 2× External | 2× External | 4× Exter- nal | 3× Exter- nal | 3× Exter- nal | 2× External | 2× External | 2× External | 2× Internal | 2× Internal | 2× Internal | 2× External | 2× External | 3× Internal | 2× External | 2× External | 2× Internal | 2× Internal |
| MU-MIMO with Beamforming | • | ٠ | ٠ | • | ٠ | • | • | • | • | • | • | | | | | | | | | | | | | | |
| HE160 | ٠ | ٠ | ٠ | • | | | • | | | | | | | | | | | | | | | | | | |
| OneMesh™ | ٠ | ٠ | ٠ | • | • | • | • | • | • | • | • | • | • | • | • | • | • | | ٠ | ٠ | • | | | | |
| EasyMesh™ | ٠ | ٠ | ٠ | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | ٠ | ٠ | • | | | | |
| APS (Adaptive Path Selection) | ٠ | ٠ | ٠ | • | • | • | • | • | ٠ | • | • | • | • | ٠ | • | • | • | • | ٠ | ٠ | • | | | | |
| Smart Signal Indicator Light | • | ٠ | • | ٠ | ٠ | ٠ | • | • | ٠ | ٠ | ٠ | ٠ | • | ٠ | • | • | ٠ | ٠ | • | ٠ | ٠ | • | ۰ | ۰ | • |
| Tether App | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | ٠ | ٠ | • |
| AP Mode | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | | • | • | • | • | • | • | | • |
| WPS Button | • | • | • | • | • | • | • | • | • | • | • | • | | • | • | • | • | • | • | • | • | • | • | • | • |
| Multi-Language | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • |
| High Speed Mode | | | • | • | ٠ | • | • | • | • | • | • | • | ٠ | • | ٠ | • | ٠ | • | • | • | ٠ | | | | |
| Access Control | ٠ | • | • | • | • | • | ٠ | • | ٠ | • | • | • | • | ٠ | • | • | • | • | • | ٠ | ٠ | • | 0 | 0 | • |

Note:

1. Maximum extended Wi-Fi coverage specification is based on performance test results. Actual Wi-Fi coverage may vary due to particular environment, building material, and wireless interference.

2. The EasyMesh™ function is still being developed on some models and will be supported in subsequent software updates.



Faster G.hn Network

Even with the complexity of interferences in homes today, the latest G.hn powerline maintains higher data transfer rates than last-gen powerline.



True Gigabit Experiences

The PGW2400 KIT's super-fast AX1800 Wi-Fi lets you enjoy stunning 8K video streams without any buffering.



Powerline

With TP-Link's Powerline adapters, there's no need for drilling or wire installation. You can turn your home's electrical wiring into a high-speed network with ease.

Every single adapter acts as a portable LAN port, transmitting the wired and wireless network to any place in your home where there's a power socket, regardless of thick walls and floors.

Simply Plug and Play and enjoy simple network management with our user-friendly tpPLC app, tpPLC Utility, and Web Interface.





Exceptional Multiplayer Performance

Unique G.hn algorithms offer gamers faster and stable internet. Forget about lagging out from your favorite multiplayer games.







PG2400P KIT G.hn2400 Passthrough Powerline Kit *2× PG2400P

- G.hn2400 8K Streaming, Lag-free Gaming
- 2+2 Gigabit Ethernet Ports Create Faster Connections
- Extra Power Socket
 Ensures No Power Outlet Goes to Waste
- Plug and Play Quick Powerline Network Setup



PG1200 KIT G.hn1200 Powerline Kit *2× PG1200

G.hn1200 8K Streaming, Lag-free Gaming

1+1 Gigabit Ethernet Ports Create Faster Connections

Plug and Play Quick Powerline Network Setup



AV1000 Gigabit

HomePlug AV2

Supports All Online

AC1200 Dual-Band

867 Mbps (5GHz) and

300 Mbps (2.4GHz)

Ethernet Ports

Extra Power Socket

Ensures No Power Outlet

1+1 Gigabit

Create Faster

Connections

Goes to Waste

1000 Mbps

Needs

Wi-Fi

ac Wi-Fi Kit

AV2

((•))

ഫ

 (\cdot)

Passthrough Powerline

*TL-WPA7617 + TL-PA7017P



TL-WPA7617 KIT

AV1000 Gigabit Powerline ac Wi-Fi Kit

TL-WPA7517 KIT

*TL-WPA7517 + TL-PA7017

HomePlug AV2 1000 Mbps Supports All Online Needs

AV2

- ((•)) AC1200 Dual-Band Wi-Fi (V2.0) 867 Mbps (5 GHz) and 300 Mbps (2.4 GHz)
- ((•)) AC750 Dual-Band Wi-Fi (V1.0) 433 Mbps (5 GHz) and 300 Mbps (2.4 GHz)

1+1 Gigabit
 Ethernet Ports
 Creates Faster
 Connections

- Plug and Play Set up your powerline network and start enjoying fast, seamless wired/wireless connections in minutes.
 - **OneMesh™** Works with your OneMesh[™] router to form a unified mesh network for seamless streaming while moving around your home.(TL-WPA4226/4220 KIT do not support the OneMesh[™] function)
 - One-Button Security Press the Pair button on each adapter to instantly secure your network.
 - One-Touch Wi-Fi Configuration One press of the Wi-Fi button copies the network name and password from your router. Any setting changes will be automatically applied to the entire Powerline network.
 - Easy Management Gives you easy control of your network through a powerful web interface, the user-friendly tpPLC Utility and the intuitive tpPLC mobile app.

• Faster G.hn Network - Even with the complexity of interferences in homes today, the latest G.hn powerline maintains higher data transfer rates than last-gen powerline.

- Gigabit Ethernet for Reliable Connections Provide warp-speed wired connections for 8K HD streaming, lag-free gaming, and more.
- Plug and Play Set up your powerline network and start enjoying fast wired connections in a minute.
- **Power Saving** Automatically switches to "Power-Saving" mode when not in use, reducing its energy consumption by up to 85%.



TL-WPA4226 KIT AV600 Powerline

Wi-Fi Kit

*TL-WPA4220 + TL-PA4020P

| \sim |
|--------|
| [AV2] |
| ليوبا |
| |

 \bigcirc

Ľш)

 $(\cdot \cdot)$

600 Mbps Ideal for Lag-Free Streaming

HomePlug AV2

N300 Wi-Fi 300 Mbps (2.4 GHz)

- 2+2 Fast Ethernet Ports Provides High-Speed Connections
- Extra Power Socket Ensures No Power Outlet Goes to Waste



TL-WPA4220 KIT AV600 Powerline Wi-Fi Kit

*TL-WPA4220 + TL-PA4010

AV2

HomePlug AV2 600 Mbps Ideal for Lag-Free Streaming

N300 Wi-Fi

300 Mbps (2.4 GHz)



 (\mathbf{A})

1+2 Fast Ethernet Ports

Provides High-Speed Connections

ist, seamless wired/wireless connections in minutes. nesh network for seamless streaming while moving arou



- TL-PA9020P KIT AV2000 2-Port Gigabit Passthrough Powerline Starter Kit *2× TL-PA9020P
- HomePlug AV2 2000 Mbps AV2 Supports All Online Needs
- 2×2 MIMO Technology 2×2 Simultaneous Connections for Numerous Devices
- 2+2 Gigabit Ethernet Ports ഫ Creates Faster Connections



TL-PA8033P KIT AV1300 3-Port Gigabit Passthrough Powerline Starter Kit *TL-PA8010P + TL-PA8030P

- HomePlug AV2 1300 Mbps AV2 Supports All Online Needs
- 2×2 MIMO Technology 2×2 Simultaneous Connections for Numerous Devices
- 1+3 Gigabit Ethernet Ports Creates Faster Connections



TL-PA8030P KIT

AV1300 3-Port Gigabit Passthrough Powerline Starter Kit *2× TL-PA8030P

- HomePlug AV2 1300 Mbps AV2 Supports All Online Needs
- 2×2 MIMO Technology 2×2 Simultaneous Connections for Numerous Devices
 - 3+3 Gigabit Ethernet Ports Creates Faster Connections



TL-PA4022P KIT AV600 2-Port Passthrough **Powerline Starter Kit** *TL-PA4010P + TL-PA4020P

HomePlug AV2 600 Mbps AV2 Ideal for Lag-Free Streaming

1+2 Fast Ethernet Ports 습 Provides High-Speed Connections



TL-PA4020P KIT AV600 2-Port Passthrough **Powerline Starter Kit** *2× TL-PA4020P

HomePlug AV2 600 Mbps AV2 Ideal for Lag-Free Streaming

2+2 Fast Ethernet Ports 血

- Plug and Play Set up your powerline network and start enjoying fast wired connections in minutes.
- One-Button Security Press the Pair button on each adapter to instantly secure your network.
- Extra Power Socket Ensures no power outlet goes to waste.
- Patented Power-Saving Mode Automatically reduces power consumption by up to 85%.



TL-PA8010P KIT AV1300 Gigabit Passthrough **Powerline Starter Kit** *2× TL-PA8010P

HomePlug AV2 1300 Mbps AV2 Supports All Online Needs

- 2×2 MIMO Technology 2×2 Simultaneous Connections for Numerous Devices
- 1+1 Gigabit Ethernet Ports ഫ **Creates Faster Connections**



TL-PA7027P KIT AV1000 2-port Gigabit Passthrough Powerline Starter Kit

HomePlug AV2 1000 Mbps AV2 Supports All Online Needs

*2× TL-PA7027P

2+2 Gigabit Ethernet Ports Creates Faster Connections



TL-PA7017P KIT

AV1000 Gigabit Passthrough **Powerline Starter Kit** *2× TL-PA7017P

- HomePlug AV2 1000 Mbps AV2 Supports All Online Needs
- 1+1 Gigabit Ethernet Ports Creates Faster Connections

HomePlug AV2 Powerline Adapters



TL-PA7017 KIT AV1000 Gigabit Powerline Starter Kit *2× TL-PA7017

HomePlug AV2 1000 Mbps AV2 Supports All Online Needs

1+1 Gigabit Ethernet Ports ഫ

Creates Faster Connections

- Plug and Play Set up your powerline network and start enjoying fast wired connections in minutes.
- · One-Button Security Press the Pair button on each adapter to instantly secure your network.
- Extra Power Socket Ensures no power outlet goes to waste.
- · Patented Power-Saving Mode Automatically reduces power consumption by up to 85%.

- Plug and Play Set up your powerline network and start enjoying fast wired connections in minutes.
- One-Button Security Press the Pair button on each adapter to instantly secure your network.
- Patented Power-Saving Mode Automatically reduces power consumption by up to 85%.



Provides High-Speed Connections



TL-PA4010P KIT AV600 Passthrough **Powerline Starter Kit**

*2× TL-PA4010P



ம்ப்

1+1 Fast Ethernet Ports Provides High-Speed Connections

HomePlug AV2 600 Mbps

Ideal for Lag-Free Streaming



TL-PA4010 KIT

AV600 Powerline Starter Kit *2× TL-PA4010



HomePlug AV2 600 Mbps Ideal for Lag-Free Streaming



1+1 Fast Ethernet Ports Provide High-Speed Connections

WHICH IS THE RIGHT TP-Link POWERLINE FOR YOU?

| | G.hn Powe Wi-Fi Exte | erline nder | | owerline work ender | | HomePlug AV2 Powerline Wi-Fi Extender | | | | | | | | | | | | | HomePlug | AV2 Power | line Netwo | rk Extender | r | | | | |
|-------------------------------------|------------------------------|----------------|--|---------------------------|---|---------------------------------------|-------------------------------------|-------------------------------------|----------------|---------------------|----------------|------------------------|---------------|--|---|--------------------------|--|---|--|--|--|---|--|--|--|--|-----------------------------------|
| | G.hn240 | 0 | | G.hn1200 | AV1300 | | AV | 1000 | | | A | /600 | | | AV2000 | | | AV1300 | | | AV1000 | | | | AV60 | D | |
| | -]- | ŧ | | | 2º | 5 | | 1 | 0 | 2 | | 1 | 1 | | | - | 19 | 2 | 2 | A L | 1935 | No. | in the second se | 200 - To | | and a start | J.X |
| Model | PGW2400 P | KIT | PG2400P KIT | PG1200 KIT | TL-WOA8631P KIT | TL-WPA | 7617 KIT | TL-WPA7 | 7517 KIT | TL-WPA4 | 1226 KIT | TL-WPA4 | 220 KIT | | TL-PA9020P KIT | TL-PA80 | 033P KIT | TL-PA8030P KIT | TL-PA8010P KIT | TL-PA7027P KIT | TL-PA7017P KIT | TL-PA7017 KIT | TL-PA40 | 022P KIT | TL-PA4020P KIT | TL-PA4010P KIT | TL-PA4010 KIT |
| Description | G.hn2400 Pow AX1800 Wi-Fi | 6 Kit | G.hn2400 Passthrough Powerline Kit | G.hn1200 Powerline Kit | AV1300 Gigabit Passthrough Powerline ac Wi-Fi Kit | Gig Powe | 1000 gabit erline i-Fi Kit | AV10 Giga Powe ac Wi- | abit Irline | AV6 Powe Wi-F | erline | AV60 Power Wi-Fi | rline | | AV2000 2-Port Gigabit Passthrough Powerline Starter Kit | 3-Port Passti Powe | 1300 Gigabit hrough erline ter Kit | AV1300 3-Port Gigabit Passthrough Powerline Starter Kit | AV1300 Gigabit Passthrough Powerline Starter Kit | AV1000 2-Port Gigabit Passthrough Powerline Starter Kit | AV1000 Gigabit Passthrough Powerline Starter Kit | AV1000 Gigabit Powerline Starter Kit | 2-F Passth Powe | 600 Port hrough erline ter Kit | AV600 2-Port Passthrough Powerline Starter Kit | AV600 Passthrough Powerline Starter Kit | AV600 Powerline Starter Kit |
| Sub-model | PGW2400 PG | 2400P | 2x PG2400P | 2x PG1200 | TL- TL- WPA8631P PA8010P | TL- WPA7617 | TL- PA7017P | TL- WPA7517 | TL- PA7017 | TL- WPA4220 | TL- PA4020P | TL- WPA4220 | TL- PA4010 | | 2x TL-PA9020P | TL- PA8010P | TL- PA8030P | 2x TL- PA8030P | 2x TL- PA8010P | 2x TL- PA7027P | 2x TL- PA7017P | 2x TL-PA7017 | TL- PA4010P | TL- PA4020P | 2x TL-PA4020P | 2xTL-PA4010P | 2x TL-PA4010 KIT |
| Protocol | G.hn MIM0 | C | G.hn MIMO | G.hn SISO | HomePlug AV2 | HomeP | Plug AV2 | HomePl | ug AV2 | HomePI | lug AV2 | HomePlu | ug AV2 | | HomePlug | AV2 | HomePlug AV2 | HomePlug AV2 | HomePlug AV2 | HomePlug AV2 | HomePlug AV2 | HomePlug AV2 | HomeP | Plug AV2 | HomePlug AV2 | HomePlug AV2 | HomePlug AV2 |
| Speed over Powerline | 2400 Mbp | os | 2400 Mbps | 1200Mbps | 1300 Mbps | 1000 | Mbps | 1000 1 | Mbps | 600 N | Nbps | 600 M | lbps | | 2000Mbps | 1300 | Mbps | 1300 Mbps | 1300 Mbps | 1000 Mbps | 1000 Mbps | 1000 Mbps | 6001 | Mbps | 600 Mbps | 600 Mbps | 600 Mbps |
| Wi-Fi Class | AX1800 | | | | AC1200 | AC1200 | | AC1200 (V2.0) AC750 (V1.0) | | N300 | | N300 | | | | | | | | | | | | | | | |
| Wi-Fi Speed | 1800 Mbps | | | | 1200 Mbps | 1200 Mbps | | 1200 Mbps | | 300 Mbps | | 300 Mbps | | | | | | | | | | | | | | | |
| No. of Ether- net Ports | 1 | 2 | 2+2 | 1+1 | 3 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 1 | | 2+2 | 1 | 3 | 3+3 | 1+1 | 2+2 | 1+1 | 1+1 | 1 | 2 | 2+2 | 1+1 | 1+1 |
| Extra Power Socket | | • | • | | • • | | • | | | | • | | | | • | • | • | • | • | • | • | | • | • | • | • | |
| TP-Link OneMesh™ Technology | • | | | | • | • | | • | | | | | | | | | | | | | | | | | | | |
| One Touch Wi-Fi Configuration | • | | | | • | • | | • | | • | | • | | | | | | | | | | | | | | | |
| Auto-Sync Wi-Fi Settings | • | | | | ٠ | • | | • | | • | | • | | | | | | | | | | | | | | | |
| LED On/Off Button | • | | | | • | • | | • | | | | | | | | | | | | | | | | | | | |
| MU-MIMO | • | | | | • | • | | • | | | | | | | | | | | | | | | | | | | |
| tpPLC App | | | | | • | • | | • | | • | | • | | | | | | | | | | | | | | | |
| Web UI | | • | • | • | • | | • | | | | | | | | | | | | | | | | | | | | |
| tpPLC Utility Power-Saving | • | | • | • | • | | • | • | | | | • | | | • | | • | • | • | • | • | • | | • | • | • | • |
| Mode | | • | • | • | | | | | | | | | | | • | | • | • | • | • | • | • | | • | • | • | • |
| 2x2 MIMO Gigabit | • | | • | | ٠ | | | | | | | | | | • | | • | • | • | | | | | | | | |
| Connection | • | | • | • | ٠ | | • | • | | | | | | | • | | • | • | • | • | • | • | | | | | |
| 4K Video Streaming | • | | ٠ | • | • | | • | • | | | | | | | • | | • | • | • | • | • | • | | | | | |

⁸ The theoretical maximum channel data transfer rate is derived from HomePlug AV2 specifications. Actual data transfer rate will vary from network environment including: distance, network traffic, noise on electrical wires, building material and construction, quality of electrical installation, and other adverse conditions.

3G/4G Routers

Share the freedom of 3G/4G data at home! No need to rely on a Wi-Fi hotspot, just enjoy the flexibility of a wireless connection. Improve the value of your dongle or SIM card with a 3G/4G router. Compatibility with SIM cards in 100+ countries is assured by years of field tests. Simply plug in your SIM card and start using your devices without any configuration. These routers also enable you to share a single 3G/4G connection with multiple friends, family members or colleagues at the same time.



Enioy 4G+ Speed Sharing Everywhere 4G+ Cat6 AC1200 Wireless Dual-Band **Gigabit Router** Archer MR600 77/77/7/17/141 4G+) ((•)) AC1200 LTE-Advanced OneMesh™ Dual-Band Wi-Fi Cat6

4G LTE Routers





Archer MR500

Wireless Dual-Band

4G+ Cat6 AC1200

Archer MR600 4G+ Cat6 AC1200 Wireless Dual-Band **Gigabit Router**

4G LTE-Advanced Cat6 Enjoy Download Speeds of up to 300 Mbps

((•)) AC1200 Dual-Band Wi-Fi 867 Mbps (5 GHz) and 300 Mbps (2.4 GHz)

> **High Efficiency** Network 2×2 MU-MIMO

Capacity ۲ Access for up to 64 Devices Simultaneously

- **Gigabit Router** [46] LTE-Advanced Cat6 Enjoy Download Speeds of up to 300 Mbps
- ((•)) AC1200 Dual-Band Wi-Fi 867 Mbps (5 GHz) and 300 Mbps (2.4 GHz)
 - High Efficiency Network 2×2 MU-MIMO

Capacity (a)Access for up to 64 Devices Simultaneously

- OneMesh[™] Flexibly create a whole home Wi-Fi with truly seamless online experience.
- Plug a SIM Card and Play No configuration needed, compatibility with SIM cards in 100+ countries is assured by years of field tests
- Detachable LTE Antennas Detachable LTE antennas provide high performance and stable cellular network connections.
- Multiple Modes With a fully functional WAN/LAN port, works as a router compatible with cable, fiber, and DSL modems.
- Wi-Fi Router Mode Plugs an Ethernet cable into the LAN/WAN port for flexible access if you can't get a 4G connection.
- 3G/4G Network Support FDD-LTE/TDD-LTE/DC-HSPA+/SPA+/HSPA/UMTS.
- TP-Link Tether App Provides simplified control and management from your iOS or Android smartphone.
- Advanced Software Equipped with various software functions including parental controls and traffic management.





Archer MR400

AC1200 Wireless Dual-Band 4G LTE Router



LTE Cat4 Enjoy Download Speeds of up to 150 Mbps

AC1200 ((•)) Dual-Band Wi-Fi 867 Mbps (5 GHz) and 300 Mbps (2.4 GHz)



High Efficiency Network 2×2 MU-MIMO





Archer MR200

AC750 Wireless Dual-Band 4G LTE Router



LTE Cat4

Enjoy Download Speeds of up to 150 Mbps



((•)) AC750 Dual-Band Wi-Fi 433 Mbps (5 GHz) and 300 Mbps (2.4 GHz)



Capacity Access for up to 64

Devices Simultaneously





TL-MR100 300 Mbps Wireless N 4G LTE Router

| 4G | LTE Cat4 Enjoy Download Speeds of up to 150 Mbps |
|------------|---|
| \bigcirc | N300 Wi-Fi Speed 300 Mbps Wi-Fi for Daily Needs |

Capacity Access for up to 32 Devices Simultaneously

- Plug a SIM Card and Play No configuration needed, compatibility with SIM cards in 100+ countries with years of field tests.
- Detachable LTE Antennas Detachable LTE antennas provide high performance and stable cellular network connections.
- Multiple Modes With a fully functional WAN/LAN port, works as a router compatible with cable, fiber, and DSL modems.
- Wi-Fi Router Mode Plugs an Ethernet cable into the LAN/WAN port for flexible access if you can't get a 4G connection.
- 3G/4G Network Support FDD-LTE/TDD-LTE/DC-HSPA+/SPA+/HSPA/UMTS.
- Easy Setup and Management Enjoy simplified control and management with the free Tether app.

4G LTE Telephony Router



3G/4G Wireless Routers

| | TL-MR3420 | | | | |
|------------|--|--|--|--|--|
| | 3G/4G Wireless N Router | | | | |
| | Desktop Design Designed for Flat Surfaces | | | | |
| | Tether App Supported Easy Usage | | | | |
| Ö j | Works with 3G/4G USB Modems | | | | |

| | TL-MR6500v 300 Mbps Wireless N 4G LTE Telephony Router |
|----|---|
| 4G | LTE Cat4 Enjoy Download Speeds of up to 150 Mbps. |

N300 Wi-Fi Speed \bigcirc 300 Mbps Wi-Fi for Daily Needs.

HD Quality Telephony

Support VoIP | VoLTE | CSFB and 100 Min Storage for Voicemail. <u>_</u>

(念) Qualcomm for Tether App Better Reliability Supported





TL-MR3020 Portable 3G/4G Wireless N Router

| ြ | Multiple Modes 3G/4G Router, WISP Client Router, and AP Modes |
|----|--|
| | Portable Design Small and Light Enough to Take on the Road |
| Ū, | Works with 3G/4G USB Modems |

WHICH IS THE RIGHT TP-Link **3G/4G ROUTER FOR YOU?**

| | 4G LTE Router | | | | | | | 3G/4G Wireless Router | |
|----------------------------|---|---|---|---|---|--|--|---|--|
| | | - | | | | | | | |
| Model | Archer MR600 | Archer MR500 | Archer MR400 | Archer MR200 | TL-MR6400 /TL-MR150 | TL-MR100 | TL-MR6500v | TL-MR3420 | TL-MR3020 |
| Description | 4G+ Cat6 AC1200 Wireless Dual-Band Gigabit Router | 4G+ Cat6 AC1200 Wireless Dual-Band Gigabit Router | AC1200 Wireless Dual-Band 4G LTE Router | AC750 Wireless Dual-Band 4G LTE Router | 300 Mbps Wireless N 4G LTE Router | 300 Mbps Wireless N 4G LTE Router | 300 Mbps Wireless N 4G LTE Router | 3G/4G Wireless N Router | Portable 3G/4G Wireless N Router |
| Wireless Standards | IEEE 802.11a/n/ ac 5 GHz, IEEE 802.11b/g/n 2.4 GHz | IEEE 802.11a/n/ ac 5 GHz, IEEE 802.11b/g/n 2.4 GHz | IEEE 802.11a/n/ ac 5 GHz, IEEE 802.11b/g/n 2.4 GHz | IEEE 802.11a/n/ ac 5 GHz, IEEE 802.11b/g/n 2.4 GHz | IEEE 802.11b/g/n 2.4 GHz | IEEE 802.11b/g/n 2.4 GHz | IEEE 802.11b/g/n 2.4 GHz | IEEE 802.11b/g/n 2.4 GHz | IEEE 802.11b/g/r 2.4 GHz |
| Wi-Fi Speed & Frequency | 300 Mbps 2.4 GHz + 867 Mbps 5 GHz | 300 Mbps 2.4 GHz + 867 Mbps 5 GHz | 300 Mbps 2.4 GHz + 867 Mbps 5 GHz | 300 Mbps 2.4 GHz + 433 Mbps 5 GHz | 300 Mbps 2.4 GHz | 300 Mbps 2.4 GHz | 300 Mbps 2.4 GHz | 300 Mbps 2.4 GHz | 300 Mbps 2.4 GHz |
| LTE Standard | Cat6 300 Mbps Downlink 50 Mbps Uplink | Cat6 300 Mbps Downlink 50 Mbps Uplink | Cat4 150 Mbps Downlink 50 Mbps Uplink | Cat4 150 Mbps Downlink 50 Mbps Uplink | Cat4 150 Mbps Downlink 50 Mbps Uplink | Cat4 150 Mbps Downlink 50 Mbps Uplink | Cat4 150 Mbps Downlink 50 Mbps Uplink | | |
| Wireless Mode | 3G/4G Router, Wi-Fi Router | 3G/4G Router, Wi-Fi Router | 3G/4G Router, Wi-Fi Router | 3G/4G Router, Wi-Fi Router | 3G/4G Router, Wi-Fi Router | 3G/4G Router, Wi-Fi Router | 3G/4G Router, Wi-Fi Router | 3G/4G Router, Wi-Fi Router | 3G/4G Router, Travel Router (AP), WISP Clien Router |
| Ethernet Ports | 1× 10/100/1000 Mbps WAN/LAN 3× 10/100/1000 Mbps LAN | 1× 10/100/1000 Mbps WAN/LAN 3× 10/100/1000 Mbps LAN | 1× 10/100 Mbps WAN/LAN 3× 10/100 Mbps LAN | 1× 10/100 Mbps WAN/LAN 3× 10/100 Mbps LAN | 1× 10/100 Mbps WAN/LAN 3× 10/100 Mbps LAN | 1× 10/100 Mbps WAN/LAN 1× 10/100 Mbps LAN | 1× 10/100 Mbps WAN/LAN 2× 10/100 Mbps LAN 1× Phone Port | 1× 10/100 Mbps WAN 4× 10/100 Mbps LAN | 1× 10/100 Mbps WAN/LAN Port |
| Antennas | 2× Detachable LTE Antennas | 2× Detachable LTE Antennas | 2× Detachable LTE Antennas | 2× Detachable LTE Antennas | 2× Detachable LTE Antennas | 2× Detachable LTE Antennas | 2× Detachable LTE Antennas | 2× External Fixed Antennas(V3/V4) | 2× Internal Antenna |
| Button | WPS Button, Reset Button, Wi-Fi On/Off Button, Power On/Off Button | WPS Button, Reset Button, Wi-Fi On/Off Button, Power On/Off Button | WPS/Reset Button, Wi-Fi On/Off Button | WPS/Reset Button, Wi-Fi On/Off Button | WPS/Reset Button, Wi-Fi On/Off Button | WPS/Reset Button | WPS/Reset Button | WPS/Reset Button, Wi-Fi On/Off Switch, Power On/Off Button | Reset Button, Mode Switch |
| Tether APP | • | • | • | • | • | | • | • | |
| OneMesh™ | • | • | • | • | | | | | |
| MU-MIMO | • | • | • | | | | | | |
| Telephony | | | | | | | • | | |
| Network Support | 4G: FDD-LTE: B1/B3/B5/B7/ B8/B20/B28 (2100/1800/850/ 2600/900/ 800/700 MHz) TDD-LTE: B38/B40/B41 (2600/2300/ 2500 MHz) 3G: DC-HSPA+/ HSPA/ UMTS: B1/B5/B8 (2100/850/ 900 MHz) | 4G: FDD-LTE: B1/B3/B5/B7/ B8/B20/B28 (2100/1800/850/ 2600/900/800/7 00MHz) TDD-LTE: B38/B40/B41 (2600/2300/ 2500 MHz) 3G: DC-HSPA+/ HSPA/UMTS: B1/B5/B8 (2100/850/ 900 MHz) | 4G: FDD-LTE: B1/B3/B7/B8/ B20(2100/1800/ 2600/ 900/800 MHz) TDD-LTE: B38/B39/B40/ B41 (2600/1900/ 2300/2500 MHz) 3G: DC-HSPA+/ HSPA+/ HSPA/UMTS: B1/B8 (2100/900 MHz) | 4G: FDD-LTE: B1/B3/B7/B8/ B20(2100/1800/ 2600/ 900/800 MHz) TDD-LTE: B38/B39/B40/ B41 (2600/1900/ 2300/2500 MHz) 3G: DC-HSPA+/ HSPA+/ HSPA/UMTS: B1/B8 (2100/900 MHz) | 4G: FDD-LTE: B1/B3/B7/B3/ B20(2100/1800/ 2600/ 900/800 MHz) TDD-LTE: B38/B39/B40 B41 (2600/1900/ 2300/2500 MHz) 3G: DC-HSPA+/ HSPA/UMTS: B1/B8 (2100/900 MHz) *APAC Version supports | 4G: FDD-LTE: B1/B3/B5/ B7/B8/B20 (2100/1800/ 850/2600/ 900/800 MHz) TDD-LTE: B38/B40/B41 (2600/2300/ 2500 MHz) 3G: HSPA+/ UMTS: B1/B5/B8 (2100/850/ 900 MHz) | 4G: FDD-LTE: B1/B3/B7/ B8/B20 (2100/1800/ 2600/ 900/800 MHz) TDD-LTE: B38/B40/B41 (2600/2300/ 2500 MHz) 3G: DC-HSPA+/ HSPA/UMTS: B1/B8 (2100/900 MHz) | LTE/HSPA+/ HSPA/ UMTS/EVDO 3G/4G USB modems | LTE/HSPA+/ HSPA/ UMTS/EVDO 3G/4G USB modems |

• Easy Wi-Fi Sharing - Share 3G/4G mobile broadband with wireless speeds of up to 300 Mbps.

DSL Modem Routers

The world moves quicker every day. More homes now have multiple devices requiring strong, steady wireless signals. Luckily, faster internet is just a broadband modem away.

TP-Link's family of DSL modem routers are compatible with the leading DSL service providers to meet all your networking needs. TP-Link offers a wide range of innovative DSL modem routers that allow you to easily access and manage your network through our own app. Moreover, TP-Link's family of DSL modem routers can be used for your advanced landline calls and empower your home entertainment. Featuring a variety of features and rich functionality, they act as the perfect space-saving hub for your home or business network.



Super VDSL - the Future of Internet Access

The Archer VR2100 features Super VDSL (VDSL2 Profile 35b), the latest generation of DSL technology. Downstream is increased by up to 350 Mbps, 3.5× faster than its VDSL2 predecessor. The integrated DSL port also supports all standard DSL connections.





Supports TP-Link OneMesh[™] for Whole-Home Coverage

TP-Link OneMesh products work together to provide a more flexible and cost-effective Mesh network with a single Wi-Fi name for seamless whole-home coverage.



Get in the Fast Lane

AC2100 Wireless MU-MIMO VDSL/ ADSL Modem Router









Higher

Lightning-Fast Efficiency Wired Connections

55K





Enjoy Your Network at Full Speed

The Archer VR2100 makes full use of its dual-band Wi-Fi abilities, reaching speeds of up to 1733 Mbps on 5 GHz band and 300 Mbps on 2.4 GHz band. Enjoy a total speed of up to 2.1 Gbps to eliminate latency and buffering from your HD streams and lag from online games.


A Modem for All Your **Networking Needs**

AC1200 Wireless MU-MIMO VDSL/ADSL Modem Router

((•)) AC1200 VDSL Speedy Wi-F Access up

to 100 Mbps

Archer VR400

MU MU-MIMO for Higher Efficiency

ഫ Full G



Archer VR2100

AC2100 Wireless MU- MIMO VDSL/ADSL Modem Router

- ((•)) AC2100 Dual-Band Wi-Fi 1733 Mbps (5 GHz) and 300 Mbps (2.4 GHz)
- Super VDSL 350 Mbps VDSL Access
- **High-Efficiency Network** 4×4 MU-MIMO
- OneMesh™ å Flexibly Create a Whole-Home Wi-Fi



- Archer VR600 AC2100 Wireless MU- MIMO VDSL/ADSL Modem Router
- AC2100 Dual-BandWi-Fi ((•)) 1733 Mbps (5 GHz) and 300 Mbps (2.4 GHz)
- Super VDSL **H** 350 Mbps VDSL Access
- High-Efficiency Network 4×4 MU-MIMO
- OneMesh™ å Flexibly Create a Whole-Home Wi-Fi



Archer VR400

AC1200 Wireless MU- MIMO VDSL/ADSL Modem Router

AC1200 Dual-Band Wi-Fi ((•)) 867 Mbps (5 GHz) and 300 Mbps (2.4 GHz)

I₩

- High-Speed VDSL Access 100 Mbps VDSL Access
- **High-Efficiency Network** 2×2 MU-MIMO
- ô OneMesh™ Flexibly Create a Whole-Home Wi-Fi
- Superior Coverage High-performance antennas provide maximum omni-directional wireless coverage.
- Compatibility Fully compatible with VDSL2/ADSL2+/ADSL2/ADSL standards.
- · Versatile Connectivity Equipped with DSL and LAN/WAN ports for full compatibility with DSL connections and Fiber/Cable access
- Full Gigabit Ports Provide rapid, reliable wired connections to computers, TVs, and game consoles.
- IPTV Port VLAN binds specific LAN ports to PVCs for an enjoyable IPTV experience.
- · Multi-Function Software Varied software functions such as Parental Controls, QoS, and Guest Network for safety and effectiveness
- TP-Link Tether App Provides simplified control and management from your iOS or Android smartphone.
- Easy Installation Integrated mainstream ISP profiles with the most common provider information built into the Tether and Web UI.
- 6KV Lightning Protection Provides shields against electrical damage caused by thunderstorms. Enjoy your life even in bad weather.







((•)) AC1200 Dual-Band Wi-Fi 867 Mbps (5 GHz) and 300 Mbps (2.4 GHz)

Fast Wired Connections 血 Fast Ethernet Ports

300 Mbps (2.4 GHz) **Fast Wired Connections** டு

(•)

N300 Wi-Fi

TD-W9970

300 Mbps Wireless N USB

VDSL/ADSL Modem Router

• Superior Coverage - High-Performance antennas provide maximum omni-directional wireless coverage.

- Compatibility Fully compatible with VDSL2/ADSL2+/ADSL2/ADSL standards.
- · Versatile Connectivity Equipped with DSL and LAN/WAN ports for full compatibility with DSL connections and Fiber/Cable access.
- TP-Link Tether App Provides simplified control and management from your iOS or Android smartphone.

Telephony VDSL Modem Routers



Archer VR2100v

AC2100 Wireless MU-MIMO VDSL/ ADSL Telephony Modem Router

- ((•)) AC2100 Dual-Band Wi-Fi 1733 Mbps (5 GHz) + 300 Mbps (2.4 GHz)
- **Lightning-Fast Wired Connections** Full Gigabit Ports and USB 3.0
- HD Quality Telephony C 2x Analog Telephone + 300 Min Storage for Voicemail
- · Superior Coverage High-Performance antennas provide maximum omni-directional wireless coverage.
- Compatibility Fully compatible with VDSL2/ADSL2+/ADSL2/ADSL standards.
- Versatile Connectivity Equipped with DSL and LAN/WAN ports for full compatibility with DSL connections and Fiber/Cable access.
- TP-Link Tether App Provides simplified control and management from your iOS or Android smartphone.
- Easy Installation Integrated mainstream ISP profiles with the most common provider information built into the Tether and Web UI.
- 6KV Lightning Protection Provides shields against electrical damage caused by thunderstorms. Enjoy your life even in bad weather.

ADSL Modem Router

TD-W8961N

300 Mbps Wireless N ADSL2+ Modem Router

- · N300 Wi-Fi 300 Mbps wireless speed for multi-user HD video streaming.

- Guest Network WPS



TD-W9960 300 Mbps Wireless N VDSL/ ADSL Modem Router



N300 Wi-Fi 300 Mbps (2.4 GHz)

Fast Ethernet Ports and USB 2.0

<u> </u>

Fast Wired Connections Fast Ethernet Ports





300 Mbps (2.4 GHz)



Fast Wired Connections Fast Ethernet Ports

HD Quality Telephony 6x DECT + 1x Analog Telephone

• Great Coverage - 2× fixed high-performance antennas provide maximum omni-directional wireless coverage. • Compatibility - Fully compatible with ADSL2+/ADSL2/ADSL standards.

WHICH IS THE RIGHT TP-Link DSL MODEM ROUTER FOR YOU?

| | | | VDSL Moo | lem Router | | | Telephony VDS | L Modem Router | ADSL2+ Modem Router |
|-----------------------------------|---|---|---|--|--|--|---|---|---|
| | Щ | Щ | Ц | | | | Щ | | |
| Model | Archer VR2100 | Archer VR600 | Archer VR400 | Archer VR300 | TD-W9970 | TD-W9960 | Archer VR2100v | TD-W9960v | TD-W8961N |
| Description | AC2100 Wireless MU-MIMO VDSL/ADSL Modem Router | AC2100 Wireless MU- MIMO VDSL/ADSL Modem Router | AC1200 Wireless MU-MIMO VDSL/ADSL Modem Router | AC1200 Wireless VDSL/ADSL Modem Router | 300 Mbps Wireless N USB VDSL/ADSL Modem Router | 300 Mbps Wireless N VDSL/ADSL Modem Router | AC2100 Wireless MU-MIMO VDSL/ADSL Telephony Modem Router | 300 Mbps Wireless N VDSL/ADSL Router | 300 Mbps Wireless N ADSL2+ Modem Router |
| Wireless Standards | IEEE 802.11a/b/g/n/ac | IEEE 802.11a/ b/g/n/ac | IEEE 802.11a/b/g/n/ac | IEEE 802.11a/b/g/n/ac | IEEE 802.11b/g/n | IEEE 802.11b/g/n | IEEE 802.11a/ b/g/n/ac | IEEE 802.11b/g/n | IEEE 802.11b/g/n |
| Wi-Fi Speed & Frequency | 300 Mbps 2.4 GHz + 1733 Mbps 5 GHz | 300 Mbps 2.4 GHz + 1733 Mbps 5 GHz | 300 Mbps 2.4 GHz + 867 Mbps 5 GHz | 300 Mbps 2.4 GHz + 867 Mbps GHz | 300 Mbps 2.4 GHz | 300 Mbps 2.4 GHz | 300 Mbps 2.4 GHz + 1733 Mbps 5 GHz | 300 Mbps 2.4 GHz | 300 Mbps 2.4 GHz |
| DSL Standard | Profile 35b Annex A&B Download: 350 Mbps Upload: 60 Mbps | Profile 35b Annex A&B Download: 350 Mbps Upload: 60 Mbps | Profile 17a Annex A&B Download: 100 Mbps Upload: 60 Mbps | Profile 30a Annex A&B Download: 100 Mbps Upload: 100 Mbps | Profile 17a Annex A Download: 100 Mbps Upload : 60 Mbps | Profile 30a Annex A&B Download: 100 Mbps Upload: 100 Mbps | Profile 35b Annex A&B Download: 350 Mbps Upload: 60 Mbps | Profile 30a Annex B Download: 100 Mbps Upload: 60 Mbps | Annex A Download: 24 Mbps Upload : 3.3 Mbps |
| VoIP | | | | | | | • | • | |
| Ethernet Ports | 3x Gigabit LAN 1x Gigabit WAN/LAN | 3x Gigabit LAN 1x Gigabit WAN/LAN | 3x Gigabit LAN 1x Gigabit WAN/LAN | 3x 10/100 Mbps LAN 1x 10/100 Mbps WAN/LAN | 3x 10/100 Mbps LAN 1x 10/100 Mbps WAN/LAN | 3x 10/100 Mbps LAN 1x 10/100 Mbps WAN/LAN | 3x Gigabit LAN 1x Gigabit WAN/LAN | 3x 10/100 Mbps LAN 1x 10/100 Mbps WAN/LAN | 4x 10/100 Mbps LAN |
| USB Ports | 1x USB 3.0 | 1x USB 3.0 | 1x USB 2.0 | | 1x USB 2.0 | | 1x USB 3.0 | | |
| Antennas | 3x Detachable | 3x Detachable | 2x Fixed | 4x Fixed | 2x Fixed | 2x Fixed | 3x Detachable | 2x Fixed | 2x Fixed |
| MU-MIMO | • | • | • | | | | • | | |
| QoS/Band- width Control | • | • | • | • | | • | | • | |
| Parental Controls | ٠ | ٠ | • | • | ٠ | • | • | • | ٠ |
| Tether App | ٠ | ٠ | ٠ | ۰ | ٠ | ٠ | • | ٠ | |
| WPS | ٠ | • | ٠ | ٠ | • | • | • | • | |
| 6000 V Lightning Protection | • | • | • | • | ٠ | | • | • | |
| OneMesh™ | • | • | • | | | | • | | |
| Agile Config | • | • | ٠ | • | • | • | • | • | |
| TR-069 | • | • | • | • | • | • | • | • | • |

Adapters

Turn wired into wireless with our impressive range of Wi-Fi Adapters. Designed to easily upgrade your computer or laptop, our adapters put the fun in innovation. Install, connect, enjoy.





Stay Fast with Wi-Fi 6, **Even in a Crowded Network**

AX1800 High Gain Wireless USB Adapter

Archer TX20UH

Upgrade Your Desktop with Super-Fast Wi-Fi 6

AX1800 Dual Antennas High Gain Wireless USB Adapter

SuperSpeed

USB 3.0

WPA3

Refined WPA3

Security



Lower Latency, Higher Efficiency, and Less Congestion

With cutting-edge Wi-Fi 6 technology, enjoy extreme speeds, lower latency, and improved connections. OFDMA creates separate channel segments for devices to communicate while MU-MIMO allows multiple clients to simultaneously receive data. A combination of OFDMA and MU-MIMO technologies ensures the most efficient Wi-Fi connection for your PC.





AX1800 Dual-Band Wi-Fi

Archer TX20UH upgrades your PC or laptop to enjoy faster connections. Supporting dual-band Wi-Fi, use the 5 GHz band for lag-free gaming and HD streaming, and the 2.4 GHz band for video calls and browsing online.



High-Gain Antennas with Beamforming

Two advanced high-gain antennas combine with Beamforming technology to create a stable Wi-Fi network across your home for an ideal surfing experience, even when your clients are far away,



 \bigcirc

Ultra-Fast

Wi-Fi 6 Speed

Archer TX20U Plus AX1800 Dual Antennas High Gain Wireless USB Adapter

AX1800 Dual-Band Wi-Fi ((•)) 1201 Mbps (5 GHz) and 574 Mbps (2.4 GHz)

((•))

AX1800

Dual-Band

Wi-Fi

- Superior Coverage \bigcirc 2× External High-Gain Antennas with Beamforming
- Gameplay with Lower Latency ()OFDMA and MU-MIMO Supported
- WPA3 **Refined Security** The Latest WPA3 Encryption

Archer T9UH

AC1900 High-Gain Wireless **Dual-Band USB Adapter**

AC1900 Dual-Band Wi-Fi ((•)) 1300 Mbps (5 GHz) and 600 Mbps

(2.4 GHz) \bigcirc Superior Coverage 4× High-Gain Antennas with Beamforming

Archer T4U

AC1300 High-Gain Wireless MU-MIMO USB Adapter

AC1300 Dual-Band Wi-Fi ((•)) 867 Mbps (5 GHz) and 400 Mbps (2.4 GHz)

 \bigcirc Superior Coverage 2× High-Gain Antennas with Beamforming

High-Efficiency Network 2×2 MU-MIMO

- Supporting System TX20U Plus, TX20UH: Windows 11/10. - T9UH, T4U, T4U Plus: Windows 11/10/8.1/8/7, macOS 10.15 and earlier.
- Easy Installation Upgrade your desktop system easily via USB.





Archer TX20UH

AX1800 High Gain Wireless **USB** Adapter

- AX1800 Dual-Band Wi-Fi ((•)) 1201 Mbps (5 GHz) and 574 Mbps (2.4 GHz)
- Superior Coverage \bigcirc 2× High-Gain Antennas with Beamforming
- Gameplay with Lower Latency ()OFDMA and MU-MIMO Supported
 - **Refined Security** The Latest WPA3 Encryption



Archer T4U Plus

AC1300 High-Gain Wireless USB Adapter

WPA3

((•))

AC1300 Dual-Band Wi-Fi 867 Mbps (5 GHz) and 400 Mbps (2.4 GHz)



Superior Coverage 2× High-Gain Antennas with Beamforming

High-Efficiency Network 2×2 MU-MIMO

• Ultra-Fast Transfer Speeds - Experience blazing-fast data transfers with USB 3.0 — the latest USB connectivity standard.



73 | Adapters

• Supporting System - Windows 11/10/8.1/8/7, macOS 10.15 and earlier.

• Easy Installation - Upgrade your desktop system easily via USB connector.

• Supporting System - Windows 11/10/8.1/8/7, macOS 10.15 and earlier. · Easy Installation - Upgrade your desktop system easily via USB connector.

Brand-New Full Desktop Wi-Fi 6E Upgrade

AXE5400 Wi-Fi 6E Bluetooth 5.2 PCle Adapter

Archer TXE75E

Immersive Gaming

Archer TXE75E arms your PC with the newest Wi-Fi 6E technology supporting the 6 GHz band, unleashing the full potential of your Wi-Fi 6E router.

2402 Mbps 2402 Mbps 2.4 GHZ 574 Mbps



The brand-new 6 GHz band is wide enough for 7 extra 160 MHz channels. Exclusive to Wi-Fi 6E devices, 6 GHz prevents drops in speed and interference from legacy devices.



Refined Security

The latest Wi-Fi security protocol, WPA3, brings new capabilities to improve cybersecurity. More secure encryption in Wi-Fi password safety and enhanced protection against brute-force attacks combine to safeguard your home Wi-Fi.

Bluetooth 5.2

TXE75E equips your PC with the more advanced Bluetooth 5.2 that achieves faster speed and broader coverage than older versions to perfectly coordinate with your game controllers, headphones, keyboards, and other Bluetooth devices



Maximized Coverage

Two multi-directional and high-performance antennas with a magnetized base extends your existing Wi-Fi reception capabilities, allowing you to stream anywhere and anytime. Place the magnetized antenna base anywhere on your desktop to find the optimal location for signal reception.

to the next level.

Superior Wi-Fi Reception

Equipped with 1024-QAM and MU-MIMO

technology, Archer TXE75E delivers faster and

clearer Wi-Fi to take your PC's Wi-Fi reception





Archer TXE72E

AXE5400 Wi-Fi 6E

Bluetooth 5.2 PCIe

AXE5400 Tri-Band

2402 Mbps (6 GHz) +

2402 Mbps (5 GHz) +

574 Mbps (2.4 GHz)

Sounds Great

Archer T6E

Band PCI Express

((•)) AC1300 Dual-Band

867 Mbps (5 GHz) and

Superior Coverage

2× High-Gain Antennas

with Beamforming

400 Mbps (2.4 GHz)

Adapter

Wi-Fi

Q

AC1300 Wireless Dual-

Superior Coverage

Adapter

Wi-Fi

Archer TXE75E

AXE5400 Wi-Fi 6E Bluetooth 5.2 PCIe Adapter



2402 Mbps (5 GHz) + 574 Mbps (2.4 GHz)

 \bigcirc Superior Coverage 2× High-Gain Antennas with Magnetized Antenna Base

2× High-Gain Antennas Bluetooth 5.2 * Faster, More Flexible, and

((•))

Bluetooth 5.2 * Faster, More Flexible, and Sounds Great



Archer TX50E AX3000 Wi-Fi 6 Bluetooth 5.2 PCle Adapter

AX3000 Dual-Band ((•)) Wi-Fi 2402 Mbps (5 GHz) + 574 Mbps (2.4 GHz)

Superior Coverage Ô 2× High-Gain Antennas

> Bluetooth 5.2 Faster, More Flexible, and Sounds Great

*





Archer T2E AC600 Wireless Dual-Band PCI Express Adapter

AC600 Dual-Band ((•)) Wi-Fi 433 Mbps (5 GHz) and

200 Mbps (2.4 GHz)

N300 Wi-Fi \bigcirc 300 Mbps (2.4 GHz)

TL-WN881ND

300 Mbps Wireless N

PCI Express Adapter

- Easy Installation Upgrade your desktop system easily by plugging the adapter into an available PCI-E slot.
- Supporting System TXE75E, TXE72E, TX3000E, TX55E, TX50E: Windows 11/10.
 - T6E, T5E, T4E, T2E, TL-WN881ND, TL-WN781ND: Windows 11/10/8.1/8/7
- Low-Profile and Full-Height Brackets In addition to the full-height bracket, a low-profile bracket is also provided for mini tower computer cases.



Archer TX3000E

AX3000 Wi-Fi 6 Bluetooth 5.2 PCIe Adapter

((•))

AX3000 Dual-Band Wi-Fi 2402 Mbps (5 GHz) + 574 Mbps (2.4 GHz)

 \bigcirc

⊁

Superior Coverage 2× High-Gain Antennas with Magnetized Antenna Base

Bluetooth 5.2 Faster, More Flexible, and Sounds Great



Archer T5E AC1200 Wi-Fi Bluetooth 4.2 PCIe Adapter

- AC1200 Dual-Band ((•)) Wi-Fi 867 Mbps (5 GHz) and 300 Mbps (2.4 GHz)
- Superior Coverage Q 2× High-Gain Antennas

Bluetooth 4.2 Low Latency and Stable Connection



TL-WN781ND

150 Mbps Wireless N PCI Express Adapter

 \frown

⊁

N150 Wi-Fi 150 Mbps (2.4 GHz)





Archer TX55E

AX3000 Wi-Fi 6 Bluetooth 5.2 PCIe Adapter

((•))

AX3000 Dual-Band Wi-Fi 2402 Mbps (5 GHz) + 574 Mbps (2.4 GHz)

 \bigcirc Superior Coverage

*

2× High-Gain Antennas





Archer T4E AC1200 Wireless Dual-Band PCI Express Adapter

AC1200 Dual-Band ((•)) Wi-Fi

867 Mbps (5 GHz) and 300 Mbps (2.4 GHz)



Superior Coverage 2× High-Gain Antennas with Beamforming

PCI Express Wireless Adapters

Ethernet Network Adapters

Arm Your PC with the Latest 10G Speeds

PCle 3.0 Slot to 10 Gigabit Ethernet Network Adapter



> Play Never Ends with 10G

With 10 Gbps internet access, your gaming will be fully optimized with a large boost in speed, latency, and responsiveness.



PCIe 3.0 Slot to 10 Gigabit Ethernet Network Adapter

10 Gbps Networking \bigcirc Supports 10/5/2.5/1 Gbps and 100 Mbps Network





 \bigcirc

- Supporting System Windows and Linux(TX401, TX201), Windows(TG-3468)
- Low-Profile and Full-Height Brackets In addition to the full-height bracket, a low-profile bracket is also provided for mini tower computer cases.

| | and the second s | | |
|-------------------|--|-----|--|
| | UE330 USB 3.0 3-Port Hub & Gigabit Ethernet Adapter | | UE306 USB 3.0 to Gigabit Ethernet Adapter |
| 55 ⁹⁶⁶ | USB 3.0 port | SSA | USB 3.0 port |
| ۵ | Gigabit Ethernet Port | ۵ | Gigabit Ethernet Port |
| ŕ | Great Compatibility Supports Windows 11/10/8.1/8/7, macOS, Linux OS and Chrome OS | Ê | Great Compatibility Supports Nintedo Switch, Windows 11/10/8.1/8/7, Linux and macOS |
| J | Plug and Play Supports Windows 11/10/8.1/8, macOS, Linux OS and Chrome OS. | - | Plug and Play Supports Nintendo Switch,Windows 11/10/8.1, and Linux OS. |

• Stronger Gigabit Wired Connection - Equipped with a gigabit Ethernet port to provide network speeds up to 1000 Mbps. • Supports Hot Plugging - Has no influence on your system working when you plug it in or not.

Ê



Bluetooth 5.0 Nano USB Adapter

Bluetooth 4.0 Nano **USB** Adapter

20

USB 3.0 Type-C to Gigabit **Ethernet Network Adapter**





UE200



UE300C



UE300 USB 3.0 to Gigabit

Ethernet Adapter



USB 3.0 port



Gigabit Ethernet Port



Great Compatibility Supports Windows 11/10/8.1/8/7, macOS, Linux OS and Chrome OS



Plug and Play Supports Windows 11/10/8.1/8, macOS.

Linux OS and Chrome OS.

2 盀



Great Compatibility Supports Windows

100 Mbps Ethernet

USB 2.0 to 10/100 Mbps

Fast Ethernet Adapter

USB 3.0 port

Port

11/10/8.1/8/7, macOS, Linux OS and Chrome OS



Plug and Play

Supports Windows 11/10/8.1/8/7. macOS. Linux OS and Chrome OS.



Nano Size Compact design allows you to plug it in and forget it's there

Operating System UB400 - Windows 11/10/8.1/8/7 UB500 - Windows 11/10/8.1/7

WHICH IS THE RIGHT TP-Link ADAPTER FOR YOU ?

| | | | | Wire | less USB Ada | apters | | | | | | | | | | | | | |
|----------------------------|---|---|---|---|---|---|---|--|--|---|---|--|--|---------------------------------------|--|--|--|--|---------------------------------------|
| | 4 | ┛ | La | ∦ | / | J | P | J | e e e e e e e e e e e e e e e e e e e | - | | •• | V | 14 | | P = = = | | | lo- |
| Model | Archer TX20UH | Archer TX20U Plus | Archer T9UH | Archer T4U Plus | Archer T4U | Archer T3U Plus | Archer T3U | Archer T2U Plus/ Archer T600U Plus | Archer T2U | Archer T2UB Nano | Archer T3U Nano | Archer T2U Nano/ Archer T600U Nano | TL-WN8200ND | TL-WN821N | TL-WN822N | TL-WN823N | TL-WN722N | TL-WN725N | TL-WN727N |
| Description | AX1800 High Gain Wireless USB Adapter | AX1800 Dual Antennas High Gain Wireless USB Adapter | AC1900 High Gain Wireless Dual-Band USB Adapter | AC1300 Dual Antennas High Gain Wireless USB Adapter | AC1300 High Gain Wireless MU-MIMO USB Adapter | AC1300 High Gain Wireless Dual-Band USB Adapter | AC1300 Mini Wireless MU-MIMO USB Adapter | AC600 High Gain Wireless Dual-Band USB Adapter | AC600 Wireless Dual-Band USB Adapter | AC600 Nano Wi-Fi Bluetooth 4.2 USB Adapter | AC1300 Nano Wireless MU-MIMO USB Adapter | AC600 Wireless Nano USB Adapter | 300 Mbps High Power Wireless USB Adapter | 300 Mbps Wireless N USB Adapter | 300 Mbps High Gain Wireless USB Adapter | 300 Mbps Mini Wireless N USB Adapter | 150 Mbps High Gain Wireless USB Adapter | 150 Mbps Wireless N Nano USB Adapter | 150 Mbps Wireless N USB Adapter |
| Wireless Standards | IEEE802.11 a/b/g/n/ac/ax | IEEE802.11 a/b/g/n/ac/ax | IEEE802.11 a/b/g/n/ac | IEEE802.11 a/b/g/n/ac | IEEE802.11 a/b/g/n/ac | IEEE802.11 a/b/g/n/ac | IEEE802.11 a/b/g/n/ac | IEEE802.11 a/b/g/n/ac | IEEE802.11 a/b/g/n/ac | IEEE802.11 a/b/g/n/ac | IEEE802.11 a/b/g/n/ac | IEEE802.11 a/b/g/n/ac | IEEE802.11 b/g/n | IEEE802.11 b/g/n | IEEE802.11 b/g/n | IEEE802.11 b/g/n | IEEE802.11 b/g/n | IEEE802.11 b/g/n | IEEE802.11 b/g/n |
| Wi-Fi Speed & Frequency | 1201 Mbps on 5 GHz 574 Mbps on 2.4 GHz | 1201 Mbps on 5 GHz 574 Mbps on 2.4 GHz | 600 Mbps on 2.4 GHz 1300 Mbps on 5 GHz | 400 Mbps on 2.4 GHz 867 Mbps on 5 GHz | 400 Mbps on 2.4 GHz 867 Mbps on 5 GHz | 400 Mbps on 2.4 GHz 867 Mbps on 5 GHz | 400 Mbps on 2.4 GHz 867 Mbps on 5 GHz | 200 Mbps on 2.4 GHz 433 Mbps on 5 GHz | 200 Mbps on 2.4 GHz 433 Mbps on 5 GHz | 200 Mbps on 2.4 GHz 433 Mbps on 5 GHz | 400 Mbps on 2.4 GHz 867 Mbps on 5 GHz | 200 Mbps on 2.4 GHz 433 Mbps on 5 GHz | 300 Mbps on 2.4 GHz | 300 Mbps on 2.4 GHz | 300 Mbps on 2.4 GHz | 300 Mbps on 2.4 GHz | 150 Mbps on 2.4 GHz | 150 Mbps on 2.4 GHz | 150 Mbps on 2.4 GHz |
| USB Port | USB 3.0 | USB 3.0 | USB 3.0 | USB 3.0 | USB 3.0 | USB 3.0 | USB 3.0 | USB 2.0 | USB 2.0 | USB 2.0 | USB 2.0 | USB 2.0 | Micro USB 2.0 | USB 2.0 | Micro USB 2.0 | USB 2.0 | USB 2.0 | USB 2.0 | USB 2.0 |
| High-Gain Antenna | ٠ | ٠ | ۰ | • | ٥ | | | • | | | | | | | | • | • | | |
| Cable Included | 1 m USB Cable | 1 m USB Cable | 1.2 m USB Cable | 1 m USB Cable | | | | | | | | | 1.5 m USB Cable | 1 m USB Cable | 1.5 m USB Cable | | 1 m USB Cable | | 1 m USB Cable |
| Μυ-ΜΙΜΟ | | • | | | ٠ | | • | | | | | | | | | | | | |
| Beamforming | | • | • | | • | | | | | | | | | | | | | | |
| WPS | | | | | | | | | | | | | | • | | • | • | | • |
| Bluetooth | | | | | | | | | | 4.2 | | | | | | | | | |
| Support Windows | • | • | • | | | | • | • | • | • | • | • | • | | • | • | ٠ | ٠ | • |
| Support macOS | | | ٠ | • | ٠ | • | • | | • | | | • | • | • | • | • | • | • | • |
| Support Linux | | | | | | | | • | • | | | | | | | • | • | • | |

WHICH IS THE RIGHT TP-Link ADAPTER FOR YOU ?

| | | | | | Wireless I | PCI Express Adapt | ers | | | | | Wire Express | d PCI Adapter | |
|----------------------------|--|--|---|---|---|---|--|---|--|---|---|------------------------------------|-------------------------------------|--|
| | | ¥ | | V | Ļ | | | 4 | 4 | K. | 4 | A | - | han |
| Model | Archer TXE75E | Archer TXE72E | Archer TX3000E | Archer TX55E | Archer TX50E | Archer T6E | Archer T5E | Archer T4E | Archer T2E | TL-WN881ND | TL-WN781ND | TX401 | TX201 | TG-3468 |
| Description | AXE5400 Wi-Fi 6E Bluetooth 5.2 PCle Adapter | AXE5400 Wi-Fi 6E Bluetooth 5.2 PCle Adapter | AX3000 Wi-Fi 6 Bluetooth 5.2 PCle Adapter | AX3000 Wi-Fi 6 Bluetooth 5.2 PCle Adapter | AX3000 Wi-Fi 6 Bluetooth 5.2 PCle Adapter | AC1300 Wireless Dual-Band PCI Express Adapter | AC1200 Wi-Fi Bluetooth 4.2 PCle Adapter | AC1200 Wireless Dual-Band PCI Express Adapter | AC600 Wireless Dual-Band PCI Express Adapter | 300 Mbps Wireless N PCI Express Adapter | 150 Mbps Wireless N PCI Express Adapter | 10 Gigabit PCIe Network Adapter | 2.5 Gigabit PCle Network Adapter | Gigabit PCI Express Network Adapter |
| Wireless Standards | IEEE802.11 a/b/g/n/ac/ax | IEEE802.11 a/b/g/n/ac/ax | IEEE802.11 a/b/g/n/ac/ax | IEEE802.11 a/b/g/n/ac/ax | IEEE802.11 a/b/g/n/ac/ax | IEEE802.11 a/b/g/n/ac | IEEE802.11 a/b/g/n/ac | IEEE802.11 a/b/g/n/ac | IEEE802.11 a/b/g/n/ac | IEEE802.11 b/g/n | IEEE802.11 b/g/n | | | |
| Wi-Fi Speed & Frequency | 2402 Mbps on 6 GHz 2402 Mbps on 5 GHz 574 Mbps on 2.4 GHz | 2402 Mbps on 6 GHz 2402 Mbps on 5 GHz 574 Mbps on 2.4 GHz | 2402 Mbps on 5 GHz 574 Mbps on 2.4 GHz | 2402 Mbps on 5 GHz 574 Mbps on 2.4 GHz | 2402 Mbps on 5 GHz 574 Mbps on 2.4 GHz | 400 Mbps on 2.4 GHz 867 Mbps on 5 GHz | 867 Mbps on 5 GHz 300 Mbps on 2.4 GHz | 300 Mbps on 2.4 GHz 867 Mbps on 5 GHz | 200 Mbps on 2.4 GHz 433 Mbps on 5 GHz | 300 Mbps on 2.4 GHz | 150 Mbps on 2.4 GHz | | | |
| USB Port | ٠ | ٠ | ٠ | • | ٠ | | | | | | | | | |
| High-Gain Antenna | • | ٠ | • | • | • | | • | ٠ | • | • | ٠ | | | |
| Cable Included | 1 m USB Cable | | 1 m USB Cable | | | | | | | | | 1.5 m CAT6A Ethernet Cable | | |
| MU-MIMO | • | • | • | • | • | | | | | | | | | |
| Beamforming | ٠ | ø | | | | • | | • | | | | | | |
| Wake-on-LAN | | | | | | | | | | | | | • | |
| Bluetooth | 5.2 | 5.2 | 5.2 | 5.2 | 5.2 | | 4.2 | | | | | | | |
| Support Windows | • | ٠ | • | • | • | • | | • | • | • | ٠ | ٠ | • | ٠ |
| Support macOS | | | | | | | | | | | | | | |
| Support Linux | | | | | | | | | | • | | | • | |

Mobile Wi-Fi

Share the freedom of 3G/4G on the go! With this convenient companion, you can share your Wi-Fi with your friends everywhere, especially when you are traveling. Multiple wireless devices like tablets, laptops, and mobile phones can access this Wi-Fi connection at the same time. No longer be afraid of draining your phone's battery to open a hotspot.



Enioy the Freedom of Faster Speed

LTE-Advanced Moblie Wi-Fi

Do More with a Faster Mobile Connection of up to 300 Mbps

The M7450 supports the 4G LTE network LTE-A Cat.6, which is uses Carrier Aggregation. This advanced technology merges the fragmented LTE band into a "virtual" wider band to increase the data rate to provide fast 4G speeds of up to 300 Mbps.

Power to Keep Working All Day Long for ~15 Hours

M7450 is equipped with a powerful 3000 mAh battery. On its own, it can work effortlessly up to 15 hours at full capacity and stand by for over 900 hours.





Advanced Screen & Menu for Easy Usage

The screen displays information of battery life, signal strength, Wi-Fi status, connected users, and more.







Supports Multi-Bands

Increase compatibility by adding B5 and B28 bands. *Version 1 is not supported.



WHICH IS THE RIGHT TP-Link MOBILE WI-FI FOR YOU?

| | ROI | | | |
|--------------------|---|--|--|--|
| Model | M7650 | M7450 | | |
| Description | 600 Mbps LTE-Advanced Mobile Wi-Fi | 300 Mbps LTE-Advanced Mobile Wi-Fi | | |
| Wireless Standards | 802.11ac/a/b/g/n | 802.11ac/a/b/g/n | | |
| Speed & Frequency | 300 Mbps 2.4 GHz or 867 Mbps 5 GHz | 300 Mbps 2.4 GHz or 867 Mbps 5 GHz | | |
| Standard | Cat11 | Cat6 | | |
| Battery | 3000 mAh 15 hours | 3000 mAh 15 hours | | |
| Concurrent Devices | 32 | 32 | | |
| Built-in Screen | | • | | |
| Storage | 32 GB | 32 GB | | |
| tpMiFi | | | | |
| Network Support | 4G (FDD-LTE/TDD-LTE): B1/B3/B7/B8/B20/B38/B40/B41 3G (DC-HSPA+/HSPA/UMTS): B1/B8 2G (EDGE/GPRS/GSM) : 850/900/1800/1900MHz | 4G (FDD-LTE/TDD-LTE): B1/B3/B7/B8/B20/B38/B40/B41 3G (DC-HSPA+/HSPA/UMTS): B1/B8 2G (EDGE/GPRS/GSM) : 850/900/1800/1900MHz * Only V1.0 supports 2G network * V2.0 supports B5/B28 | | |



600 Mbps LTE-Advanced Mobile Wi-Fi

M7650

- LTE-Advanced Cat11 Up to 600 Mbps for downloads and 50 Mbps for uploads with Qualcomm chipset 256-QAM technology.
- AC1200 Selectable Dual-Band Wi-Fi Two separate Wi-Fi bands combine for speeds of up to 1167 Mbps: 300 Mbps (2.4 GHz) and 867 Mbps (5 GHz).
- Battery 3000 mAh battery provides up to 15 hours of service.
- Easy Wi-Fi Sharing Share Wi-Fi with up to 32 devices simultaneously.
- Storage microSD card slot for up to 32GB of storage space.
- The TP-Link tpMiFi App Provides simplified control and management from your iOS or Android smartphone.
- Network Support Supports 4G (FDD-LTE/TDD-LTE), 3G (DC-HSPA+/HSPA/UMTS), and 2G (EDGE/ GPRS/GSM) network.









M7350 4G LTE Mobile Wi-Fi

Shows Real-Time Data Transfer and Electricity Usage.

SD Card Sharing Share Profiles on the SD Card to Anyone Linked to the Network

M7200 4G LTE Mobile Wi-Fi

Bh 8 Hours Working Time 2000 mAh Battery



Supports Multi-Band Increase Compatibility by Adding B5 FDD Band

+ 4G LTE Cat4 Speeds - Up to 150 Mbps for downloads and 50 Mbps for uploads.

- Easy Wi-Fi Sharing Share Wi-Fi with up to 10 devices simultaneously.
- Battery 2000 mAh battery provides up to 8 hours of service.
- The TP-Link tpMiFi App Provides simplified control and management from your iOS or Android smartphone.

Mobile Wi-Fi

| M7350 | M7200 | M7000 |
|---|--|---|
| 4G LTE Mobile Wi-Fi | 4G LTE Mobile Wi-Fi | 4G LTE Mobile Wi-Fi |
| 802.11b/g/n | 802.11b/g/n | 802.11b/g/n |
| 300 Mbps 2.4 GHz | 300 Mbps 2.4 GHz | 300 Mbps 2.4 GHz |
| Cat4 | Cat4 | Cat4 |
| 2000 mAh 8 hours | 2000 mAh 8 hours | 2000 mAh 8 hours |
| 10 | 10 | 10 |
| • | | |
| 32 GB | | |
| • | • | • |
| 4G (FDD-LTE): B1/B3/B7/B8/B20 3G (DC-HSPA+/HSPA/UMTS): B1/B8 | 4G (FDD-LTE/TDD-LTE): B1/B3/B7/B8/ B20/B38/B40/B41 3G (DC-HSPA+/HSPA/UMTS): B1/B8 | 4G (FDD-LTE/TDD-LTE): B1/B3/B5/B7/B8/ B20/B38/ B40/B41 3G (HSPA+/HSPA/UMTS): B1/B5/B8 |

High Power Wireless Routers

High Power

These High-Power wireless products provide a stronger and more powerful signals than mainstream Wi-Fi devices. Greater transmission distances and increased stability provide the perfect home or office solution for those who take their Wi-Fi seriously.

// TL-WR841HP

Boost Your Power, Boost Your Coverage

Ptplink

300 Mbps High-Power Wireless N Router

TL-WR841HP





TL-WR941HP

Wireless N Router

450 Mbps High-Power

450 Mbps Wireless Speed for Multi-

TL-WR841HP 300 Mbps High-Power Wireless N Router

N300 Wi-Fi \bigcirc 300 Mbps Wireless Speed for Multi-User HD Video Streaming

Fast Internet Access 습 Fast Ethernet Port

User HD Video Streaming Fast Internet Access 窳 Fast Ethernet Port

N450 Wi-Fi

 \bigcirc

- Superior Coverage High-power amplifiers and 9 dBi antennas provide a wide wireless range.
- Dead Zone Elimination Enhanced Wi-Fi signals cut through walls, eliminating network dead zones.
- · Multi-Mode Supports wireless router, repeater, and access point modes.
- The TP-Link Tether App Provides simplified control and management from your iOS or Android smartphone.
- · Parental Controls Manage when and how connected devices access the internet.
- WPS One-step wireless WPS encryption provides simplified security for your network.

High-Power Wireless USB Adapter





Range

 \bigcirc 300 Mbps High Wi-Fi Power

TL-WN8200ND

87 | High Power



Archer C58HP

AC1350 High-Power Wireless **Dual-Band Router**

| | ((| • |) |
|--|----|---|---|
| | | | |

AC1350 Dual-Band Wi-Fi 867 Mbps (5 GHz) + 450 Mbps (2.4 GHz)



Fast Internet Access Fast Ethernet Port

300 Mbps High-Power Wireless USB Adapte

• N300 Wi-Fi - 300 Mbps receiving rate ideal for bandwidth-heavy tasks.

• Maximized Range - High power and receiver sensitivity to allow ultra-long transmission distances.

• Flexible Deployment - Equipped with a USB cable for flexible deployment.

• WPS - One-step wireless WPS encryption provides simplified security for your network.







Archer AX11000

AX11000 Tri-Band Wi-Fi 6 Gaming Router

- 10 Gbps Fastest Wi-Fi **O** AX11000 Tri-Band speeds deliver the unstinted bandwidth for all your gaming rigs
- **Cutting-Edge Power for** Domination 1.8 GHz Quad-Core CPU + 1 GB RAM
- Multi-Gig Wired Speed 1× 2.5 Gbps WAN port + 8× Gigabit LAN ports

Game Accelerator

your reaction speed.1

USB-C Extensive Sharing 1× USB-C 3.0 Port + 1× USB-A 3.0 Port



Archer GX90 AX6600 Tri-Band Wi-Fi 6 Gaming Router

- Unrivaled Gaming Wi-Fi Q AX6600 Tri-Band speeds create dedicated next-gen gaming band experiences to the gaming rigs in need
- **Powerful Processing Ability** 1.5 1.5 GHz Quad-Core CPU + 512 MB RAM
- Multi-Gig Wired Speed ഫ 1× 2.5 Gbps WAN/LAN port + 1× Gigabit WAN/LAN port + 3× Gigabit LAN ports
 - Easy Sharing 1× USB-A 3.0 Port + 1× USB-A 2.0 Port

Game Center on Archer AX11000 and GX90 focuses on what professional gamers care about-extremely low latency and wired-level

EDITOR'S CHOICE

Archer C5400X

AC5400 MU-MIMO Tri-Band Gaming Router

- Ultra-Fast Gaming Wi-Fi 0 AC5400 Tri-Band, providing the fastest Wi-Fi 5 gaming router speed, streamlines your network and makes you stay competitive in the heat of battle
- Abundant Processing Ability 1.8 1.8 GHz Quad-Core CPU + 512 MB RAM
- **Gigabit Wired Speed** ፌስ 1× Gigabit WAN Port + 8× Gigabit LAN Ports
 - Easy Sharing 2× USB-A 3.0 Ports

de la

Prioritize your GeForce NOW[™] streaming over other internet

activities. This specially-tuned QoS mode delivers a smooth and

GeForce NOW[™] QoS Mode

immersive cloud gaming experience.²

Current: 50%

GEFORCE NOW

Hardware Forged for Gaming

Unrivaled Wi-Fi and Connectivity

TP-Link Gaming Series routers, equipped with 12-stream tri-band, fuel your need for high-speed downloading and streaming. Wi-Fi 6 gaming routers effortlessly connect up to 256 devices running games—all with minimal latency.¹



Battle-Tested Processing

Equipped with a powerful CPU and high RAM to handle huge throughput and demolish lag. A specially designed heatsink rapidly reduces temperature, enabling full clock speeds on each core even under heavy loads.

up to 1.8 GHz Quad-Core CPU

up to RAM



>> 2.5 Gbps Wired Connections

Unleash the potential of your next-level bandwidth network. The Multi-Gig solution—a 2.5 Gbps port for extremely fast wired connections—is available on Archer AX11000 and GX90.

up to 2.5 Gbps Port

Archer AX11000

Game Center Crafted for Winning

reliability—and provides a wide range of tools to help you win more.

Automatically detects and optimizes gaming streams to ensure your gaming stays immersive and keep your network as fast as

CPU Load Current: 58% Memory Usage 100% 100% 80% 80% 60% 60% 40% 40% 20% 20% 0% 0% CPU Core Number: 2

Game Protector

Keep your accounts and system safe with Game Protector. Comprehensive HomeCare[™] antivirus protection ensures your total security while gaming online.

-lomeCare[®]

1 Game Accelerator supports games including GTA, LOL, DotA, StarCraft 2; and Minecraft. Please visit product pages for more information. Actual ect may vary depending on network conditions. Any revision on Game Accelerator or games may affect the capability of acceleration 2 GeForce NOW QoS mode feature on Archer AX11000 and Archer GX90 requires further firmware upgrades.

Game Statistics

See the real-time latency, system utilization, and game duration at a glance on a redesigned dashboard to ensure every detail is tweaked the way you like.



4804 Mbps 2167 Mbps 867 Mbps \bigotimes AR 4K 2.5 Gbps WAN Port **USB 3.0** Type A & Type C 1.8 GHz Quad-Core CPU 1 GB RAM 8 × Gigabit LAN Ports

Accessories

TP-Link offers a collection of connected solutions for daily necessities-including Power Banks, USB Converters-to help users convenienty connect and efficiently

Access Points

AX3000 Gigabit Wi-Fi 6 Access Point

Wi-Fi 6 | Dual-Band | Gigabit Port

TL-WA3001

TP-Link Access Points help your existing wired network turn into a wireless network, allowing you to connect all of your favorite wireless devices.

Upgrading for Traditional Hi-Fi

Bluetooth Audio Receiver

HA100

amazon





UH720 USB 3.0 7-Port Hub with 2 Charging Ports



Ultra Fast Smart Charging 2.4A 2× 2.4 A Smart Charging USB Ports



UH700 USB 3.0 7-Port Hub

- Super Speed Data Transfer 7 Additional USB 3.0 Ports
- Ultra Fast Smart Charging 1.5A 3 of 7 Ports Are 1.5A Smart Charging Port



UH400 USB 3.0 4-Port Ultra Compact Hub

- Super Speed Data Transfer 4 Additional USB 3.0 Ports
- **Foldable Design** Foldable USB Plug Design





Access Point ((•)) AX3000 Dual-Band

Wi-Fi 2402 Mbps (5 GHz) and 574 Mbps (2.4 GHz)

160 MHz Channel Bandwidth Expands Bandwidth to

Double the Network Speed of Traditional 80 MHz

WPA3 **Refined Security** WPA3 Protocol

Heightened Ē Marketing Captive Portal Supported



- **TL-WA1201** AC1200 Wireless Access Point
- ((•)) AC1200 Dual-Band Wi-Fi 867 Mbps (5 GHz) and 300 Mbps (2.4 GHz)
 - Great Coverage 4× High-Performance Antennas with Beamforming

High-Speed ஹ் Internet Access Gigabit Ethernet Port

> Heightened Marketing

Captive Portal Supported

- · Supported Systems Windows, macOS, macOS Sierra, Chrome OS, and Linux OS.
- Supports Hot Plugging No influence on your system working when you plug it in or out.
- Multiple Electronic Protections Built-In Surge Protection for Data Safety. (For UH720 and UH700).

to 100 feet away.

ēΞ

ً

· Multi-Mode - Supports Range Extender, Access Point, Multi-SSID, and Client modes

Ideal For Small Business



TL-WA901N 450 Mbps Wireless N Access Point



N450 Wi-Fi Speed 450 Mbps Wi-Fi for **Reliable Connections**



Great Coverage 3× High-Performance Antennas



Fast Internet Access Fast Ethernet Port



Simplified Security One-Step Wireless WPS Encryption



TL-WA801N

300 Mbps Wireless N Access Point



N300 Wi-Fi Speed 300 Mbps Wi-Fi for Daily Needs



Great Coverage 2× High-Performance Antennas

| ሌ | |
|---|--|
| ш | |
| | |

Fast Internet Access Fast Ethernet Port



Simplified Security One-Step Wireless WPS Encryption

• Passive PoE - Use an Ethernet cable to simultaneously send data and electricity to wherever your AP may be located, even up

Experience Future Networking with Lightning-Fast Connections

10G / 2.5G Multi-Gigabit Unmanaged Switches

TL-SX1008 / TL-SX105 TL-SG108-M2 / TL-SG105-M2





• Plug and Play - Easy to use with no configuration needed.

- Metal Casing Durable metal casing and desktop/wall-mounting design are well-suited for different environments.**
- Auto-Negotiation and Auto MDI/MDIX Adjust for optimal speed with no need for crossover cable.
- Flow Control and Back Pressure Reliable data transfer by alleviating traffic congestion.
- Traffic Prioritization 802.1p and DSCP QoS ensure smooth traffic.
- Lower Latency Fast and reliable online gaming and streaming experience.

* Only Cat5e or better cables do not need to be replaced **TL-SX1008 doesn't support wall-mounting.

Soho Switches

Unmanaged Switches

TP-Link SOHO switches easily connect to multiple devices and increase your network speed. Plug-and-play setup and green technology allow you to enjoy a smooth, reliable, and energy-efficient network experience instantly.



Easy Expansion with Lightning-Fast Connections

10G Unmanaged Switches TL-SX1008/TL-SX105



TP-Link 10G and 2.5G switches deliver reliable, lightning-fast connections with the lowest latency possible, and unlock the highest potentials of your Multi-Gig bandwidth and devices. Ideal for gaming, LAN party, home entertainment, and backup and restore as well as use in small offices and home offices. Don't hesitate to enjoy the highest performance of your NAS, server, gaming computer, workstation, 8K video, Wi-Fi 6 AP, USB to Ethernet adapter, and more.



esign are well-suited for different environments.** with no need for crossover cable. ting traffic congestion.

JetStream Switches



TL-SG105 (5 Ports) TL-SG108 (8 Ports)

- Gigabit Ethernet Supports 10/100/1000 Mbps Speeds
- Steel Casing and Desktop Design
- Traffic Prioritization Supports 802.1p/DSCP QoS
- Multi-Cast Optimization Supports IGMP Snooping



TL-SG1005D (5 Ports) TL-SG1008D (8 Ports)

- Gigabit Ethernet Supports 10/100/1000 Mbps Speeds
- Plastic Casing and Desktop Design

Traffic Prioritization

Supports 802.1p/DSCP QoS

TL-SF1005D (5 Ports) TL-SF1008D (8 Ports)

Fast Ethernet Supports 10/100 Mbps Speeds

山

Plastic Casing and Desktop Design

- Plug and Play Easy to use with no configuration needed.
- Green Technology Less power consumption by detection of cable length and link status.
- Auto-Negotiation and Auto MDI/MDIX Adjust for optimal speed with no need for crossover cable.

∃

- Flow Control and Back Pressure Reliable data transfer by alleviating traffic congestion.
- Fanless Design Quiet operation with no noise.

LiteWave Switches



LS105G (5 Ports) LS108G (8 Ports)

- Gigabit Ethernet Supports 10/100/1000 Mbps Speeds
- **Compact Metal Housing** Steel Casing and Desktop Design
- Traffic Prioritization Supports 802.p/DSCP QoS



LS1005G (5 Ports) LS1008G (8 Ports)

- Gigabit Ethernet Supports 10/100/1000 Mbps Speeds
- Compact Plastic Housing Plastic Casing and Desktop Design

| - | İ |
|---|---|

LS1005 (5 Ports) LS1008 (8 Ports)

Fast Ethernet Supports 10/100 Mbps Speeds

습

Compact Plastic Housing Plastic Casing and Desktop Design

WHICH IS THE RIGHT TP-Link SOHO SWITCH FOR YOU?

| | | | JetStream 10G & 2.5G | Multi-Gigabit Switches | | | |
|----------------------|------------------------|--|--|---|---|--|--|
| | | Pres | | · | Ann <u>A1111</u> | | |
| | Model | TL-SX1008 | TL-SX105 | TL- SG108- M2 | TL- SG105- M2 | | |
| Prod | uct Description | 8-Port 10G Multi-Gigabit Desktop/Rackmount Switch | 5-Port 10G Multi-Gigabit Desktop Switch | 8-Port 2.5G Multi-Gigabit Desktop Switch | 5-Port 2.5G Multi-Gigabit Desktop Switch | | |
| | 10G RJ45 Ports | 8 | 5 | - | - | | |
| | 2.5G RJ45 Ports | - | - | 8 | 5 | | |
| | Fanless | 1 Fan | • | • | • | | |
| | Auto-Negotiation Ports | 100Mbps/1Gbps/2.5Gbps/5G | bps/10Gbps Auto-Negotiation | 100Mbps/1Gbps/2.50 | Gbps Auto-Negotiation | | |
| Hardware | Casing | Metal | Metal | Metal | Metal | | |
| | Dimensions (W × D ×H) | 11.6×7.1×1.7 in (294×180×44 mm) | 8.9×5.2×1.4 in (226×131×3 5 mm) | 8.9×5.2×1.4 in (226×131 ×35 mm) | 8.2×4.9×1.0 in (209×126 ×26 mm) | | |
| | Installation | Rackmount/Desktop | Desktop/Wall-Mounting | Desktop/Wall-Mounting | | | |
| | Operating Temperature | 0-50 °C (32-122 °F) | 0-40 °C (32-104 °F) | 0-40 °C (| 32–104 °F) | | |
| | Environment | Operating | 0 1 | -40-70 °C (-40-158 °F) 1g: Storage Humidity: 5–90% RH Non-Condensing | | | |
| | Switch Capacity | 160 Gbps | 100 Gbps | 40 Gbps | 25 Gbps | | |
| Performance | Forwarding Rate | 119.0 Mbps | 74.4 Mbps | 29.8 Mbps | 18.6 Mbps | | |
| renormance | MAC Address Table | 32 | εĸ | 16 | ŝκ | | |
| | Jumbo Frame | | 10 | KB | | | |
| | QoS | | | • | | | |
| Software Features | Flow Control | | | | | | |
| | MAC Address Learning | | | 0 | | | |

| | | | Gigabit & Fast Ethernet Switches | | | | | | | |
|----------------------|-----------------------|--|---|---|---|--|---|--|--|--|
| | | J | etStream Switche | es | | LiteWave Switche | s | | | |
| | | | | | - | | | | | |
| | Model | TL- SG108/ TL- SG105 | TL- SG1008D/ TL- SG1005D | TL- SF1008D/ TL-SF1005D | LS108G/LS105G | LS1008G/LS1005G | LS1008/LS1005 | | | |
| Prod | luct Description | 8/5-Port 10/100/1000 Mbps Desktop Switch | 8/5-Port 10/100/1000 Mbps Desktop Switch | 8/5-Port 10/100 Mbps Desktop Switch | 8/5-Port 10/100/1000 Mbps Desktop Switch | 8/5-Port 10/100/1000 Mbps Desktop Switch | 8/5-Port 10/100 Mbps Desktop Switch | | | |
| | Ethernet Ports | 8/5× Gigabit ports | 8/5× Gigabit ports | 8/5× 10/100 Mbps ports | 8/5× Gigabit ports | 8/5× Gigabit ports | 8/5× 10/100 Mbps ports | | | |
| | Fanless | • | • | ٠ | ٠ | ٠ | ۰ | | | |
| | Casing | Metal | Plastic | Plastic | Metal | Plastic | Plastic | | | |
| Hardware | Dimensions (W × D ×H) | TL- SG108: 6.2×4.0×1.0 in (158×101×25 mm) TL- SG105: 3.9×3.9×1.0 in (100×98×25 mm) | TL- SG1008D: 7.1×3.5 ×1.0 in (180×90×25.5 mm) TL- SG1005D: 5.5×3.5 ×0.9 in (140×8 8×23 mm) | TL- SF1008D: 5.3×3.1 ×0.9 in (135×79×23 mm) TL- SF1005D: 4.1×2.8 ×0.9 in (103×7 0×22 mm) | LS1086: 6.2×3.9×1.0 in (158×99.1×25 mm) LS1056: 3.9×3.9×1.0 in (99.8×98×25 mm) | LS1008G: 5.0×2.6×0.9 in (127×66.5×23 mm) LS1005G: 3.5×2.8×0.9 in (90×72×2 3 mm) | LS1008: 4.9×1.9× 0.9 in (124.6×48.7×22.8 mm) LS1005: 3.3×1.8× 0.9 in (83.6×45.7×22.8 mm) | | | |
| | Installation | Desktop/ Wall-Mounting | Desktop/ Wall-Mounting | Desktop | Desktop/ Wall-Mounting | Desktop/ Wall-Mounting | Desktop | | | |
| | Environment | Operating Temperature: 0–40 °C (32–104 °F); Storage Temperature: -40–70 °C (-40–158 °F) Operating Humidity: 10–90% RH Non-Condensing; Storage Humidity: 5–90% RH Non-Condensing | | | | | | | | |
| | Switch Capacity | 16/10 Gbps | 16/10 Gbps | 1.6/1.0 Gbps | 16/10 Gbps | 16/10 Gbps | 1.6/1.0 Gbps | | | |
| Performance | Forwarding Rate | 11.9/7.4 Mpps | 11.9/7. 4 Mpps | 1.2/0.7 Mpps | 11.9/7.4 Mpps | 11.9/7.4 Mpps | 1.2/0.7 Mpps | | | |
| | MAC Address Table | 4/2 K | 4/2 K | 2/2 K | 4/2 K | 4/2 K | 2/2 K | | | |
| | 802.1p / DSCP QoS | • | • | - | • | - | - | | | |
| | Green Technology | | | | • | | | | | |
| Software Features | Flow Control | | | | • | | | | | |
| | Auto Negotiation | | | | | | | | | |
| | MAC Address Learning | | | | • | | | | | |

- Plug and Play Easy to use with no configuration needed.
- Green Technology Less power consumption by detection of cable length and link status.
- Auto-Negotiation and Auto MDI/MDIX Adjust for optimal speed with no need for crossover cable.
- Flow Control and Back Pressure Reliable data transfer by alleviating traffic congestion.
- Fanless Design Quiet operation with no noise.



TP-Link Corporation Limited

E-mail: info@tp-link.com Homepage: www.tp-link.com Note: Images shown are for reference only. Actual products may contain previous logo and packaging design.

Specifications are subject to change without notice. TP-Link is a registered trademark of TP-Link Corporation Limited. Other brands and product names are trademarks or registered trademarks of their respective holders. Copyright ©2022 TP-Link Corporation Limited. All rights reserved. PN: 8392501152