


SOHO

Product Guide

**Meet your
networking
needs.**

Reliably Smart
www.tp-link.com

2 0 2 3



CORPORATE PROFILE


TP-Link serves as the network backbone for homes and businesses worldwide. With humble beginnings in 1996, the company has grown to what it is today: a global leader.

You can find our Reliably Smart devices connecting 1.7 billion people in over 170 countries and regions. These numbers have led analyst firm IDC to rank us as the No. 1 provider of Wi-Fi devices for over a decade.*

We understand the importance of the always-connected lifestyle. Our products feature the latest technologies and are engineered to last. The TP-Link portfolio includes home-business-ISP networking, surveillance, and consumer electronics. Rest assured that you're receiving our proven stability, performance, and value with every device.

As our lives grow ever more connected, TP-Link will continue to pursue excellence and explore the possibilities of tomorrow.





*According to the latest published IDC Worldwide Quarterly WLAN Tracker Report, Q4 2021 Final Release.



Contents



Whole Home Multi-Gigabit Wi-Fi 7 / 01

Wi-Fi 7 / 02

Multi-Gigabit Ports / 05

5G Cellular Networks / 06

Smart Security — HomeShield / 07



A True Whole Home Mesh Wi-Fi Solution / 09

The Latest and Comprehensive Mesh System / 10

Best Mesh with the Latest Advanced Technology / 11

Diversified Product Lines Meet Every Scenario / 12

Whole Home Mesh Wi-Fi 7 Systems / 13

Whole Home Mesh Wi-Fi 6E Systems / 15

Whole Home Mesh Wi-Fi 6 Systems / 16

Deco Mesh Hybrid Gateway Systems / 20

5G/4G Whole Home Mesh Wi-Fi 7 Systems / 21

5G/4G Whole Home Mesh Wi-Fi 6 Systems / 22

DSL Whole Home Mesh Wi-Fi 6 Modem Routers / 23

Whole Home Powerline Mesh Wi-Fi Systems / 24

Smart Home Mesh Wi-Fi Systems / 25

Whole Home Mesh Wi-Fi 5 Systems / 27



Wi-Fi Routers / 31

EasyMesh / 32

Wi-Fi 7 Routers / 33

Wi-Fi 6E Routers / 35

Wi-Fi 6 Routers / 38

Wi-Fi 5 Routers / 42

Wi-Fi 4 Routers / 45

Portable Routers / 45

Access Points / 46



Gaming Series / 53



Archer Air Series / 57



3G/4G Routers / 59

4G LTE Routers / 60

4G LTE Telephony Router / 61

3G/4G Wireless Routers / 61



DSL Modem Routers / 63

VDSL Modem Routers / 65

Telephony VDSL Modem Routers / 66

ADSL Modem Router / 66



Range Extenders / 68

Wi-Fi 7 Range Extenders / 69

Wi-Fi 6E Range Extenders / 71

Wi-Fi 6 Range Extenders / 72

Wi-Fi 5 Range Extenders / 74

Single-Band Range Extenders / 75



Powerline / 79

G.hn Wireless Powerline Extenders / 80

G.hn Powerline Adapters / 81

HomePlug AV2 Wireless Powerline Extenders / 82

HomePlug AV2 Passthrough Powerline Adapters / 83

HomePlug AV2 Powerline Adapters / 84



Adapters / 87

High-Gain Wireless USB Adapters / 88

Wireless USB Adapters / 91

PCI Express Wireless Adapters / 92

PCI Express Network Adapters / 94

Ethernet Network Adapters / 95

Bluetooth Adapters / 95



Mobile Wi-Fi / 100



High Power / 104

High-Power Wireless Routers / 105

High-Power Wireless USB Adapter / 105



Accessories / 106



SOHO Switches / 107

JetStream 10G & 2.5G Switches / 108

JetStream Switches / 109

LiteWave Switches / 109

Whole Home Multi-Gigabit

Wi-Fi 7

deco™

Mesh Wi-Fi

Archer

Wi-Fi Router



5G

EasyMesh



HomeShield





What is Wi-Fi 7?

Wi-Fi 7 is the upcoming Wi-Fi standard, also known as IEEE 802.11be Extremely High Throughput (EHT). It works across all three bands (2.4 GHz, 5 GHz, and 6 GHz) to fully utilize spectrum resources. While Wi-Fi 6 was built in response to the growing number of devices in the world, Wi-Fi 7's goal is to deliver astounding speeds for every device with greater efficiency. If you're struggling with constant buffering, lag, or congestion, a Wi-Fi 7 router may be your best solution.

Wi-Fi 7 introduces 320 MHz ultra-wide bandwidth, 4096-QAM, Multi-RU, and Multi-Link Operation to provide speeds 4.8× faster than Wi-Fi 6 and 13× faster than Wi-Fi 5. Unlock more scenarios than ever before.



46 Gbps

Wi-Fi Like Never Before

What Does Wi-Fi 7 Bring?

With the upcoming 7th generation of Wi-Fi, the ultimate online experience will be unleashed.



4.8× Faster

Wi-Fi 7 accelerates throughput up to 46 Gbps.



100× Lower Latency*

Worst Case Latency is 100× better compared to Wi-Fi 6 with 15× better AR/VR performance.



5× Network Capacity*

With 320 MHz and MLO (Multi-Link Operation), Wi-Fi 7 provides up to 5× greater capacity than Wi-Fi 6.


*Data is from Broadcom. Maximum wireless signal rates are the physical rates derived from IEEE Standard 802.11 specifications. Actual wireless data throughput and wireless coverage are not guaranteed and will vary as a result of network conditions, client limitations, and environmental factors, including building materials, obstacles, volume and density of traffic, and client location.

► 6 GHz: Express Data on the Latest Band

Access to the 6 GHz frequency brings more bandwidth, faster speeds, and lower latency, opening up resources for future innovations in AR/VR, 8K streaming and more.

• The Wide and Clear 6 GHz Band

Unlike the 2.4 GHz and 5 GHz that are filled with signals from microwave ovens, radio, phones, radar, satellite equipment, and Bluetooth, the 6 GHz band brings cleaner and wider band resources to Wi-Fi.



• Up to 320 MHz Bandwidth Brings the Ultimate Speed

The Wi-Fi 7 protocol standard adds a 320 MHz bandwidth mode for 6 GHz, directly doubling Wi-Fi 6 throughput. Now you can stream 8K in the express lane with double the width, ensuring other devices don't interfere with your streaming.

► Multi-Link Operation (MLO) Increases Throughput, Reduce Latency and Improve Reliability

Traditional Wi-Fi devices use a single link to transmit data. With Multi-Link Operation (MLO), Wi-Fi 7 enables devices to simultaneously send and receive data across different frequency bands and channels to increase throughput, reduce latency, and improve reliability for emerging applications like VR/AR, online gaming, remote offices, and cloud computing.

Single Link



5 GHz

or

2.4 GHz



Wi-Fi 6

Multi-Link



6 GHz

&

5 GHz


&

2.4 GHz




Wi-Fi 7

Without Preamble Puncturing



With Preamble Puncturing



► Preamble Puncturing — No Waste, No Congestion

Before, busy channels meant bands could not be fully used. Data would only be sent through the primary channel. Now, with Preamble Puncturing, the interference can be blocked, opening up more channels to use.




► Makes Full Use of Every Resource with Multi-RU

With Wi-Fi 6, each user could only send or receive frames on an assigned resource unit (RU), which significantly limited the flexibility of the spectrum resource scheduling. To solve this problem and further enhance spectral efficiency, Wi-Fi 7 allows multiple RUs to be assigned to a single user and can combine RUs for increased transmission efficiency.



► Connect to More Devices with 16×16 MU-MIMO

16 streams are available, double the theoretical physical transmission rate compared to Wi-Fi 6. This allows more simultaneous device connections and increases overall throughput and peak performance.



► Pack More Data for Higher Speeds with 4K-QAM

4096-QAM improves raw speeds by 20% compared to Wi-Fi 6's 1024-QAM. This allows you to watch flawless 4K/8K videos and play massive online games without lag.

Wi-Fi 7 Applications



A Real Upgrade for Businesses



An Unstoppable Stream of Entertainment



A Revolution in the Intelligent Lifestyle


10GbE

10G and 2.5G Multi-Gigabit Ports — Multi-Gigabit Wired Connections and Unlock the Full Potential of Wi-Fi 7

TP-Link Wi-Fi 7 routers, range extenders, and Deco Whole Home Mesh Wi-Fi with 10GbE and 2.5GbE ports


10G and 2.5G WAN Ports Maximize Internet Access

10 Gbps or 2.5 Gbps WAN ports make full use of gigabit speeds from your local ISP. Break through the 1G bottleneck and drive your devices to peak performance. WAN/LAN support gives you remarkable flexibility to tailor both ports to fit your network's needs.



10G and 2.5G LAN Ports for Super-Fast Transfer Rates

Transmit stable multi-gigabit connections to the 10G and 2.5G LAN ports. By connecting your wired devices, such as a gaming PC and Network-Attached Storage (NAS) server, experience immersive gaming without lag, transfer files at gigabit speeds, and edit large images and videos from your NAS.



Same Cables, New Speed

Designed to integrate flawlessly into existing gigabit Ethernet network infrastructures, guaranteeing speeds 5× faster* using standard Cat 5e Ethernet cables—no Cat 6 wiring needed. With Cat 6a or higher rated cables, 10G connections can reach up to 100 meters (328 feet).

Cable Type	1G	2.5G	5G	10G
CAT 5e	✓	✓	✓	×
CAT 6	✓	✓	✓	55m
CAT 6A	✓	✓	✓	✓

10 / 2.5 Gbps Ports Are Available Beyond Wi-Fi 7 Devices**



Wi-Fi 7 / Wi-Fi 6 Routers



Wi-Fi 7 and Wi-Fi 6 Range Extenders



Wi-Fi 7 / Wi-Fi 6 Deco Whole Home Mesh Wi-Fi System



10G Network Adapters



10G/2.5G Switches

*5× faster speeds refer to the speeds compared to standard 1G ports. The actual speeds may vary due to cable quality and type, client limitations, and environmental factors.

**Refer to the below corresponding pages to find the product models.

5G

The Perfect Fusion of Cutting-Edge Tech for Multi-Gigabit Wi-Fi

The 5th Generation of Cellular Networks + The 7th Generation of Wi-Fi Networks

What is 5G?

5G is the 5th generation of mobile networking, which enables connections for virtually everything.

What Does TP-Link 5G + Wi-Fi 7 Bring?

5G brings ultra-fast connections into your home and unlocks true Wi-Fi 7 speeds. Take advantage of the incredible fast upload speeds—upload videos and live stream your life! Just plug in the 5G SIM card and play with the latest generation of Wi-Fi.




How does 5G work ?

The new **5G NR** air interface will further enhance OFDM to deliver a much higher degree of flexibility and scalability.


5G can operate in both lower bands (e.g., **sub-6 GHz**) as well as **mmWave** (e.g., 24 GHz and up), which will bring extreme capacity, multi-Gbps throughput, and low latency.

17× Faster than 4G, up to 20 Gbps*


Download speed



Upload speed




Lower latency, down to 1ms



Denser Connections

The Number of Devices per 1 km² Supports



5G applications

Enhanced mobile broadband

5G mobile technology ushers in new immersive experiences such as VR and AR with faster, more uniform data rates, lower latency, and lower cost-per-bit.



VR



Cloud Gaming



Self-Driving Cars



Remote Operation



Logistics



Smart Cities

Mission-critical communications

5G enables new services that can transform industries with ultra-reliable, available, low-latency links like self-driving cars and remote operation.

Massive IoT

5G can seamlessly connect a massive number of embedded sensors in virtually everything to provide extremely lean and low-cost connectivity solutions.

*20Gbps download speed and 10Gbps upload speed both refer to the theoretical rate of mmWave at 400MHz bandwidth.

**1.2Gbps download speed and 200Mbps upload speed both refer to the theoretical rate under 4G Cat18.




Smart Security Enhances Wi-Fi 7 for Smart Living



Network security is always important to us. With HomeShield, managing your family's internet has never been easier. Many potential risks can be controlled effectively (e.g., private info leakage and internet addiction). HomeShield is a built-in home networking protection kit that covers all security scenarios with its network security, parental controls, QoS, and comprehensive reports. With HomeShield security, safe Wi-Fi 7 experiences will enhance your smart living.

Anywhere Protection – At Home or On the Go




Security: Network Protection, 100% Safeguard

HomeShield provides comprehensive security protection. Simply configure the gateway and achieve whole home network security. With its advanced DPI, it improves its identification capability. HomeShield examines your network by scanning and identifying potential risks, thus improving your network security.



Real-Time IoT Protection

Advanced algorithms protect your IoT and other connected devices from any cyber threats and attacks.




Intrusion Prevention

Identifies and blocks potential threats and fixes vulnerabilities in the network.



Web Protection

Safeguards your family by intelligently preventing access to malicious URLs.




Ad Blocker

Blocks annoying ads and pop-ups, and prevents data tracking to enjoy safer and ad-free online experience.

Exclusive Network Security App, Your On-The-Go Security Helper

Through the exclusive device security app, your devices and personal information are well protected anytime and anywhere.



Device Security


- Antivirus
- Online Threat Protection
- Smart Firewall

Online Security

- Secure VPN Client
- Privacy Monitor

Parental Controls: Protect Your Kids and Maintain Healthy Digital Habits

Age-level filters and online time limits provide your family with personalized and appropriate internet access. With a detailed report of your home network, you can check the sites your children visit and how much time they spend on each. It's a great way to know your children are safe while they're having fun online.




App Blocker

Blocks inappropriate apps by category or by the app itself to ensure children's online experience.




Content Filter and Safe Search

Filter and block content that may not be appropriate for your kids to search for or read by setting keywords like sex, violence, or drugs.



YouTube Restrictions

Block potentially unsafe videos and channels that might contain inappropriate content.




Time Schedule


Ensures your family maintains healthy digital habits by setting time schedules and granting extra online time when necessary.

Exclusive App, Comprehensive Network Safety for Kids

The exclusive parental controls app for kids adds the "on the go" scene, allowing parents to track kids' locations, block inappropriate apps/websites, and more, even if they aren't connected to your home Wi-Fi. This helps solve the problem of management permissions when kids are off the internet.




Geofencing and Real-Time GPS Locations




Device Management

Quality of Service (QoS)



Comprehensive Reports

- Internet User Overview
- Online Time Analysis
- Browser History Analysis
- End Device Statistics





A True Whole Home Mesh Wi-Fi Solution

Deco Mesh provides your home with an integrated, comprehensive mesh Wi-Fi solution, no matter the size of your home or your internet access type. Flexibly create your whole home mesh Wi-Fi system and enjoy a seamless network experience.



Why is Deco Always the Best?

The Latest and Comprehensive Mesh System

- Improved Coverage
 - Smart Antennas
 - Optional Backhaul
- Seamless AI-Driven Mesh

Best Mesh with the Latest Advanced Technology

- Wi-Fi 7
- 5G
- 10G Multi-Gigabit Network
- Seamless AI-Driven Mesh
- HomeShield

Diversified Product Line Meets Every Scenario

- Multiple Installation Options
- Full-Scenario for All Your Internet Demands


The Latest and Comprehensive Mesh System

Improved Whole Home Coverage

The Deco system eliminates weak signal areas with a single Wi-Fi network that covers every corner of your home with seamless roaming, adaptive path selection, and self-healing. No more searching around for a stable connection, whether you're in the basement, garage, or yard.


Smart Antennas Boost Your Coverage

By using intelligent algorithms, smart antennas auto-detect Deco units and adjust to the most optimal antenna pattern arrays. This way, with smart antennas, Deco creates the ideal network throughout your home with up to 256 signal patterns.*




Flexible Backhaul Connection Between Deco Units

Flexible backhaul allows Deco to use wireless, wired, and powerline as a hybrid backhaul at the same time,* ensuring the best connection between Deco units.




Multi-Band Backhaul

Deco communicates with each unit simultaneously across different frequency bands to increase throughput and coverage.



Ethernet Wired Backhaul

Use Ethernet cables to connect each Deco unit together to create a wired backhaul connection. This way, you'll have a more stable and faster network.



Powerline Hybrid Backhaul

Powerline technology uses your home's electrical wiring to create stronger connections, reducing the impact of walls and other obstacles on signals.

Seamless AI-Driven Mesh

Deco Mesh forms a unified network with a single network name. With built-in AI-Roaming technology, it creates the ideal Wi-Fi solution with its advanced algorithms and self-learning. Walk through your home and enjoy seamless streaming at the fastest possible speeds.



Seamless Roaming with One Wi-Fi Name



Sophisticated Algorithms



Self-Learning Capability



Customized Wi-Fi

Seamless AI-Roaming: Superior Roaming Experience



AI-Driven Mesh




Router + Range Extenders

Connect to the Optimal Deco

Perfectly Timed Roaming


A Customized Mesh Solution



*Some features are still being developed on some models and will be supported in subsequent updates.

Superior Mesh Wi-Fi, Everywhere


Wi-Fi 7, Faster than Ever



5G, Cutting-Edge Technology




10G Multi-Gigabit Network



Seamless AI-Driven Mesh for a Smarter Home

Deco uses its custom algorithms to automate the connections on your network, ensuring the strongest possible signals at all times.



Smart Security for Smart Living, Real-Time IoT Protection

HomeShield provides comprehensive security protection and builds a safer, cleaner internet to help users explore the online world.



Network Protection

- Malicious content filtering
- IoT Protection
- Intrusion Prevention
- Ad Blocker



Parental Controls

- Connected with Home Wi-Fi
- Inappropriate App Block
- Malicious content filtering
- Youtube Restrictions
- Safe Search
- Online Time Management

Leave Home (with exclusive kids' app)

- Geofencing and Real-Time GPS Locations
- Devices Management
- App Management




Quality of Service



Comprehensive Reports

Diversified Product Lines Meet Every Scenario




Deco provides solutions for all scenarios, and you can choose different Deco series/installation methods according to your demands. To accommodate these requirements, technologies such as 5G/4G, IP65, and PoE have been integrated into the Deco line.

Multiple Installation Options

Indoor to Outdoor




Tabletop/Ceiling/Wall Mount/Pole Mount




Full-scenario for All Your Internet Demands

Flexible Internet Access



Powerline Mesh: Works Through Walls and Floors




IoT Mesh Built for Smart Living



All Deco Models Work Together

With TP-Link Mesh Technology, every Deco model works together to immerse your whole home in powerful Wi-Fi no matter its size or shape. Want more coverage? Simply add more Deco units.



Whole Home Mesh Wi-Fi 7 Systems

BE33000 Whole Home Mesh Wi-Fi 7 System

Deco BE95



33 Gbps Deco Mesh and Whole Home Multi-Gig Coverage


As the flagship high-end Wi-Fi 7 Mesh system, Deco BE95 features the latest 6 GHz band, 320 MHz bandwidth, and 4K-QAM for a combined speed of up to 33 Gbps across 16 streams, bringing whole home multi-gigabit coverage.

Ultra-Fast Quad-Band Experience with 16 Streams

Deco BE95, a Wi-Fi 7 powered quad-band network boosts overall speeds up to a stunning 33 Gbps, ideal for demanding applications like 8K video and cloud gaming.



Whole Home 10 Gbps Connectivity



10 Gbps Wired Connectivity

2× 10 Gbps + 2× 2.5 Gbps ports offer multi-Gig wired connections, so all your internet demands are met.

SPF+ Slot: High-Speed Fiber Connections

1× 10 Gbps SFP+ slot for high-bandwidth connectivity, converting fiber data to Ethernet cable data with an SFP module. This builds long-range point-to-point connections easily.

Wi-Fi 7: The Most Powerful Wi-Fi Ever. Faster Speeds, Lower Latency.



Up to 320 MHz Bandwidth Brings the Ultimate Speed



The Wide and Clear 6 GHz Band



Pack More Data for Higher Speeds with 4096 QAM



MLO Increases Throughput, Reduces Latency and Improves Reliability



Makes Full Use of Every Resource with Multi-RU

BE22000 Whole Home Mesh Wi-Fi 7 System

Deco BE85



Deco BE95

BE33000 Whole Home Mesh
Wi-Fi 7 System



BE33000 16-Stream Quad-Band Wi-Fi

11520 Mbps (6 GHz-1) +
11520 Mbps (6 GHz-2) +
8640 Mbps (5 GHz) +
1148 Mbps (2.4 GHz)



2× 10 Gbps WAN/LAN Ports +
2× 2.5 Gbps WAN/LAN Ports



1× 10 Gbps SFP+ slot for
High-Speed Fiber Connections



2.2 GHz Quad-Core
Cutting-Edge CPU



Deco BE85

BE22000 Whole Home Mesh
Wi-Fi 7 System



BE22000 12-Stream Tri-Band Wi-Fi

11520 Mbps (6 GHz) +
8640 Mbps (5 GHz) +
1376 Mbps (2.4 GHz)



2× 10 Gbps WAN/LAN Ports +
2× 2.5 Gbps WAN/LAN Ports



2.2 GHz Quad-Core
Cutting-Edge CPU



Deco BE65

BE11000 Whole Home Mesh
Wi-Fi 7 System



BE11000 6-Stream Tri-Band Wi-Fi

5760 Mbps (6 GHz) +
4320 Mbps (5 GHz) +
574 Mbps (2.4 GHz)



4× 2.5 Gbps WAN/LAN Ports



1.5 GHz Quad-Core
Cutting-Edge CPU

- **Wi-Fi 7** - Delivers higher Wi-Fi speeds, lower latency, higher efficiency, and stronger anti jamming.
- **Up to 320 MHz Bandwidth on 6 GHz** - Wider Bandwidth Brings The Ultimate Speed.
- **6 GHz** - Works on the 6 GHz band with more bandwidth and higher efficiency.
- **USB 3.0 Port** - Enables easy media sharing and private cloud building.
- **Seamless AI-Driven Mesh** - Forms a unified network with built-in AI-Roaming creating the ideal Wi-Fi solution for your home.
- **Wi-Fi Dead Zone Killer** - Covers every corner of your home, no more searching around for a stable connection.
- **Engineered for More Devices** - Dramatically improve capacity and efficiency in traffic-dense environments for over 200 devices.
- **Minimized Wi-Fi Interference** - BSS Color avoids unnecessary slowdowns and minimizes Wi-Fi interference from the neighborhood.
- **TP-Link HomeShield** - Premium security services keep your home network safe with cutting-edge features and IoT protection.
- **Total Security** - WPA3, the next-gen encryption method, creates extra protection for your network.

Fast. Smart. Powerful. Everywhere.

New-Gen AXE11000 Whole Home Tri-Band Mesh Wi-Fi 6E System

Deco XE200



Deco XE200

AXE11000 Whole Home Mesh
Wi-Fi 6E System



AXE11000 Tri-Band Wi-Fi

4804 Mbps (6 GHz) +
4804 Mbps (5 GHz) +
1148 Mbps (2.4 GHz)



Wi-Fi Dead Zone Killer

Cover up to 6,500 ft² / 600 m² (2-pack)



10 Gbps Wired Speed

1× 10 Gbps WAN/LAN Port +
2× Gigabit WAN/LAN Ports



High-Gain Antennas

16 High-Gain Antennas



Improved Capacity

Connects over 200 devices



Deco XE75 Pro

AXE5400 Whole Home Mesh
Wi-Fi 6E System



AXE5400 Tri-Band Wi-Fi

2402 Mbps (6 GHz) +
2402 Mbps (5 GHz) +
574 Mbps (2.4 GHz)



Wi-Fi Dead Zone Killer

Cover up to 7,200 ft² / 670 m² (3-pack)



2.5 Gbps Wired Speed

1× 2.5 Gbps WAN/LAN Port+
2× Gigabit WAN/LAN Ports



Improved Capacity

Connects up to 200 devices



Deco XE75

AXE5400 Whole Home Mesh
Wi-Fi 6E System



AXE5400 Tri-Band Wi-Fi

2402 Mbps (6 GHz) +
2402 Mbps (5 GHz) +
574 Mbps (2.4 GHz)



Wi-Fi Dead Zone Killer

Cover up to 7,200 ft² / 670 m² (3-pack)



High-Speed Internet Access

3× Gigabit WAN/LAN Ports



Improved Capacity

Connects up to 200 devices

- **Wi-Fi 6E** - Works on the 6 GHz Band with more bandwidth and higher efficiency.
- **AI-Driven Mesh** - Provides the ideal mesh Wi-Fi unique to your home and network environment by intelligently learning and improving itself from experience.
- **Higher Capacity** - OFDMA and MU-MIMO technologies enable simultaneous transmissions and improved capacity.
- **Ultra-Low Latency** - Greater reduction in latency enables more responsive gaming and video chatting.
- **Minimized Wi-Fi Interference** - BSS Color avoids unnecessary slowdowns and minimizes Wi-Fi interference from the neighborhood.
- **Seamless Roaming** - Deco units work together to form a unified network. Walk through your home and stay connected with the fastest possible speeds.
- **TP-Link HomeShield** - The premium security services keep your home network safe with cutting-edge features and IoT protection.
- **Total Security** - WPA3, the next-gen encryption method, creates extra protection for your network.

Superior Mesh WiFi, Everywhere

AX7800 Whole Home Mesh Wi-Fi 6 System

Deco X95



Deco X95

AX7800 Whole Home
Mesh Wi-Fi 6 System

AX7800 Tri-Band Wi-Fi

4804 Mbps (5 GHz-1) +
2402 Mbps (5 GHz-2) +
574 Mbps (2.4 GHz)

Wi-Fi Dead Zone Killer

Cover up to 6,100 ft² / 570 m² (2-pack)

AI-Driven Mesh

Ideal Mesh Wi-Fi Unique to Your Home

2.5 Gbps Wired Speed

1× 2.5 Gbps WAN/LAN Port+
2× Gigabit WAN/LAN Ports

Smart Antennas

2 Smart Antennas +
4 High-Gain Antennas

Enhanced Security

TP-Link HomeShield



Deco X80

AX6000 Whole Home
Mesh Wi-Fi 6 System

AX6000 Dual-Band Wi-Fi

4804 Mbps (5 GHz) +
1148 Mbps (2.4 GHz)

Wi-Fi Dead Zone Killer

Cover up to 7,200 ft² / 670 m² (3-pack)

2.5 Gbps Wired Speed

1× 2.5 Gbps WAN/LAN Port +
2× Gigabit WAN/LAN Ports

Enhanced Security

TP-Link HomeShield



Deco X75

AX5400 Whole Home
Mesh Wi-Fi 6 System

AX5400 Tri-Band Wi-Fi

2402 Mbps (5 GHz-1) +
2402 Mbps (5 GHz-2) +
574 Mbps (2.4 GHz)

Wi-Fi Dead Zone Killer

Cover up to 7,200 ft² / 670 m² (3-pack)

High-Speed Internet Access

3× Gigabit WAN/LAN Ports

Enhanced Security

TP-Link HomeShield

- **AI-Driven Mesh** - Provides the ideal mesh Wi-Fi unique to your home and network environment by intelligently learning and improving itself from experience.
- **Improved Capacity** - OFDMA and MU-MIMO technologies enable simultaneous transmissions to up to 200 devices.
- **Ultra-Low Latency** - Greater reduction in latency enables more responsive gaming and video chatting.
- **Minimized Wi-Fi Interference** - BSS Color avoids unnecessary slowdowns and minimizes Wi-Fi interference from the neighborhood.
- **Seamless Roaming** - Deco units work together to form a unified network. Walk through your home and stay connected with the fastest possible speeds.
- **Total Security** - WPA3, the next-gen encryption method, creates extra protection for your network.

Connect More, Cover Everything

AX3000 Whole Home Mesh Wi-Fi 6 System


Deco X50


Compatible with
amazon alexa

Wi-Fi 6



 **AX3000 Dual Band Wi-Fi**
2402 Mbps (5 GHz) +
574 Mbps (2.4 GHz)


 **4 Streams, Less Lag**
2×2/HE160 2402 Mbps +
2×2 574 Mbps

 **Boosted Seamless Coverage**
Covers up to 6,500 ft² /
600 m² (3-pack)




Deco X60

**AX5400 Whole Home
Mesh Wi-Fi 6 System (v3.2)**

 **AX5400 Dual-Band Wi-Fi**
4804 Mbps (5GHz) + 574 Mbps (2.4 GHz)

 **6 Streams, Higher Efficiency**
4×4 4804 Mbps + 2×2 574 Mbps

 **Wi-Fi Dead Zone Killer**
Cover up to 7,100 ft² / 660 m² (3-pack)


 **High-Speed Internet Access**
2× Gigabit Ports

 **Enhanced Security**
TP-Link HomeShield



Deco X50

**AX3000 Whole Home
Mesh Wi-Fi 6 System**

 **AX3000 Dual-Band Wi-Fi**
2402 Mbps (5 GHz) + 574 Mbps (2.4 GHz)

 **4 Streams, Less Lag**
2×2 2402 Mbps + 2×2 574 Mbps

 **Wi-Fi Dead Zone Killer**
Cover up to 6,500 ft² / 600 m² (3-pack)


 **High-Speed Internet Access**
3× Gigabit Ports

 **Enhanced Security**
TP-Link HomeShield



Deco X20

**AX1800 Whole Home
Mesh Wi-Fi 6 System**

 **AX1800 Dual-Band Wi-Fi**
1201 Mbps (5 GHz) + 574 Mbps (2.4 GHz)

 **4 Streams, Less Lag**
2×2 1201 Mbps + 2×2 574 Mbps

 **Wi-Fi Dead Zone Killer**
Cover up to 5,800 ft² / 540 m² (3-pack)

 **High-Speed Internet Access**
2× Gigabit Ports

 **Enhanced Security**
TP-Link HomeShield

- **AI-Driven Mesh** - Provides the ideal mesh Wi-Fi unique to your home and network environment by intelligently learning and improving itself from experience.
- **Improved Capacity** - OFDMA and MU-MIMO technologies enable simultaneous transmissions to over 150 devices.
- **Ultra-Low Latency** - Greater reduction in latency enables more responsive gaming and video chatting.
- **Minimized Wi-Fi Interference** - BSS Color avoids unnecessary slowdowns and minimizes Wi-Fi interference from the neighborhood.
- **Seamless Roaming** - Deco units work together to form a unified network. Walk through your home and stay connected with the fastest possible speeds.
- **Total Security** - WPA3, the next-gen encryption method, creates extra protection for your network.



Full-Scenario Mesh Wi-Fi, Everywhere

AX3000 Whole Home Mesh Wi-Fi 6 System with PoE


Deco X50-PoE



Flexible in Every Way

Deco X50-PoE lets you install, power, and access the internet exactly as you need. Place it on a tabletop or install it on a ceiling or wall with our adaptive accessories.

- Multiple Installation Options
- PoE/DC Power Supply
- Wired and Wireless Backhaul
- Supports Router/AP Mode



Multi-Scenario PoE Mesh Wi-Fi

Faster, Broader, More Devices


- Wi-Fi 6 Speed up to 3.0 Gbps
- Up to 2.5 Gbps Internet Access
- Connects over 150 Devices
- Covers up to 6,500 ft² / 600 m² (3-pack)

Compact Design, Easy for Installation



Put your Deco anywhere you want

Deco has flexible installation to meet various demand scenarios. Place it on a tabletop or install it on a ceiling or wall with our adaptive accessories.



Take Your Network Outdoors

AX3000 Outdoor/Indoor Mesh Wi-Fi 6 Unit

Deco X50-Outdoor



► Ideal for Fast Outdoor Wi-Fi

Deco X50-Outdoor features a weatherproof enclosure and solid operating temperature, enabling strong Wi-Fi signals outside. Flexible installation and power supply make it even easier for outdoor use.



IP65 Waterproof & Dustproof




Great Operating Temperature Range



Multiple Installation Options



Supports PoE/AC for Easy Power Supply



► Faster, Broader, More Devices



Wi-Fi 6 Speed
up to 3.0 Gbps



Works with All
Deco Models



Connects over
150 Devices



Covers up to 2,500 ft² /
230 m² (1 unit)

► IP65 Waterproof & Dustproof, Ideal for Outdoors



► Put your Deco Anywhere You Want

Deco has flexible installation to meet various demand scenarios. Place it on a tabletop or install it on a pole or wall with our adaptive accessories.



Wall Mount



Pole Mount




Tabletop



Deco Mesh Hybrid Gateway System


More Ways. Less Hassle.




1 Ethernet Cable



2 DSL Phone Cable



3 SIM Card



Versatile Connectivity:

Connect anyway you want with 5G LTE, DSL, or Ethernet broadband access.



5G Failover Backup:

Automatically switch to backup 5G when your access fails, ensuring a reliable connection at all times.

Note: 5G failover backup feature will be supported in subsequent software updates.

Compatible with All Deco Models:

Works with any Deco unit to form a unified whole home network. Extend your Wi-Fi coverage simply by adding more Decos.



5G/4G Whole Home Mesh Wi-Fi 7 Systems

Latest Technology
Ultimate Experience

BE11000 Whole Home Mesh Wi-Fi 7 System


Deco BE65-5G

Wi-Fi 7 5G 320 MHz 2.5G HomeShield



Revolutionary Speed

5G greatly boosts download speeds up to 5.0 Gbps (based on R15 Sub-6GHz) – 16.7× faster than 4G LTE-Advanced and 33× faster than 4G LTE. It brings fast, responsive network connections to tomorrow’s mobile devices, with only 1 ms latency.



Wi-Fi 7 Mesh: Faster, Broader, For More Devices



BE11000 Tri-Band Wi-Fi
Speeds up to 11 Gbps



Covers Every Corner of Your Home
Broader Whole Home Coverage



Up to 320 MHz Bandwidth on 6 GHz
Wider Bandwidth Brings the Ultimate Speed



Connects Numerous Devices
Connects over 200 Devices



Got a SIM Card?
Then Plug and Play

With an integrated 5G modem and built-in SIM card slot, all you have to do is to insert a nano SIM card and turn on the router.



Full 2.5 Gbps Wired
Performance

4× 2.5 Gbps WAN/LAN ports offer up to 2.5 Gbps wired connection to meet all of your internet demands.



Save Clients' Power

Target Wake Time helps mobile devices, especially IoT devices, consume less power during data transmission cycles to prolong battery life.

Cutting-Edge 5G, Ultra-Fast Experience

5G AX3000 Whole Home Mesh Wi-Fi 6 Router

Deco X50-5G



Deco X80-5G

5G Whole Home
Wi-Fi 6 Router



Unrivaled Speed with 5G

Increases Download
Speeds up to 5.0 Gbps,
33× Faster than 4G



Ultra-Low Latency

Fast Responsive
Connections with Only
1 ms Latency



AX6000 Dual-Band Wi-Fi

4804 Mbps (5 GHz) +
1148 Mbps (2.4 GHz)



VoLTE Telephony

Supports VoLTE
Telephony Features



Enhanced Security

TP-Link HomeShield



Deco X50-5G

5G Whole Home
Wi-Fi 6 Router



Unrivaled 5G

Faster Speed, Lower
Latency, Enhanced Capacity



Ultra-Low Latency

Fast Responsive
Connections with Only 1 ms
Latency



AX3000 Dual-Band Wi-Fi

2402 Mbps (5 GHz) +
574 Mbps (2.4 GHz)



SIM Card Plug and Play

No Configuration Needed,
Simply Plug and Play



Enhanced Security

TP-Link HomeShield



Deco X50-4G

4G+ Whole Home
Wi-Fi 6 Router



Internet Everywhere with 4G+ Speed

Provides Wi-Fi 6 Mesh
Coverage through 4G+
Cat 6 Access



AX3000 Dual-Band Wi-Fi

2402 Mbps (5 GHz) + 574
Mbps (2.4 GHz)



SIM Card Plug and Play

No Configuration Needed,
Simply Plug and Play



Enhanced Security

TP-Link HomeShield



Deco X20-4G

4G+ Whole Home
Wi-Fi 6 Router



Internet Everywhere with 4G+ Speed

Provides Wi-Fi 6 Mesh
Coverage through 4G+
Cat 6 Access



AX1800 Dual-Band Wi-Fi

1201 Mbps (5 GHz) + 574
Mbps (2.4 GHz)



SIM Card Plug and Play

No Configuration Needed,
Simply Plug and Play



Enhanced Security

TP-Link HomeShield

- **Seamless Roaming** - Deco units work together to form a unified network, ensuring you stay connected from anywhere.
- **Ultra-Low Latency** - Greater reduction in latency enables more responsive gaming and video chatting.
- **Minimized Wi-Fi Interference** - BSS Color technology avoids unnecessary slowdowns and minimizes Wi-Fi interference.
- **Improved Capacity** - OFDMA and MU-MIMO technologies enable simultaneous transmissions to over 150 devices.
- **Flexible Internet Access** - Multiple Gigabit WAN/LAN ports provide flexible access and lightning-fast wired performance.
- **Setup Made Easier than Ever** - The Deco app walks you through setup step by step.
- **Great Compatibility** - All Decos work together.

Connect with Ultra-Fast Wi-Fi

AX5400 VDSL Whole Home Wi-Fi 6 Modem Router

Deco X73-DSL



Deco X73-DSL

VDSL Whole Home Wi-Fi 6
Modem Router



Super VDSL Speed

Supports Profile 35b Tech to Deliver
Downstream up to 350 Mbps



AX5400 Dual-Band Wi-Fi

4804 Mbps (5 GHz) + 574 Mbps
(2.4 GHz)



VoIP Telephony

Supports VoIP



Deco X50-DSL

VDSL Whole Home Wi-Fi 6
Modem Router



Super VDSL Speed

Supports Profile 35b Tech to Deliver
Downstream up to 350 Mbps



AX3000 Dual-Band Wi-Fi

2402 Mbps (5 GHz) + 574 Mbps
(2.4 GHz)



Gigabit Ethernet Backup

4 x Gigabit WAN/LAN Ports Provide
Ethernet Access Backup



Deco X20-DSL

VDSL Whole Home Wi-Fi 6
Modem Router



Super VDSL Speed

Supports Profile 35b Tech to Deliver
Downstream up to 350 Mbps



AX1800 Dual-Band Wi-Fi

1201 Mbps (5 GHz) + 574 Mbps
(2.4 GHz)



Gigabit Ethernet Backup

4 x Gigabit WAN/LAN Ports Provide
Ethernet Access Backup

- **Seamless Roaming** - Deco units work together to form a unified network, ensuring you stay connected from anywhere.
- **TP-Link HomeShield** - Premium security services keep your home network safe with cutting-edge features and IoT protection.
- **Ultra-Low Latency** - Greater reduction in latency enables more responsive gaming and video chatting.
- **Minimized Wi-Fi Interference** - BSS Color technology avoids unnecessary slowdowns and minimizes Wi-Fi interference.
- **Improved Capacity** - OFDMA and MU-MIMO technologies enable simultaneous transmissions to over 150 devices.
- **Flexible Internet Access** - Multiple Gigabit WAN/LAN ports provide flexible access and lightning-fast wired performance.
- **Setup Made Easier than Ever** - The Deco app walks you through setup step by step.
- **Great Compatibility** - All Decos work together.

Whole Home Powerline Mesh Wi-Fi Systems

Fast. Stable. Everywhere.

AX3000 Whole Home Powerline
Mesh Wi-Fi 6 System

Deco PX50

Compatible with
amazon alexa



Deco PX50

AX3000 + G1500 Whole Home
Hybrid Mesh Wi-Fi System



AX3000 Dual-Band Wi-Fi + G.Hn Powerline Hybrid Bandwidth

2402 Mbps (5 GHz) + 574 Mbps (2.4 GHz) + 1500 Mbps (powerline)



Broad Wi-Fi Coverage

Cover up to 6,500 ft² / 600 m² (3-pack)



Full Gigabit Ports

3× Gigabit WAN/LAN Ports



Works through Walls

Reduces the impact of walls and other obstacles on signal



Enhanced Security

TP-Link HomeShield



Deco P9

AC1200 + AV1000 Whole Home
Hybrid Mesh Wi-Fi System



AC1200 Dual-band Wi-Fi + HomePlug Powerline Hybrid Bandwidth

867 Mbps (5 GHz) + 300 Mbps (2.4 GHz) + 1000 Mbps (powerline)



Broad Wi-Fi Coverage

Cover up to 6,000 ft² / 560 m² (3-pack)



Full Gigabit Ports

2× Gigabit WAN/LAN Ports



Works through Walls

Reduces the impact of walls and other obstacles on signal



Enhanced Security

Network Protection

- **Seamless Roaming** - Deco units work together to form a unified network. Walk through your home and stay connected with the fastest possible speeds.
- **MU-MIMO Technology** - Simultaneously transfers data to multiple devices for faster performance.
- **Boosted Speeds** - Powerline and wireless connections work together to transmit data between Deco units. The total network speed is greatly improved compared with using Wi-Fi only.
- **Quality of Service** - Prioritize devices for faster performance when needed.
- **Setup Made Easier than Ever** - The Deco app walks you through setup step by step.
- **Great Compatibility** - All Decos work together.

Superior Mesh Wi-Fi, Everywhere

AX3000 Smart Home Mesh Wi-Fi 6 System

Deco X55 Plus



Deco X55 Plus

AX3000 Smart Home Mesh Wi-Fi 6 System



AX3000 Dual-Band Wi-Fi

2402 Mbps (5 GHz) + 574 Mbps (2.4 GHz)



Wi-Fi Dead Zone Killer

Cover up to 6,500 ft² / 600 m² (3-pack)



Built-in Smart Hub

Connects and Controls All Your Smart Home Devices



Enhanced Security

TP-Link HomeShield



Deco Voice X50

AX3000 Mesh Wi-Fi 6 System with Built-in Smart Speaker



AX3000 Dual-Band Wi-Fi

2402 Mbps (5 GHz) + 574 Mbps (2.4 GHz)



Wi-Fi Dead Zone Killer

Cover up to 6,500 ft² / 600 m² (3-pack)



Alexa Built-In

Enjoy Whole Home Voice Control with Alexa



Enhanced Security

TP-Link HomeShield

- **Connect More Devices** - Deco handles traffic from even the busiest network, providing lag-free connections for over 150 devices.
- **Seamless Roaming** - Deco units work together to form a unified network, ensuring you stay connected from anywhere.
- **HomeShield** - Real-time IoT protection, antivirus, and premium parental controls. (Deco M9 Plus supports HomeCare™ only)
- **Setup Made Easier than Ever** - The Deco app walks you through setup step by step.
- **Great Compatibility** - All Decos work together.



Corner to Corner Wi-Fi 6, Corner to Corner Voice Control

AX3000 Mesh Wi-Fi 6 System with
Built-in Smart Speaker


Deco Voice X50

▶ Corner to Corner Wi-Fi 6

The Deco whole home mesh Wi-Fi 6 system is designed to deliver a huge boost in coverage, speed, and total capacity. Get the latest mesh Wi-Fi 6 to enjoy a future-proof network that loads faster and connects all of your devices.

▶ Alexa Built-In

With Amazon Alexa built-in, Deco Voice transforms your smart home. Manage your smart home devices, get today's weather, make changes to your schedule, and queue your favorite playlists. All you have to do is to ask Alexa.



▶ Corner to Corner Acoustic Experiences

A powerful acoustic solution delivers premium sound throughout your home. Stream audio through Amazon Music, Spotify, Pandora, TuneIn, and other platforms. Cast your favorite songs or podcasts anywhere in your home.



No Need to Shout

Hears you from across the room with its far-field voice receiver

Easy on the Ears

Delivers robust sound with clear, natural acoustics and deep, penetrating bass

*Amazon, Alexa, and all related logos are trademarks of Amazon.com, Inc., or its affiliates.

**The Spotify Software is subject to third-party licenses found here: www.spotify.com/connect/third-party-licenses.

Whole Home Mesh Wi-Fi 5 Systems



Deco M4

AC1200 Whole Home
Mesh Wi-Fi System

- AC1200 Dual-Band Wi-Fi**
867 Mbps (5GHz) + 300 Mbps (2.4 GHz)
- Whole Home Coverage**
Cover up to 5,500 ft² / 500 m² (3-pack)
- Full Gigabit Ports**
2× Gigabit Ports



Deco E4

AC1200 Whole Home
Mesh Wi-Fi System

- AC1200 Dual-Band Wi-Fi**
867 Mbps (5GHz) + 300 Mbps (2.4 GHz)
- Whole Home Coverage**
Cover up to 4,500 ft² / 420 m² (3-pack)
- Fast Ethernet Ports**
2× 10/100 Mbps Ethernet Ports



Deco M5

AC1300 Whole Home
Mesh Wi-Fi System

- AC1300 Dual-Band Wi-Fi**
867 Mbps (5GHz) + 400 Mbps (2.4 GHz)
- Broad Wi-Fi Coverage**
Cover up to 5,500 ft² / 500 m² (3-pack)
- Full Gigabit Ports**
2× Gigabit Ports
- Quick Setup**
Bluetooth 4.2 for Quick Setup
- Enhanced Security**
TP-Link HomeCare™










Deco S7

AC1900 Whole Home
Mesh Wi-Fi System

- AC1900 Dual-Band Wi-Fi**
1300 Mbps (5GHz) + 600 Mbps (2.4 GHz)
- Broad Wi-Fi Coverage**
Cover up to 5,600 ft² / 520 m² (3-pack)
- Full Gigabit Ports**
3× Gigabit Ports












- **Connect More Devices** - Deco handles traffic from even the busiest network, providing lag-free connections for up to 100 devices.
- **Seamless Roaming** - Deco units work together to form a unified network. Walk through your home and stay connected with the fastest possible speeds.
- **2-in-1 Router and Access Point Modes** - Choose the mode for your actual demands and experience the maximum wireless flexibility.
- **MU-MIMO Technology** - Simultaneously transfers data to multiple devices for faster performance.
- **Quality of Service** - Prioritize devices for faster performance when needed.
- **Robust Parental Controls** - Manage content and control when each device can access the internet.
- **Setup Made Easier than Ever** - The Deco app walks you through setup step by step.
- **Great Compatibility** - All Decos work together.

WHICH IS THE RIGHT TP-Link WHOLE HOME MESH WI-FI FOR YOU ?

	Wi-Fi 7				Wi-Fi 6E		
							
Model	Deco BE95	Deco BE85	Deco BE65	Deco BE65-5G	Deco XE200	Deco XE75 Pro	Deco XE75
Packs	3-pack/2-pack/1-pack	3-pack/2-pack/1-pack	3-pack/2-pack/1-pack	3-pack/2-pack/1-pack	2-pack/1-pack	3-pack/2-pack/1-pack	3-pack/2-pack/1-pack
Speed	BE33000	BE22000	BE11000	BE11000	AXE11000	AXE5400	AXE5400
Wi-Fi Coverage	over 9,000 ft² / 840 m² (3-pack)	over 9,000 ft² / 840 m² (3-pack)	7,800 ft² / 725 m² (3-pack)	7,800 ft² / 725 m² (3-pack)	6,500 ft² / 600 m² (2-pack) 3,300 ft² / 310 m² (1-pack)	7,200 ft² / 670 m² (3-pack) 5,500 ft² / 500 m² (2-pack)	7,200 ft² / 670 m² (3-pack) 5,500 ft² / 500 m² (2-pack)
Capacity	Connects over 200 Devices	Connects over 200 Devices	Connects over 200 Devices	Connects over 200 Devices	Connects over 200 Devices	Connects up to 200 Devices	Connects up to 200 Devices
Wi-Fi Bands	Quad-Band	Tri-Band	Tri-Band	Tri-Band	Tri-Band	Tri-Band	Tri-Band
Powerline							
Wi-Fi (2.4 GHz)	1148 Mbps	1376 Mbps	574 Mbps	574 Mbps	1148 Mbps	574 Mbps	574 Mbps
Wi-Fi (5 GHz)	8640 Mbps	8640 Mbps	4320 Mbps	4320 Mbps	4804 Mbps	2402 Mbps	2402 Mbps
Wi-Fi (6 GHz)	11520 Mbps+ 11520 Mbps	11520 Mbps	5760 Mbps	5760 Mbps	4804 Mbps	2402 Mbps	2402 Mbps
Broadband Access Standard				5G Release 15			
Smart Home Hub	Wi-Fi	Wi-Fi	Wi-Fi	Wi-Fi	Wi-Fi	Wi-Fi	Wi-Fi
Interface	1× SFP+ +2× 10 GE+ 2× 2.5 GE (WAN/LAN)	2× 10 GE+ 2× 2.5 GE (WAN/LAN)	4× 2.5 GE (WAN/LAN)	4× 2.5 GE (WAN/LAN)	1×10 GE+ 2× GE (WAN/LAN)	1× 2.5 GE + 2× GE (WAN/LAN)	3× GE (WAN/LAN)
USB Port	USB 3.0	USB 3.0	USB 3.0	USB 3.0			
160 MHz Channel	•	•	•	•	•	•	•
240 MHz Channel	Supported on 5 GHz band	Supported on 5 GHz band	Supported on 5 GHz band	Supported on 5 GHz band			
320 MHz Channel	Supported on 6 GHz band	Supported on 6 GHz band	Supported on 6 GHz band	Supported on 6 GHz band			
OFDMA	•	•	•	•	•	•	•
1024-QAM	•	•	•	•	•	•	•
4K QAM	•	•	•	•			
MU-MIMO	•	•	•	•	•	•	•
Beamforming	•	•	•	•	•	•	•
MLO	•	•	•	•			
Multi-RU puncturing	•	•	•	•			
Deco App	•	•	•	•	•	•	•
AP Mode	•	•	•	•	•	•	•
Parental Controls	•	•	•	•	•	•	•
Antivirus	•	•	•	•	•	•	•
QoS	•	•	•	•	•	•	•
Works with Amazon Alexa and Google Assistant	•	•	•	•	•	•	•
Works with Other Deco Models	•	•	•	•	•	•	•
Advanced Features	Works on the 6 GHz Band	Works on the 6 GHz Band	Works on the 6 GHz Band	Works on the 6 GHz Band	Works on the 6 GHz Band	Works on the 6 GHz Band	Works on the 6 GHz Band
IPTV	•	•	•	•	•	•	•
Security	Homeshield	Homeshield	Homeshield	Homeshield	Homeshield	Homeshield	Homeshield

Note: The Antivirus function is still being developed for Deco P9, Deco M4, Deco M3. The Google Assistant function is still being developed.













WHICH IS THE RIGHT TP-Link WHOLE HOME MESH WI-FI FOR YOU ?

	Wi-Fi 6										
											
Model	Deco X95	Deco X80	Deco X80-5G	Deco X75	Deco X73-DSL	Deco X60 (v3.2)	Deco X55 Plus	Deco X50	Deco Voice X50	Deco X50-5G	Deco X50-4G
Packs	2-pack/1-pack	3-pack/2-pack/1-pack	1-pack	3-pack/2-pack/1-pack	3-pack/2-pack/1-pack	3-pack/2-pack/1-pack	3-pack/2-pack/1-pack	3-pack/2-pack/1-pack	3-pack/2-pack/1-Pack	3-pack/2-pack/1-pack	3-pack/2-pack/1-pack
Speed	AX7800	AX6000	AX6000	AX5400	AX5400	AX5400	AX3000	AX3000	AX3000	AX3000	AX3000
Wi-Fi Coverage	6,100 ft² / 570 m² (2-pack) 3,100 ft² / 290 m² (1-pack)	7200 ft² / 670m² (3-pack) 5,500 ft² / 500 m² (2-pack)	2,900 ft² / 270 m² (1-pack)	7,200 ft² / 670 m² (3-pack) 5,500 ft² / 500 m² (2-pack)	7,200 ft² / 670 m² (3-pack) 5,500 ft² / 500 m² (2-pack)	7,100 ft² / 660 m² (3-pack) 5,300 ft² / 490m² (2-pack)	6,500 ft² / 600 m² (3-pack) 4,500 ft² / 420 m² (2-pack)	6,500 ft² / 600 m² (3-pack) 4,500 ft² / 420 m² (2-pack)	6,500 ft² / 600 m² (3-pack) 4,500 ft² / 420m² (2-pack)	6,500 ft² / 600 m² (3-pack) 4,500 ft² / 420 m² (2-pack)	6,500 ft² / 600 m² (3-pack) 4,500 ft² / 420 m² (2-pack)
Capacity	Connects up to 200 Devices	Connect up to 200 Devices	Connects up to 200 Devices	Connects up to 200 Devices	Connects up to 200 Devices	Connects over 150 Devices	Connects over 150 Devices	Connects over 150 Devices	Connects over 150 Devices	Connects over 150 Devices	Connects over 150 Devices
Wi-Fi Bands	Tri-Band	Dual-Band	Dual-Band	Tri-Band	Dual-Band	Dual-Band	Dual-Band	Dual-Band	Dual-Band	Dual-Band	Dual-Band
Powerline											
Wi-Fi (2.4 GHz)	574 Mbps	1148 Mbps	1148 Mbps	574 Mbps	574 Mbps	574 Mbps	574 Mbps	574 Mbps	574 Mbps	574 Mbps	574 Mbps
Wi-Fi (5 GHz)	4804 Mbps+ 2402 Mbps	4804 Mbps	4804 Mbps	2402 Mbps + 2402 Mbps	4804 Mbps	4804 Mbps	2402 Mbps	2402 Mbps	2402 Mbps	2402 Mbps	2402 Mbps
Broadband Access Standard			5G Release 15		VDSL 2 Profile35b					5G Release 16	4G+ Cat6
Smart Home Hub	Wi-Fi	Wi-Fi	Wi-Fi	Wi-Fi	Wi-Fi	Wi-Fi	Wi-Fi, ZigBee	Wi-Fi	Wi-Fi	Wi-Fi	Wi-Fi
Interface	1×2.5 GE+ 2× GE (WAN/ LAN)	1× 2.5 GE + 2× GE (WAN/ LAN)	1× Phone + 1×2.5 GE (WAN/ LAN) + 1× GE (WAN/ LAN) + 1× Nano SIM Card Slot+ 2 External Antenna Ports	3x GE (WAN/ LAN)	1x DSL +2x Phone+ 4x GE (WAN/ LAN)	2× GE (WAN/ LAN)	3x GE (WAN/ LAN)	3× GE (WAN/ LAN)	2x GE (WAN/ LAN)	1× 2.5 GE (WAN/ LAN) + 2× GE (WAN/LAN) + 1× Nano SIM Card Slot + 2× External Antenna Ports	1x Nano SIM Card Slot + 3x GE (WAN/ LAN)
USB Port					USB 3.0						
160 MHz Channel	•	•		•	•	•**	•	•	•	•	•
OFDMA	•	•	•	•	•	•	•	•	•	•	•
1024-QAM	•	•	•	•	•	•	•	•	•	•	•
MU-MIMO	•	•	•	•	•	•	•	•	•	•	•
Beamforming	•	•	•	•	•	•	•	•	•	•	•
Deco App	•	•	•	•	•	•	•	•	•	•	•
AP Mode	•	•	•	•	•	•	•	•	•	•	•
Parental Controls	•	•	•	•	•	•	•	•	•	•	•
Antivirus	•	•	•	•	•	•	•	•	•	•	•
QoS	•	•	•	•	•	•	•	•	•	•	•
Works with Amazon Alexa and Google Assistant	•	•	•	•	•	•	•	•	•	•	•
Works with Other Deco Models	•	•	•	•	•	•	•	•	•	•	•
Advanced Features			VoLTE		VoIP				Built-in Smart Speaker (Powered by Amazon Alexa)		
IPTV	•	•	•	•	•	•	•	•	•	•	•
Security	Homeshield	Homeshield	Homeshield	Homeshield	Homeshield	Homeshield	Homeshield	Homeshield	Homeshield	Homeshield	Homeshield

Note: The Antivirus function is still being developed for Deco P9, Deco M4, Deco M3. The Google Assistant function is still developing.

*Homeshield will be supported in subsequent software updates.

**Currently, only Deco X60 version 3.2 supports HE160. Check online for latest compatibility.

								Wi-Fi 5				
												
	Deco X50-DSL	Deco X50-PoE	Deco X50-Outdoor	Deco PX50	Deco X20	Deco X20-4G	Deco X20-DSL	Deco P9	Deco S7	Deco M5	Deco M4	Deco E4
	3-pack/2-pack/1-pack	3-pack/2-pack/1-pack	1-pack	3-pack/2-pack/1-pack	3-pack/2-pack/1-pack	3-pack/2-pack/1-pack	3-pack/2-pack/1-pack	3-pack/2-pack/1-pack	3-pack/2-pack/1-pack	3-pack/2-pack/1-pack	3-pack/2-pack/1-pack	3-pack/2-pack/1-pack
	AX3000	AX3000	AX3000	AX3000 + G1500	AX1800	AX1800	AX1800	AC1200 + AV1000	AC1900	AC1300	AC1200	AC1200
	6,500 ft² / 600 m² (3-pack) 4,500 ft² / 420 m² (2-pack)	6,500 ft² / 600 m² (3-pack)	2,500 ft² / 230m² (1-pack)	6,500 ft² / 600 m² (3-pack)	5,800 ft² / 540 m² (3-pack) 4,000 ft² / 370 m² (2-pack)	5,800 ft² / 540 m² (3-pack) 4,000 ft² / 370 m² (2-pack)	5,800 ft² / 540 m² (3-pack) 4,000 ft² / 370 m² (2-pack)	6,000 ft² / 560 m² (3-pack) 4,000 ft² / 370 m² (2-pack)	5,600 ft² / 520 m² (3-pack) 3,900 ft² / 360 m² (2-pack)	5,500 ft² / 500 m² (3-pack) 3,800 ft² / 350 m² (2-pack)	5,500 ft² / 500 m² (3-pack) 3,800 ft² / 350 m² (2-pack)	4,500 ft² / 420 m² (3-pack) 3,000 ft² / 280 m² (2-pack)
	Connects over 150 Devices	Connects over 150 Devices	Connects over 150 Devices	Connects over 150 Devices	Connects over 150 Devices	Connects over 150 Devices	Connects over 150 Devices	Connects up to 100 Devices	Connects over 100 Devices	Connects over 100 Devices	Connects up to 100 Devices	Connects up to 100 Devices
	Dual-Band	Dual-Band	Dual-Band	Dual-Band	Dual-Band	Dual-Band	Dual-Band	Dual-Band	Dual-Band	Dual-Band	Dual-Band	Dual-Band
				G1500				AV1000				
	574 Mbps	574 Mbps	574 Mbps	574 Mbps	574 Mbps	574 Mbps	574 Mbps	300 Mbps	600 Mbps	400 Mbps	300 Mbps	300 Mbps
	2402 Mbps	2402 Mbps	2402 Mbps	2402 Mbps	1201 Mbps	1201 Mbps	1201 Mbps	867 Mbps	1300 Mbps	867 Mbps	867 Mbps	867 Mbps
	VDSL 2 Profile 35b					4G+ Cat6	VDSL 2 Profile 35b					
	Wi-Fi	Wi-Fi	Wi-Fi	Wi-Fi	Wi-Fi	Wi-Fi	Wi-Fi	Wi-Fi	Wi-Fi	Wi-Fi	Wi-Fi	Wi-Fi
	1x DSL + 3x GE (WAN/LAN)	1x 2.5 GE + 1x GE (WAN/LAN)	2x GE (WAN/LAN)	3x GE (WAN/LAN)	2x GE (WAN/LAN)	1x Nano SIM Card Slot+ 3x GE (WAN/LAN)	1x DSL + 4x GE (WAN/LAN)	2x GE (WAN/LAN)	3x GE (WAN/LAN)	2x GE (WAN/LAN)	2x GE (WAN/LAN)	2x GE (WAN/LAN)
	•	•	•	•								
	•	•	•	•	•	•	•					
	•	•	•	•	•	•	•					
	•	•	•	•	•	•	•	•	•	•	•	•
	•	•	•	•	•	•	•	•	•	•	•	•
	•	•	•	•	•	•	•	•	•	•	•	•
	•	•	•	•	•	•	•	•	•	•	•	•
	•	•	•	•	•	•	•	•	•	•	•	•
	•	•	•	•	•	•	•	•	•	•	•	•
	•	•	•	•	•	•	•	Only by Devices	•	•	Only by Devices	Only by Devices
	•	•	•	•	•	Alexa only	Alexa only	•	•	•	•	•
	•	•	•	•	•	•	•	•	•	•	•	•
			IP65 dust and water resistance	G1500 Powerline Backhaul				AV1000 Powerline Backhaul				
	•	•	•	•	•	•	•	•	•	•	•	•
	Homeshield	Homeshield	Homeshield	Homeshield	Homeshield	Homeshield	Homeshield			HomeShield*		




Wi-Fi Routers

Based on self-developed Archer system 3.0, TP-Link offers a comprehensive range of Wi-Fi routers, engineered to meet all your networking needs. App-based setup and helpful features for the whole family give you complete control.

- The industry's most stringent stability testing standards, constantly improve stability.
- All products undergo rigorous performance testing.
- Explore the performance limits of contemporary Wi-Fi routers.
- The brand-new and more secure Homeshield 3.0.

For faster, stronger, and more reliable Wi-Fi, look no further than TP-Link.





EasyMesh

The Simplest Way to Create Whole Home Multi-Gigabit Mesh Wi-Fi 7

Experience strong, stable, and seamless wireless connections throughout your home with EasyMesh.* A whole home mesh standard works across different access points for ultimate flexibility.

More than Wi-Fi 7 routers and range extenders, the majority of TP-Link Wi-Fi 6 and Wi-Fi 5 routers and range extenders also support EasyMesh to easily set up Whole Home Mesh Wi-Fi.

► Unique Home Mesh Solution



► Seamless Wi-Fi Connections with One Network Name


Connects mobile devices to your routers or extenders that provide the best coverage. Devices compatible with EasyMesh also share a single Wi-Fi name so you stay connected in every room.



► Stability Meets Flexibility

Choose from a wide range of models to build your solid whole-home mesh network with EasyMesh-compatible TP-Link routers.

- ✓ Main Router + All EasyMesh-Compatible Routers / Range Extenders
- ✓ Main Router + All OneMesh™ Range Extenders



► One-Click Settings

Simply choose your main router and satellite devices, then press their WPS buttons.² Seamless Mesh Wi-Fi is as simple as that.



► Every Dollar Goes Farther

No need to scrap your entire system when upgrading your coverage. Just add EasyMesh-compatible access points as needed to your existing Wi-Fi network.




1. Routers and range extenders must support EasyMesh or OneMesh™. Firmware upgrades may be required.
2. Satellite routers should change to satellite mode.

The Face of the 10G+ Era

BE24000 Quad-Band Wi-Fi 7 Router

Archer BE900

Wi-Fi 7



LED Screen

Displays weather, graphics, and time.

Touchscreen

Displays the real-time 10G speeds and increases user interaction and interest



Multi-Gig Internet Connection

2× 10 Gbps WAN/LAN, 4× 2.5 Gbps LAN



EasyMesh-Compatible*

Flexibly Create a Mesh Network



Cutting-Edge Processing

2.2 GHz Quad-Core CPU

Up to 24 Gbps Quad-Band Wi-Fi and 10 Gbps Wired Connectivity

Top-Notch Design to Match Your Quality of Life

Quad-Band BE24000 Speeds for Multiple 8K

Stream multiple 8K videos with BE24000 Quad-band Wi-Fi speeds. Boosted by 4096-QAM and HE320, BE900 delivers astonishing wireless speeds with ultra-wide bandwidth enabling multiple online media playing instantly.

6GHz

11520 Mbps

5 GHz-1

5760 Mbps

5 GHz-2

5760 Mbps

2.4GHz

1376 Mbps

10G Multi-Gig Internet Connection

Don't waste your gigabit internet access. BE900 is equipped with a 10 Gbps WAN/LAN Port, a 10 Gbps SFP+/RJ45 Combo WAN/LAN Port, and four 2.5 Gbps LAN ports, ensuring maximum flexibility and boosted throughput. With SFP+, NAS can be provided with high-speed fiber data transmission.

2.5 Gbps WAN/LAN Ports

10 Gbps SFP+/RJ45 Combo WAN/LAN Port

10 Gbps WAN/LAN Port



Cutting-Edge Processing

Combining Quad-band Wi-Fi with a powerful Quad-Core CPU, Archer BE900 provides sixteen simultaneous data streams to open up more bandwidth and help your devices operate at full speed.



Wi-Fi 7: Faster Speeds, Lower Latency.

Wi-Fi 7 is the upcoming Wi-Fi standard. It utilizes the 2.4 GHz, 5 GHz, and 6 GHz frequency bands to deliver higher Wi-Fi speeds, lower latency, higher efficiency and stronger anti jamming.


More Throughput

Up to 24 Gbps Wi-Fi 7 speeds and new 320 MHz bandwidth mode for 6 GHz double throughput. 4K-QAM and MLO further increase throughput.




Less Latency

Multi-Link Operation (MLO) enables your network to simultaneously send and receive data over multiple radio bands to create a single aggregated connection, reducing latency and increasing anti jamming.



Higher Efficiency

Multi-RU increases data transfer efficiency by introducing a more flexible way for Resource Unit (RU) allocation. Preamble Puncturing, MLO, and flexible bandwidth combination further increase efficiency.



*The EasyMesh function is still being developed on some models and will be supported in subsequent software updates.

Enter the Full 10G Speed Era

BE22000 Tri-Band Wi-Fi 7 Router

Archer BE850

Wi-Fi 7  



Archer BE850

BE22000 Tri-Band
Wi-Fi 7 Router



BE22000 Tri-Band Wi-Fi 7

11520 Mbps (6 GHz) + 8640 Mbps
(5 GHz) + 1376 Mbps (2.4 GHz)



Cutting-Edge Processing

2.2 GHz Quad-Core CPU



10G Multi-Gig Ports

10 Gbps WAN/LAN, 10 Gbps SFP+/
RJ45 Combo WAN/LAN, 4× 2.5 Gbps LAN



Archer BE805

BE19000 Tri-Band
Wi-Fi 7 Router



BE19000 Tri-Band Wi-Fi 7

11520 Mbps (6 GHz) + 5760 Mbps
(5 GHz) + 1376 Mbps (2.4 GHz)



Cutting-Edge Processing

1.8 GHz Quad-Core CPU



10G Multi-Gig Ports

1× 10 Gbps WAN, 1× 10 Gbps LAN,
4× 1 Gbps LAN



Archer BE650

BE11000 Tri-Band
Wi-Fi 7 Router



BE11000 Tri-Band Wi-Fi 7

5760 Mbps (6 GHz) + 4320 Mbps
(5 GHz) + 574 Mbps (2.4 GHz)



Cutting-Edge Processing

Fast Transmission Speeds and
Smooth Operation



2.5G Multi-Gig Ports

1× 2.5 Gbps WAN, 4× 2.5 Gbps LAN


- **Wi-Fi 7** - Delivers higher Wi-Fi speeds, lower latency, higher efficiency, and stronger anti jamming.
- **6 GHz** - Works on the 6 GHz band with more bandwidth and higher efficiency.
- **320 MHz Bandwidth Channel** - Extending channel width to 320 MHz enables many more simultaneous transmissions, doubling Wi-Fi throughput.
- **4K-QAM** - Improves raw speeds by 20% compared to Wi-Fi 6's 1024-QAM.
- **Multi-Link Operation (MLO)** - Increases throughput, reduces latency, and improves reliability.
- **OFDMA** - Greatly increases the number of connected devices by assigning channels to more devices simultaneously.
- **MU-MIMO** - Simultaneously transfers data to multiple devices for faster performance.
- **Smart Connect** - Automatically assigns each device to the best available band to optimize network performance.
- **Beamforming** - Concentrates signals to connected devices and delivers highly efficient wireless connections.
- **HomeShield** - TP-Link's premium security services keep your home network safe with cutting-edge features for network and IoT protection.
- **Works with Alexa** - Control your router using voice commands with Amazon Alexa.
- **EasyMesh-Compatible** - Flexible create a whole home Mesh network.*
- **USB 3.0 Ports** - Lightning-fast media sharing, up to 10× faster transfer speeds than USB 2.0.

*The EasyMesh function is still being developed on some models and will be supported in subsequent software updates.

Beyond Fast

AXE16000 Quad-Band
Wi-Fi 6E Router

Archer AXE300



Wi-Fi 6E

Greenfield 6 GHz Band



Quad-Band

Maximized Capacity



Dual 10G Ports

Flexible Connectivity

Up to 16 Gbps Quad-Band Wi-Fi and 10 Gbps Wired Connectivity

Top-Notch Hardware Brings Premium Connectivity

6 GHz

4804 Mbps

5 GHz-1

4804 Mbps

5 GHz-2

4804 Mbps

2.4 GHz

1148 Mbps



Unrivaled Speed for Multiple 8K

Stream multiple 8K videos with AXE16000 quad-band Wi-Fi speed. Boosted by 1024-QAM and HE160, AXE300 delivers astonishing wireless speeds with ultra-wide bandwidth enabling multiple online media playing instantly.

Cutting-Edge Processing

Combining quad-band Wi-Fi with a powerful Quad-Core CPU, Archer AXE300 provides sixteen simultaneous data streams to open up more bandwidth and help your devices operate at full speed.

Multi-Gig Wired Performance

Equipped with two 10G ports—one RJ45 port and a RJ45/SFP+ combo port—Archer AXE300 provides flexible support for both fiber and copper connections. AXE300's additional 2.5G port, 4 Gigabit ports, and USB 3.0 port make it an ideal solution for future-proofing your home network.

Wi-Fi 6E: Higher Efficiency, Greater Capacity

Wi-Fi 6E means Wi-Fi 6 extended to the 6 GHz band, a newly-opened frequency that brings more bandwidth, faster speeds, and lower latency. Wi-Fi 6E utilizes the capabilities of 6 GHz to enable high-bandwidth applications that require faster data throughput such as high-definition video streaming and virtual reality, as well as lower latency connectivity for online gaming applications.



Warp Speeds for 8K Streaming



More spectrum,
lower latency



Online Gaming with No Lag



Wider channels,
more throughput



Ultra-Smooth VR/AR Experience




Congestion-free,
less interference

Motor Router

AXE11000 Wi-Fi 6E
Tri-Band Motor Router

Archer AXE200 Omni



▶ Hello, I'm Omni — Targeted, Automated, Innovative

Archer AXE200 Omni is armed with mechanically rotating antennas. These robotic antennas adapt to user direction or custom orientations on the app. Find the best coverage with two modes to enhance weak signals.



Motorized

Antennas. Targeted Signals.
Device | Area | Layout Types |
Whole Home

More than a
Trillion
Antenna Motion Patterns

35%
Increased Throughput
In Device Tracking Mode

10G WiFi. **10G** Multi-Gig Port
Enter the 10G Networking Era

Brand New
6 GHz Band
Opens New Possibilities

▶ Targeted WiFi Straight to Your Device


Motorized antennas adapt themselves to track your device's direction for targeted coverage and top performance.

Up to
35% Higher Throughput
compared with antennas resting vertically



▶ Game-Changing Speeds

Archer AXE200 Omni, armed with a tri-band structure, lets you assign more devices to the dedicated bands for faster and smoother WiFi connections. With WiFi speeds entering the 10G era, experience cutting-edge 8K streaming and latency-free VR gaming.



Faster. Broader. Unstoppable.

AXE7800 Tri-Band
Wi-Fi 6E Router

Archer AXE95



Archer AXE300

AXE16000 Quad-Band
Wi-Fi 6E Router



Archer AXE200 Omni

AXE11000 Tri-Band
Wi-Fi 6E Router



Archer AXE95

AXE7800 Tri-Band
Wi-Fi 6E Router



Archer AXE75

AXE5400 Tri-Band
Wi-Fi 6E Router



AXE16000 Quad-Band Wi-Fi

4804 Mbps (6GHz) +
4804 Mbps (5 GHz-2) +
4804 Mbps (5 GHz-1) +
1148 Mbps (2.4GHz)



10G Multi-Gig Ports

10 Gbps RJ45/SFP+ Combo
WAN/LAN Port + 10 Gbps
WAN/LAN Port + 2.5 Gbps
WAN/LAN Port + 4x 1 Gbps
LAN Ports



Cutting-Edge Processing

2.0 GHz Quad-Core CPU



AXE11000 Tri-Band Wi-Fi

4804 Mbps (6 GHz) +
4804 Mbps (5 GHz) +
1148 Mbps (2.4 GHz)



10G Multi-Gig Ports

10 Gbps WAN/LAN Port +
2.5 Gbps WAN/LAN Port +
4x 1 Gbps LAN Ports



Cutting-Edge Processing

2.0 GHz Quad-Core CPU



AXE7800 Tri-Band Wi-Fi

2402 Mbps (6 GHz) +
4804 Mbps (5 GHz) +
574 Mbps (2.4 GHz)



2.5G Multi-Gig Ports

2.5 Gbps WAN/LAN Port +
1 Gbps WAN/LAN Port +
3x 1 Gbps LAN Ports



High-Performance Processing

1.7 GHz Quad-Core CPU



AXE5400 Tri-Band Wi-Fi

2402 Mbps (6 GHz) +
2402 Mbps (5 GHz) +
574 Mbps (2.4 GHz)



Full Gigabit Ports

1 Gbps WAN Port +
4x 1 Gbps LAN Ports



High-Performance Processing

1.7 GHz Quad-Core CPU

- **Wi-Fi 6E** - Works on the 6 GHz band with more bandwidth and higher efficiency.
- **160 MHz Bandwidth Channel** - Extending channel width to 160 MHz enables many more simultaneous transmissions, doubling Wi-Fi throughput.
- **OFDMA** - Greatly increases the number of connected devices by assigning channels to more devices simultaneously.
- **MU-MIMO** - Simultaneously transfers data to multiple devices for faster performance.
- **Beamforming** - Concentrates signals to connected devices and delivers highly efficient wireless connections.
- **Smart Connect** - Automatically assigns each device to the best available band to optimize network performance.
- **HomeShield** - TP-Link's premium security services keep your home network safe with cutting-edge features for network and IoT protection.
- **Works with Alexa** - Control your router using voice commands with Amazon Alexa.
- **EasyMesh-Compatible** - Flexible create a whole home Mesh network.*
- **USB 3.0 Ports** - Lightning-fast media sharing, up to 10x faster transfer speeds than USB 2.0.

* The EasyMesh function is still being developed on some models and will be supported in subsequent software updates.

Wi-Fi 6 Routers

Faster. Broader. Unstoppable.

AX6000 8-Stream
Wi-Fi 6 Router

Archer AX80



6 Gbps Warp Speed
Ideal for 8K Streaming



Top-Notch Processing
2.0 GHz Quad-Core CPU



More Devices Simultaneously
OFDMA+MU-MIMO



Archer AX95

AX7800 Tri-Band
8-Stream Wi-Fi 6 Router



AX7800 Tri-Band Wi-Fi
4804 Mbps (5 GHz-1) +
2402 Mbps (5 GHz-2) +
574 Mbps (2.4 GHz)



2.5G Multi-Gig Ports
2.5 Gbps WAN/LAN Port +
1 Gbps WAN/LAN Port +
3× 1 Gbps LAN Ports



High-Performance Processing
1.7 GHz Quad-Core CPU



Archer AX6000

AX6000 Gigabit
Wi-Fi 6 Router



AX6000 Dual-Band Wi-Fi
4804 Mbps (5 GHz) +
1148 Mbps (2.4 GHz)



2.5G Multi-Gig Ports
2.5 Gbps WAN Port +
8× 1 Gbps LAN Ports



High-Performance Processing
1.8 GHz Quad-Core CPU



Archer AX80(EU)

AX6000 Gigabit
Wi-Fi 6 Router



AX6000 Dual-Band Wi-Fi
4804 Mbps (5 GHz) +
1148 (2.4 GHz)



2.5G Multi-Gig Ports
2.5 Gbps WAN/LAN Port +
1 Gbps WAN/LAN Port +
3× 1 Gbps LAN Ports



Archer AX80(US)

AX6000 8-Stream
Wi-Fi 6 Router



AX6000 Dual-Band Wi-Fi
4804 Mbps (5 GHz) +
1148 (2.4 GHz)



2.5G Multi-Gig Ports
2.5 Gbps WAN/LAN Port +
1 Gbps WAN/LAN Port +
3× 1 Gbps LAN Ports

- **160 MHz Bandwidth Channel** - Extending channel width to 160 MHz enables many more simultaneous transmissions, doubling Wi-Fi throughput.
- **OFDMA** - Greatly increases the number of connected devices by assigning channels to more devices simultaneously.
- **MU-MIMO** - Simultaneously transfers data to multiple devices for faster performance.
- **Beamforming** - Concentrates signals to connected devices and delivers highly efficient wireless connections.
- **Smart Connect** - Automatically assigns each device to the best available band to optimize network performance.
- **HomeShield** - TP-Link's premium security services keep your home network safe with cutting-edge features for network and IoT protection. (Archer AX6000 supports HomeCare™ only)
- **Works with Alexa** - Control your router using voice commands with Amazon Alexa.
- **EasyMesh-Compatible** - Flexible create a whole home Mesh network.*
- **USB 3.0 Ports** - Lightning-fast media sharing, up to 10× faster transfer speeds than USB 2.0.

* The EasyMesh function is still being developed on some models and will be supported in subsequent software updates.

Faster. Cooler. Safer


AX5400 Dual-Band Gigabit Wi-Fi 6 Router

Archer AX73

Wi-Fi 6

HomeShield


5.4 Gbps
Wi-Fi Speed


4x Greater
Capacity


Ultra-Low
Latency

 **AX5400 Dual-Band Wi-Fi**
4804 Mbps (5 GHz) + 574 Mbps (2.4 GHz)

 **EasyMesh-Compatible***
Flexibly Create a Mesh Network


 **Lightning-Fast Media Sharing**
USB 3.0 Port




2.5G

Archer AX72 Pro

AX5400 Wi-Fi 6 Router


 **AX5400
Dual-Band Wi-Fi**
4804 Mbps (5 GHz) +
574 Mbps (2.4 GHz)


 **2.5G Multi-Gig Ports**
2.5 Gbps WAN/LAN Port +
1 Gbps WAN/LAN Port +
3x 1 Gbps LAN Ports



Archer AX75

AX5400 Tri-Band
Wi-Fi 6 Router


 **AX5400
Tri-Band Wi-Fi**
2402 Mbps (5 GHz) +
2402 Mbps (5 GHz) +
574 Mbps (2.4 GHz)


 **Full Gigabit Ports**
1 Gbps WAN Port +
4x 1 Gbps LAN Ports



Archer AX73

AX5400 Gigabit
Wi-Fi 6 Router


 **AX5400
Dual-Band Wi-Fi**
2402 Mbps (5 GHz-1) +
2402 Mbps (5 GHz-2) +
574 Mbps (2.4 GHz)


 **Full Gigabit Ports**
1 Gbps WAN Port +
4x 1 Gbps LAN Ports



Archer AX72

AX5400 Gigabit
Wi-Fi 6 Router

 **AX5400
Dual-Band Wi-Fi**
4804 Mbps (5 GHz) +
574 Mbps (2.4 GHz)

 **Full Gigabit Ports**
1 Gbps WAN Port +
4x 1 Gbps LAN Ports

- **OFDMA** - Greatly increases the number of connected devices by assigning channels to more devices simultaneously.
- **MU-MIMO** - Simultaneously transfers data to multiple devices for faster performance.
- **160 MHz Bandwidth Channel** - Extending channel width to 160 MHz enables many more simultaneous transmissions, doubling Wi-Fi throughput.
- **Beamforming** - Concentrates signals to connected devices and delivers highly efficient wireless connections.
- **Smart Connect** - Automatically assigns each device to the best available band to optimize network performance.
- **HomeShield** - TP-Link's premium security services keep your home network safe with cutting-edge features for network and IoT protection.
- **Works with Alexa** - Control your router using voice commands with Amazon Alexa.
- **EasyMesh-Compatible** - Flexible create a whole home Mesh network.*
- **Gigabit Ports** - All Gigabit Ethernet ports deliver lightning-fast wired performance.
- **USB 3.0 Ports** - Lightning-fast media sharing, up to 10x faster transfer speeds than USB 2.0.

* The EasyMesh function is still being developed on some models and will be supported in subsequent software updates.

The Next Wave of Home Connectivity

AX3000 Gigabit Wi-Fi 6 Router

Archer AX53

Wi-Fi 6

HomeShield



AX3000 Dual-Band Wi-Fi 6 Router
2402 Mbps (5 GHz) + 574 Mbps (2.4 GHz)



EasyMesh-Compatible
Flexibly Create a Mesh Network



Enhanced Security
TP-Link HomeShield



Archer AX55 Pro

AX3000 Gigabit
Wi-Fi 6 Router



Archer AX55

AX3000 Gigabit
Wi-Fi 6 Router



Archer AX53

AX3000 Gigabit
Wi-Fi 6 Router



Archer AX50

AX3000 Gigabit
Wi-Fi 6 Router

AX3000 Dual-Band Wi-Fi
2402 Mbps (5 GHz) +
574 Mbps (2.4 GHz)



2.5G Multi-Gig Ports
2.5 Gbps WAN/LAN Port +
1 Gbps WAN/LAN Port +
3 × 1 Gbps LAN ports



Enhanced Security
TP-Link HomeShield



Lightning-Fast Media Sharing
USB 3.0 Port



EasyMesh-Compatible*
Flexibly Create a Mesh
Network

AX3000 Dual-Band Wi-Fi
2402 Mbps (5 GHz) +
574 Mbps (2.4 GHz)



Enhanced Security
TP-Link HomeShield



Lightning-Fast Media Sharing
USB 3.0 Port



EasyMesh-Compatible*
Flexibly Create a Mesh
Network

AX3000 Dual-Band Wi-Fi
2402Mbps (5GHz) +
574Mbps (2.4GHz)



Enhanced Security
TP-Link HomeShield



EasyMesh-Compatible*
Flexibly Create a Mesh
Network

AX3000 Dual-Band Wi-Fi
2402 Mbps (5 GHz) +
574 Mbps (2.4 GHz)



Lightning-Fast Media Sharing
USB 3.0 Port

- **OFDMA** - Greatly increases the number of connected devices by assigning channels to more devices simultaneously.
- **Gigabit Ports** - All Gigabit Ethernet ports deliver lightning-fast wired performance.
- **Beamforming** - Concentrates signals to connected devices and delivers highly efficient wireless connections.
- **Smart Connect** - Automatically assigns each device to the best available band to optimize network performance.
- **Works with Alexa** - Control your router using voice commands with Amazon Alexa.

* The EasyMesh function is still being developed on some models and will be supported in subsequent software updates.

Explore the New Era of Wi-Fi

AX1800 Dual-Band Wi-Fi 6 Router

Archer AX23

Wi-Fi 6



Dual-Band
Speed



1024-QAM



Beamforming



Archer AX23

AX1800 Dual-Band
Wi-Fi 6 Router



AX1800 Dual-Band Wi-Fi

1201 Mbps (5 GHz) +
574 Mbps (2.4 GHz)



Refined Security

WPA3 Encryption



Archer AX20

AX1800 Dual-Band
Wi-Fi 6 Router



AX1800 Dual-Band Wi-Fi

1201 Mbps (5 GHz) +
574 Mbps (2.4 GHz)



Easy Sharing

USB 2.0 Port



Refined Security

WPA3 Encryption



Archer AX13

AX1500 Gigabit
Wi-Fi 6 Router



AX1500 Dual-Band Wi-Fi

1201 Mbps (5 GHz) +
300 Mbps (2.4 GHz)



Archer AX10

AX1500
Wi-Fi 6 Router



AX1500 Dual-Band Wi-Fi

1201 Mbps (5 GHz) +
300 Mbps (2.4 GHz)

- **OFDMA** - Greatly increases the number of connected devices by assigning channels to more devices simultaneously.
- **Beamforming** - Concentrates signals to connected devices and delivers highly efficient wireless connections.
- **Smart Connect** - Automatically assigns each device to the best available band to optimize network performance.
- **Parental Controls** - Manage when and how connected devices can access the internet.
- **Works with Alexa** - Control your router using voice commands with Amazon Alexa.
- **EasyMesh-Compatible** - Flexible create a whole home Mesh network.*
- **Gigabit Ports** - All Gigabit Ethernet ports deliver lightning-fast wired performance.

* The EasyMesh function is still being developed on some models and will be supported in subsequent software updates.

Wi-Fi 5 Routers

High-Performance Wi-Fi for the Mainstream

AC1900 MU-MIMO Wi-Fi Router

Archer C80



Archer C86

AC1900 Dual-Band
MU-MIMO Wi-Fi Router



Archer C80

AC1900 Dual-Band
MU-MIMO Wi-Fi Router



Archer A8

AC1900 Dual-Band
MU-MIMO Wi-Fi Router

(••) AC1900 Dual-Band Wi-Fi
1300 Mbps (5 GHz) +
600 Mbps (2.4 GHz)

(••) AC1900 Dual-Band Wi-Fi
1300 Mbps (5 GHz) +
600 Mbps (2.4 GHz)

(••) AC1900 Dual-Band Wi-Fi
1300 Mbps (5 GHz) +
600 Mbps (2.4 GHz)



Great Coverage

6× High-Performance Antennas with
Beamforming

- **Parental Controls** - Manage when and how connected devices can access the internet.
- **3×3 MU-MIMO** - Simultaneously transfers data to multiple devices for faster performance.
- **Guest Network** - Keep your main network secure by creating a separate network for visitors.
- **Access Point Mode** - Transforms a wired network into a wireless one.
- **IPTV** - Supports IGMP Proxy/Snooping, Bridge, and Tag VLAN to optimize IPTV streaming.
- **WPA3** - Refined security for your network with the latest WiFi security protocol.
- **EasyMesh-Compatible** - Flexible create a whole home Mesh network.*
- **Gigabit Ports** - All Gigabit Ethernet ports deliver lightning-fast wired performance.
- **TP-Link Tether App** - Provides simplified control and management from your iOS or Android smartphone.

* The EasyMesh function is still being developed on some models and will be supported in subsequent software updates.

High-Performance Wi-Fi for Gigabit Networking

AC1200 MU-MIMO Wi-Fi Router

Archer C64



Dual-Band
Speed



MU-MIMO



Far-Reaching
Coverage



Archer C6U

AC1200 MU-MIMO
Wi-Fi Router



Archer A6/C6

AC1200 MU-MIMO
Wi-Fi Router



Archer A64/C64

AC1200 MU-MIMO
Wi-Fi Router



AC1200 Dual-Band Wi-Fi

867 Mbps (5 GHz) +
300 Mbps (2.4 GHz)



Easy Sharing

USB 2.0 Port



AC1200 Dual-Band Wi-Fi

867 Mbps (5 GHz) +
400 Mbps (2.4 GHz)



AC1200 Dual-Band Wi-Fi

867 Mbps (5 GHz) +
400 Mbps (2.4 GHz)

- **Parental Controls** - Manage when and how connected devices can access the internet.
- **Guest Network** - Keep your main network secure by creating a separate network for visitors.
- **Access Point Mode** - Transforms a wired network into a wireless one.
- **IPTV** - Supports IGMP Proxy/Snooping, Bridge, and Tag VLAN to optimize IPTV streaming.
- **WPA3** - Refined security for your network with the latest WiFi security protocol.
- **EasyMesh-Compatible** - Flexible create a whole home Mesh network.*
- **Gigabit Ports** - All Gigabit Ethernet ports deliver lightning-fast wired performance.
- **TP-Link Tether App** - Provides simplified control and management from your iOS or Android smartphone.

* The EasyMesh function is still being developed on some models and will be supported in subsequent software updates.

AC750 Dual-Band Wi-Fi Router

Archer C24



Dual-Band Speed



Superior Coverage



Multi-Mode



IPTV and 4K TV Supported



Archer C50 / A5

AC1200 Dual-Band Wi-Fi Router



AC1200 Dual-Band Wi-Fi

867 Mbps (5 GHz) + 300 Mbps (2.4 GHz)



Refined Security

WPA3 Encryption



3 Modes in 1

Router, Access Point, Range Extender



Archer C54

AC1200 Dual-Band Wi-Fi Router



AC1200 Dual-Band Wi-Fi

867 Mbps (5 GHz) + 300 Mbps (2.4 GHz)



Refined Security

WPA3 Encryption



3 Modes in 1

Router, Access Point, Range Extender



Archer C20

AC750 Dual-Band Wi-Fi Router



AC750 Dual-Band Wi-Fi

433 Mbps (5 GHz) + 300 Mbps (2.4 GHz)



3 Modes in 1

Router, Access Point, Range Extender



Archer C24

AC750 Dual-Band Wi-Fi Router



AC750 Dual-Band Wi-Fi

433 Mbps (5 GHz) + 300 Mbps (2.4 GHz)



3 Modes in 1

Router, Access Point, Range Extender

- **Parental Controls** - Manage when and how connected devices can access the internet by blocking inappropriate content and restricting time spent online.
- **Guest Network** - Provides separate access for guests while securing your home network.
- **IPTV** - Supports IGMP Proxy/Snooping, Bridge, and Tag VLAN to optimize IPTV streaming.
- **TP-Link Tether App** - Provides simplified control and management from your iOS or Android smartphone.

Wi-Fi 4 Routers



TL-WR940N

450 Mbps Wi-Fi Router



N450 Wi-Fi

Faster 11N Wi-Fi for Reliable Connections



Faster 11N Wi-Fi

3T3R Structure



3 Modes in 1

Router, Access Point, Range Extender



TL-WR845N

300 Mbps Wi-Fi Router



N300 Wi-Fi

300 Mbps Wi-Fi and 4× 10/100 Mbps LAN Ports Meet Your Daily Internet Needs



4 Modes in 1

Router, Access Point, Range Extender, WISP



TL-WR841N

300 Mbps Wi-Fi Router



N300 Wi-Fi

300 Mbps Wi-Fi and 4× 10/100 Mbps LAN Ports Meet Your Daily Internet Needs



4 Modes in 1

Router, Access Point, Range Extender, WISP



TL-WR840N

300 Mbps Wi-Fi Router



N300 Wi-Fi

300 Mbps Wi-Fi and 4× 10/100 Mbps LAN Ports Meet Your Daily Internet Needs



4 Modes in 1

Router, Access Point, Range Extender, WISP



TL-WR844N

300 Mbps Wi-Fi Router



N300 Wi-Fi

300 Mbps Wi-Fi and 4× 10/100 Mbps LAN Ports Meet Your Daily Internet Needs



4 Modes in 1

Router, Access Point, Range Extender, WISP



Refined Security

WPA3 Encryption



TL-WR820N

300 Mbps Wi-Fi Router



N300 Wi-Fi

300 Mbps Wi-Fi and 2× 10/100 Mbps LAN Ports Meet Your Daily Needs



4 Modes in 1

Router, Access Point, Range Extender, WISP



Refined Security

WPA3 Encryption

- **Parental Controls** - Manage when and how connected devices can access the internet by blocking inappropriate content and restricting time spent online.
- **Guest Network** - Provides separate access for guests while securing your home network.
- **IPTV** - Supports IGMP Proxy/Snooping, Bridge, and Tag VLAN to optimize IPTV streaming.
- **TP-Link Tether App** - Provides simplified control and management from your iOS or Android smartphone.

Portable Routers



TL-WR902AC

AC750 Wi-Fi Travel Router



AC750 Wi-Fi

Strong, Fast Connections for HD Streaming on All Your Devices



USB Port

Multifunctional USB Port for File Sharing and Charging



One Switch for Multiple Modes

Perfect for Wi-Fi at Home, Your Hotel Room, or on the Road



TL-WR802N

300 Mbps Wireless N Nano Router



N300 Wi-Fi

Ideal for Video Streaming and Online Calling



Power It with a Power Bank

Flexibly Turn It into a Mobile Router with a Power Bank



Nano Design

Slim and Small, Easy to Carry Anywhere

- **Multi-Mode** - Supports Wireless Router, Client, Range Extender, Access Point, and Hotspot modes.



Access Points

TP-Link Access Points help your existing wired network turn into a wireless network, allowing you to connect all of your favorite wireless devices.

Ideal for Small Businesses

AX3000 Gigabit Wi-Fi 6 Access Point

Wi-Fi 6 | Dual-Band | Gigabit Port

TL-WA3001



TL-WA3001

AX3000 Gigabit Wi-Fi 6 Access Point

AX3000 Dual-Band Wi-Fi
2402 Mbps (5 GHz) and 574 Mbps (2.4 GHz)

160 MHz Channel Bandwidth
Expands Bandwidth to Double the Network Speed of Traditional 80 MHz

Refined Security
WPA3 Encryption

High-Speed Internet Access
Gigabit Ethernet Port

Upgraded Marketing
Captive Portal Supported



TL-WA1201

AC1200 Wireless Access Point

AC1200 Dual-Band Wi-Fi
867 Mbps (5 GHz) and 300 Mbps (2.4 GHz)

Great Coverage
4× High-Performance Antennas with Beamforming

Refined Security
WPA3 Encryption

High-Speed Internet Access
Gigabit Ethernet Port

Upgraded Marketing
Captive Portal Supported



TL-WA801N

300 Mbps Wireless N Access Point

N300 Wi-Fi Speed
300 Mbps Wi-Fi for Daily Needs





Great Coverage
2× High-Performance Antennas

Fast Internet Access
Fast Ethernet Port

Simplified Security
One-Step Wireless WPS Encryption

- **Passive PoE** - Use an Ethernet cable to simultaneously send data and electricity to wherever your AP may be located, even up to 100 feet away.
- **Multi-Mode** - Supports Range Extender, Access Point, Multi-SSID, and Client modes.

WHICH IS THE RIGHT TP-LINK WI-FI 7 (BE) WIRELESS ROUTER FOR YOU?

	Quad-Band	Tri-Band		
				
Model	BE900	BE850	BE805	BE650
Wi-Fi Class	BE24000	BE22000	BE19000	BE11000
6 GHz Wi-Fi (Mbps)	11520	11520	11520	5760
5 GHz Wi-Fi (Mbps)	5760 + 5760	8640	5760	4320
2.4 GHz Wi-Fi (Mbps)	1376	1376	1376	574
CPU	2.2 GHz Quad-Core CPU	2.2 GHz Quad-Core CPU	1.8 GHz Quad-Core CPU	1.5 GHz Quad-Core CPU
Ethernet Ports	1× 10 Gbps WAN/LAN Port, 1× 10 Gbps SFP+/RJ45 Combo WAN/LAN Port, 4× 2.5 Gbps LAN Ports, 1x1G LAN Port	1× 10 Gbps WAN/LAN Port, 1× 10 Gbps SFP+/RJ45 Combo WAN/LAN Port, 4× 2.5 Gbps LAN Ports	2× 10 Gbps WAN Ports, 4× 1 Gbps LAN Ports	1× 2.5 Gbps WAN Port, 4× 2.5 Gbps LAN Ports
USB Ports ¹	1× USB 3.0, 1× USB 2.0	1× USB 3.0	2× USB 3.0	1× USB 3.0
EasyMesh-compatible ²	•	•	•	•
WPA3	•	•	•	•
Beamforming	•	•	•	•
Smart Connect	•	•	•	•
Homeshield	•	•	•	•
Parental Controls	•	•	•	•
QoS	•	•	•	•
AP Mode	•	•	•	•
Tether App	•	•	•	•
Works with Alexa	•	•	•	•
Works With Google Assistant	•	•	•	•
VPN Server	•	•	•	•
VPN Client	•	•	•	•
IoT Network	•	•	•	•

1. For Storage Sharing, Media Server, and FTP Server.

2. The EasyMesh function is still being developed on some models and will be supported in subsequent software updates.










WHICH IS THE RIGHT TP-LINK WI-FI 6E (AX) WIRELESS ROUTER FOR YOU ?

	Quad-Band	Tri-Band		
				
Model	AXE300	AXE200 Omni	AXE95	AXE75
Version	1.0	1.0	1.0	1.0
Wi-Fi Class	AXE16000	AXE11000	AXE7800	AXE5400
Wi-Fi (2.4 GHz)	1148 Mbps	1148 Mbps	574 Mbps	574 Mbps
Wi-Fi (5 GHz)	4804 Mbps +4804 Mbps	4084 Mbps	4084 Mbps	2402 Mbps
Wi-Fi (6 GHz)	4804 Mbps	4804 Mbps	2402 Mbps	2402 Mbps
CPU	2.0 GHz Quad-Core CPU	2.0 GHz Quad-Core CPU	1.7 GHz Quad-Core CPU	1.7 GHz Quad-Core CPU
Antenna	8× Dual-Band Antennas	4× Tri-Band Antennas	8×	6×
Ethernet Ports	1× 10 Gbps WAN/LAN Port + 1× 10 Gbps SFP+/RJ45 Combo LAN Port + 1× 2.5 Gbps WAN/LAN Port + 4× 1 Gbps LAN ports	1× 10 Gbps WAN/LAN Port + 1× 2.5 Gbps WAN/LAN Port + 4× 1 Gbps LAN ports	1× 2.5 Gbps WAN/LAN Port + 1× 1 Gbps WAN/LAN Port + 3× 1 Gbps LAN ports	1× 1 Gbps WAN/LAN Port + 4× 1 Gbps LAN ports
USB Port ¹	USB 3.0	USB 3.0	USB 3.0 + USB2.0	USB 3.0
MU-MIMO	4×4	4×4	4×4	
OneMesh™	•	•	•	•
EasyMesh-compatible ²	•	•	•	•
WPA3	•	•	•	•
Beamforming	•	•	•	•
Smart Connect	•	•	•	•
Antivirus	Subscription	Subscription	Subscription	Subscription
Parental Controls	•	•	•	•
QoS	•	•	•	•
AP Mode	•	•	•	•
Tether App	•	•	•	•
Other	Alexa	Alexa	Alexa	Alexa
VPN Server	•	•	•	•
VPN Client	•	•	•	•

1. For Storage Sharing, Media Server, and FTP Server.










2. The EasyMesh function is still being developed on some models and will be supported in subsequent software updates.

WHICH IS THE RIGHT TP-LINK WI-FI 6 (AX) WIRELESS ROUTER FOR YOU ?








	Tri-Band				Dual-Band					
										
Model	AX11000	GX90	AX95	AX75	AX80(US)	AX80(EU)	AX6000	AX72 Pro	AX73	
Version	1.0 / 2.0	1.0	1.0	1.0	1.0	1.0	1.0 / 2.0	1.0	1.0 / 2.0	
Wi-Fi Class	AX11000	AX6600	AX7800	AX5400	AX6000	AX6000	AX6000	AX5400	AX5400	
Wi-Fi (2.4 GHz)	1148 Mbps	574 Mbps	574 Mbps	574 Mbps	1148 Mbps	1148 Mbps	1148 Mbps	574 Mbps	574 Mbps	
Wi-Fi (5 GHz)	4804 Mbps + 4804 Mbps	1201 Mbps + 4804 Mbps	4804 Mbps + 2402 Mbps	2402 Mbps + 2402 Mbps	4804 Mbps	4804 Mbps	4804 Mbps	4804 Mbps	4804 Mbps	
CPU	1.8 GHz Quad-Core CPU	1.5 GHz Quad-Core CPU	1.7 GHz Quad-Core CPU	1.7 GHz Quad-Core CPU	High-Performance CPU	High-Performance CPU	1.8 GHz Quad-Core CPU	1.0 GHz Dual-Core CPU	High-Performan- ce CPU	
Antenna	8×	8×	8×	6×	8×	4× Dual-Band Antennas	8×	6×	6×	
Ethernet Ports	1× 2.5 GE WAN + 8× GE LAN	1× 2.5 GE WAN/ LAN + 1× GE WAN/ LAN + 3× GE LAN	1× 2.5 Gbps WAN/LAN Port + 1× 1 Gbps WAN/ LAN Port + 3× 1 Gbps LAN ports	1× GE WAN + 4× GE LAN	1× 2.5 Gbps WAN/ LAN Port + 1× 1 Gbps WAN/ LAN Port + 3× 1 Gbps LAN ports	1× 2.5 Gbps WAN/ LAN Port + 1× 1 Gbps WAN/ LAN Port + 3× 1 Gbps LAN ports	1× 2.5 GE WAN + 8× GE LAN	1× 2.5 Gbps WAN/LAN Port + 1× 1 Gbps WAN/ LAN Port + 3× 1 Gbps LAN ports	1× GE WAN + 4× GE LAN	
USB Port¹	USB-C 3.0 + USB-A 3.0	USB 3.0 + USB 2.0	USB 3.0	USB 3.0	USB 3.0	USB 3.0	USB-C 3.0 + USB-A 3.0	USB 3.0	USB 3.0	
MU-MIMO	4×4	4×4	4×4		4×4	4×4	4×4	4×4	4×4	
OneMesh™	•	•	•	•	•	•	•	•	•	
EasyMesh- compatible²	•	•	•	•	•	•	•	•	•	
WPA3	•	•	•	•	•	•	•	•	•	
Beamforming	•	•	•	•	•	•	•	•	•	
Smart Connect	•	•	•	•	•	•	•	•	•	
Antivirus	•	•	Subscription	Subscription	Subscription	Subscription	•	Subscription	Subscription	
Parental Controls	•	•	•	•	•	•	•	•	•	
QoS	•	•	•	•	•	•	•	•	•	
AP Mode	•	•	•	•	•	•	•	•	•	
Tether App	•	•	•	•	•	•	•	•	•	
Others	Bluetooth 4.1 Alexa	Alexa	Alexa	Alexa	Alexa	Alexa	Bluetooth 4.1 Alexa	Alexa	Alexa	
VPN Server	•	•	•	•	•	•	•	•	•	
VPN Client	•	•	•	•	•	•	•	•	•	

1. For Storage Sharing, Media Server, and FTP Server.

2. The EasyMesh function is still being developed on some models and will be supported in subsequent software updates.

Dual-Band									
									
	AX72	AX55 Pro	AX55	AX53	AX50	AX23	AX20	AX13	AX10/AX1500
	1.0	1.0	1.0 / 2.0	1.0	1.0	1.0 / 1.20	2.0 / 3.0	1.0	1.0 / 2.0
	AX5400	AX3000	AX3000	AX3000	AX3000	AX1800	AX1800	AX1500	AX1500
	574 Mbps	574 Mbps	574 Mbps	574Mbps	574 Mbps	574 Mbps	574 Mbps	300 Mbps	300 Mbps
	4804 Mbps	2402 Mbps	2402 Mbps	2402Mbps	2402 Mbps	1201 Mbps	1201 Mbps	1201 Mbps	1201 Mbps
	High-Performance CPU	High-Performance CPU	High-Performance CPU	High-Performance CPU	High-Performance CPU	High-Performance CPU	High-Performance CPU	High-Performance CPU	High-Performance CPU
	6×	4×	4×	4×	4×	4×	4×	4×	4×
	1× GE WAN + 4× GE LAN	1× 2.5 Gbps WAN/ LAN Port + 1× 1 Gbps WAN/LAN Port + 3× 1 Gbps LAN ports	1× GE WAN + 4× GE LAN	1× GE WAN + 4× GE LAN	1× GE WAN + 4× GE LAN	1× GE WAN + 4× GE LAN	1× GE WAN + 4× GE LAN	1× GE WAN + 3× GE LAN	1× GE WAN + 4× GE LAN
	USB 3.0	USB 3.0	USB 3.0		USB 3.0		USB 2.0		
	4×4								
	•	•	•	•		•	•	•	•
	•	•	•	•		•	•	•	•
	•	•	•	•		•	•		
	•	•	•	•	•	•	•	•	•
	•	•	•	•	•	•	•	•	•
	Subscription	Subscription	Subscription	Subscription	•				
	•	•	•	•	•	•	•	•	•
	•	•	•	•	•	•	•	•	•
	•	•	•	•	•	•	•	•	•
	•	•	•	•	•	•	•	•	•
	Alexa	Alexa	Alexa		Alexa	Alexa	Alexa	Alexa	Alexa
	•	•	•	•	•	•	•	•	•
	•	•	•	•			•		

WHICH IS THE RIGHT TP-LINK WIRELESS ROUTER FOR YOU ?

	Dual-Band							
								
Model	C86	C80	A8	C6U	A6/C6	C64/A64	C50/A5	
Version	1.0	2.20	2.20	1.0	4.0	1.0	6.0	
Wi-Fi Class	AC1900	AC1900	AC1900	AC1200	AC1200	AC1200	AC1200	
Wi-Fi (2.4 GHz)	600 Mbps	600 Mbps	600 Mbps	300 Mbps	400 Mbps	400 Mbps	300 Mbps	
Wi-Fi (5 GHz)	1300 Mbps	1300 Mbps	1300 Mbps	867 Mbps	867 Mbps	867 Mbps	867 Mbps	
Ethernet Ports	1× GE WAN + 4× GE LAN	1× GE WAN + 4× GE LAN	1× GE WAN + 4× GE LAN	1× GE WAN + 4× GE LAN	1× GE WAN + 4× GE LAN	1× GE WAN + 4× GE LAN	1× FE WAN + 4× FE LAN	
USB Port ¹				1× USB 2.0				
Antenna	6×	4×	3×	4×	4×	4×	4×	
MU-MIMO	3×3	3×3	3×3	2×2	2×2	2×2	2×2	
Beamforming	•	•	•	•	•	•	•	
Antivirus								
OneMesh™	•	•	•	•	•	•		
EasyMesh-compatible ²	•	•	•	•	•	•		
WPA3	•	•	•	•	•	•	•	
Tether App	•	•	•	•	•	•	•	
Parental Controls	•	•	•	•	•	•	•	
QoS	•	•	•	•	•	•	•	
AP Mode	•	•	•	•	•	•	•	
IPTV	•	•	•	•	•	•	•	
IPv6	•	•	•	•	•	•	•	
Other				Alexa			Multi-Mode	
Agile Config	•	•	•		•	•		
TR-069	•	•	•		•	•		

1. For Storage Sharing, Media Server, and FTP Server.

2. The EasyMesh function is still being developed on some models and will be supported in subsequent software updates.

				Single-Band					
									
	C54/A54	C20	C24	TL-WR940N	TL-WR845N	TL-WR841N	TL-WR840N	TL-WR844N	TL-WR820N
	1.0	5.0	1.0	6.0	4.0	14.0	6.20	1.0	2.0
	AC1200	AC750	AC750	N450	N300	N300	N300	N300	N300
	300 Mbps	300 Mbps	300 Mbps	450 Mbps	300 Mbps	300 Mbps	300 Mbps	300 Mbps	300 Mbps
	867 Mbps	433 Mbps	433 Mbps						
	1× FE WAN + 4× FE LAN	1× FE WAN + 4× FE LAN	1× FE WAN + 4× FE LAN	1× FE WAN + 4× FE LAN	1× FE WAN + 4× FE LAN	1× FE WAN + 4× FE LAN	1× FE WAN + 4× FE LAN	1× FE WAN + 4× FE LAN	1× FE WAN + 2× FE LAN
	4×	3×	4×	3×	3×	2×	2×	2×	2×
	2×2								
	•								
	•							•	•
	•	•	•	•	•	•	•	•	•
	•	•	•	•	•	•	•	•	•
	•	•	•	•	•	•	•	•	•
	•	•	•	•	•	•	•	•	•
	•	•	•	•	•	•	•	•	•
	•	•	•	•	•	•	•	•	•
	Multi-Mode	Multi-Mode	Multi-Mode	Multi-Mode	Multi-Mode	Multi-Mode	Multi-Mode	Multi-Mode	Multi-Mode
	•	•	•					•	•
		•							

TP-Link Gaming Series

DOMINATE THE COMPETITION


Based on self-developed Archer gaming system 3.0, TP-Link offers a series Wi-Fi gaming routers designed for gaming enthusiasts.


- Quad acceleration for games.
- Easy-to-use game panel to see the game statistics.
- Dedicated Wi-Fi game band.
- The industry's most stringent stability testing standards, constantly improve stability.





Archer GE800

BE19000 Tri-Band Wi-Fi 7 Gaming Router

 **19 Gbps Tri-Band Wi-Fi 7**
The latest 19 Gbps Tri-Band Wi-Fi 7 helps you game at your fastest

 **Cutting-Edge Power for Domination**
2.2 GHz Quad-Core CPU + 1 GB RAM


 **10G Multi-Gig Ports**
1× 10 Gbps WAN/LAN + 1× 10 Gbps SFP+/RJ45 Combo WAN/LAN + 2× 2.5 Gbps LAN + 4× 1 Gbps LAN


 **Easy Sharing**
1× USB-A 3.0 Port + 1× USB-A 2.0 Port





Archer GE650

BE11000 Tri-Band Wi-Fi 7 Gaming Router

 **11 Gbps Tri-Band Wi-Fi 7**
The latest 11 Gbps Tri-Band Wi-Fi 7 helps you game at your fastest

 **Cutting-Edge Processing**
Fast Transmission Speeds and Smooth Operation


 **2.5G Multi-Gig Ports**
1× 2.5 Gbps WAN Port + 4× 2.5 Gbps LAN Ports


 **Easy Sharing**
1× USB 3.0 Port



Archer AX11000

AX11000 Tri-Band Wi-Fi 6 Gaming Router

 **10 Gbps Tri-Band Wi-Fi**
AX11000 Tri-Band speeds deliver unstinted bandwidth for all your gaming rigs

 **Cutting-Edge Power for Domination**
1.8 GHz Quad-Core CPU + 1 GB RAM


 **2.5G Multi-Gig Ports**
1× 2.5 Gbps WAN port + 8× Gigabit LAN ports


 **USB-C Extensive Sharing**
1× USB-C 3.0 Port + 1× USB-A 3.0 Port





Archer GX90

AX6600 Tri-Band Wi-Fi 6 Gaming Router

 **Unrivaled Gaming Wi-Fi**
AX6600 Tri-Band speeds create dedicated next-gen gaming experiences for every gaming rig in need

 **Powerful Processing Ability**
1.5 GHz Quad-Core CPU + 512 MB RAM

 **2.5G Multi-Gig Ports**
1× 2.5 Gbps WAN/LAN port + 1× Gigabit WAN/LAN port + 3× Gigabit LAN ports

 **Easy Sharing**
1× USB-A 3.0 Port + 1× USB-A 2.0 Port



Game Center – Crafted for Winning


Game Center on Archer GE800 focuses on what pro gamers care about — accelerating gaming experience, extremely low latency, and wired-level reliability — and provides a wide range of tools to help you win more.

» Quad Acceleration for Games

Accelerate game streams to ensure your gaming stays immersive and your network runs faster than your reaction speed.


Game Accelerator with QoS

Prioritize and accelerate your game applications to run at full speed even on a crowded network.




Accelerate Wired Games with Gaming Port

Automatically prioritize traffic from the gaming device you connect. Its local network and internet traffic will take precedence over the rest.



Exclusive Mobile Game Acceleration

One click to accelerate mobile games with the Tether app.



Game Server Acceleration with WTFast GPN

Minimize game ping and lag with WTFast GPN (Gamers Private Network). WTFast provides a global latency-sensitive proxy overlay network and secures the shortest possible path, driven by real-time measurements and AI. It optimizes the middle mile, providing faster and smoother connections. All kinds of a popular games are supported.



» Practical Game Features to Win More

Flexibly Set the Prior Port

Make your gaming console or PC more accessible to other gaming consoles and PCs on the internet. Port forwarding improves connection speed, lobby wait times, and overall gameplay.


Game Detector

Monitor the ping of a game server in real time.

» Easy-to-Use Game Panel and Traffic Monitoring

Real-Time Game Statistics

See the real-time latency, system utilization, and game duration of your network with just a glance on an exclusive game dashboard. This ensures every detail is tweaked the way you like.



Comprehensive Gaming Traffic Monitoring and Reports


Gain insight and better control of your gaming network with comprehensive gaming traffic reports. The traffic of various periods can be demonstrated, including devices, applications, and WAN/LAN.



Hardware Forged for Gaming

» Unrivaled Wi-Fi and Connectivity

TP-Link Gaming Series routers, equipped with 12-stream tri-band, fuel your need for high-speed downloading and streaming. Wi-Fi 7 routers effortlessly connect up to 256 devices running games — all with minimal latency.




» The Unparalleled BE19000 Wi-Fi 7 for Unbelievable Speeds




» Battle-Tested Processing

A powerful CPU and high RAM work together to handle huge throughput and demolish lag. Specially designed heatsinks rapidly reduce temperature, enabling full-clock speeds on each core even under heavy loads.




» 10 Gbps Wired Connections

Unleash the full potential of your next-level network. The Multi-Gigabit solution — two 10 Gbps WAN/LAN ports and two 2.5 Gbps LAN ports for extremely fast wired connections — is available on Archer GE800.



Archer Air Series

Thin Beyond Imagination



AX3000 Wi-Fi 6 Air Router / Archer Air R5

AX3000 Wi-Fi 6 Air Range Extender / Archer Air E5

▶ Unprecedented 8-mm Thin Design

The Archer Air series has an ultra-thin (8-mm thickness) and minimalist appearance (A5-paper size).* The compact and light design makes the size and weight close to the iPad Mini.



▶ Ultra Convenience with Wall Adhesives

Archer Air series can be pasted to the wall with its provided 3M adhesive. It also supports being hung on the wall with a hanger. Archer Air's thin design and wall-mounting frees up socket and desktop space.



▶ Redefining the Beauty of Wi-Fi Routers

The unprecedented thin design, pure white shell, minimalist lines, rounded corners, and internal antennas make the Archer Air series complement any home décor. The 2-in-1 (LED and WPS button) design on the front further simplifies its beauty. A large metal design on the back enhances both heat dissipation and aesthetics.



▶ EasyMesh-Compatible for a Powerful Mesh Network

Air R5 and Air E5 can be used separately. Simultaneously, being EasyMesh-compatible, they can also combine together to form a powerful Mesh Wi-Fi 6 for full-home coverage and seamless roaming, eliminating Wi-Fi dead zones.



▶ Extraordinary Performance Despite the Thin Shell

Equipped with AX3000 dual-band Wi-Fi 6, the Air R5 router and E5 range extender deliver Wi-Fi speeds up to 3 Gbps (2402 Mbps on the 5 GHz band, 574 Mbps on 2.4 GHz). It has high-gain antennas and an RF unit, which provides strong coverage in horizontal and vertical directions, effectively improving the existing Wi-Fi network.



AX3000 Wi-Fi 6 Speed

2402 Mbps on 5 GHz +
574 Mbps on 2.4 GHz



160 MHz Channel

Double the data at peak transmission
times on a single stream**



WPA3 Encryption

The latest Wi-Fi encryption
provides redefined security



Two Gigabit Ethernet Ports***

Gigabit speeds unlock the Wi-Fi 6
potential



HomeShield***

Premium security services keep
your home network safe



VPN Server***

PPTP/ L2TP/ OpenVPN

*The 8 mm thickness of Archer Air R5 refers to the shell without calculating the Ethernet ports.

**The double channel width refers to 160 MHz compared to 80 MHz for general Wi-Fi 6 routers.

***Two gigabit ports, HomeShield, and VPN Server are supported by Archer Air R5.



3G/4G Routers

Share the freedom of 3G/4G data at home! No need to rely on a Wi-Fi hotspot, just enjoy the flexibility of a wireless connection. Improve the value of your dongle or SIM card with a 3G/4G router. Compatibility with SIM cards in 100+ countries is assured by years of field tests. Simply plug in your SIM card and start using your devices without any configuration. These routers also enable you to share a single 3G/4G connection with multiple friends, family members, or colleagues at the same time.



Enjoy 4G+ Speed Sharing Everywhere

4G+ Cat 6 AC1200 Wireless Dual-Band
Gigabit Router

Archer MR600



LTE-Advanced
Cat 6



AC1200
Dual-Band Wi-Fi



OneMesh™



Archer MR600

4G+ Cat 6 AC1200
Wireless Dual-Band
Gigabit Router



Archer MR500

4G+ Cat 6 AC1200
Wireless Dual-Band
Gigabit Router



Archer MR400

AC1200 Wireless
Dual-Band 4G LTE
Router



Archer MR200

AC750 Wireless
Dual-Band 4G LTE
Router



LTE-Advanced Cat 6

Enjoy Download Speeds of
up to 300 Mbps



AC1200 Dual-Band Wi-Fi

867 Mbps (5 GHz) and
300 Mbps (2.4 GHz)



High-Efficiency Network

2x2 MU-MIMO



Capacity

Access for up to 64 Devices
Simultaneously



LTE-Advanced Cat 6

Enjoy Download Speeds of
up to 300 Mbps



AC1200 Dual-Band Wi-Fi

867 Mbps (5 GHz) and
300 Mbps (2.4 GHz)



High-Efficiency Network

2x2 MU-MIMO



Capacity

Access for up to 64 Devices
Simultaneously



LTE Cat 4

Enjoy Download Speeds
of up to 150 Mbps



AC1200 Dual-Band Wi-Fi

867 Mbps (5 GHz) and
300 Mbps (2.4 GHz)



High-Efficiency Network

2x2 MU-MIMO



Capacity

Access for up to 64
Devices Simultaneously



LTE Cat 4

Enjoy Download Speeds
of up to 150 Mbps



AC750 Dual-Band Wi-Fi

433 Mbps (5 GHz) and
300 Mbps (2.4 GHz)



Capacity

Access for up to 64
Devices Simultaneously

- **OneMesh™** - Flexibly create a whole home Wi-Fi with truly seamless online experience.
- **Plug and Play** - No configuration needed, compatibility with SIM cards in 100+ countries is assured by years of field tests.
- **Detachable LTE Antennas** - Detachable LTE antennas provide high performance and stable cellular network connections.
- **Multiple Modes** - With a fully functional WAN/LAN port, works as a router compatible with cable, fiber, and DSL modems.
- **Wi-Fi Router Mode** - Plugs an Ethernet cable into the LAN/WAN port for flexible access if you can't get a 4G connection.
- **3G/4G Network Support** - FDD-LTE/TDD-LTE/DC-HSPA+/SPA+/HSPA/UMTS.
- **TP-Link Tether App** - Provides simplified control and management from your iOS or Android smartphone.
- **Advanced Software** - Equipped with various software functions including parental controls and traffic management.



TL-MR6400 / TL-MR150

300 Mbps Wireless N 4G LTE Router



LTE Cat 4

Enjoy Download Speeds of up to 150 Mbps



N300 Wi-Fi Speed

300 Mbps Wi-Fi for Daily Needs



Capacity

Access for up to 32 Devices Simultaneously



TL-MR100

300 Mbps Wireless N 4G LTE Router



LTE Cat 4

Enjoy Download Speeds of up to 150 Mbps



N300 Wi-Fi Speed

300 Mbps Wi-Fi for Daily Needs



Capacity

Access for up to 32 Devices Simultaneously

- **Plug and Play** - No configuration needed, compatibility with SIM cards in 100+ countries with years of field tests.
- **Detachable LTE Antennas** - Detachable LTE antennas provide high performance and stable cellular network connections.
- **Multiple Modes** - With a fully functional WAN/LAN port, works as a router compatible with cable, fiber, and DSL modems.
- **Wi-Fi Router Mode** - Plugs an Ethernet cable into the LAN/WAN port for flexible access if you can't get a 4G connection.
- **3G/4G Network Support** - FDD-LTE/TDD-LTE/DC-HSPA+/SPA+/HSPA/UMTS.
- **Easy Setup and Management** - Enjoy simplified control and management with the free Tether app.

4G LTE Telephony Router



TL-MR6500v

300 Mbps Wireless N 4G LTE Telephony Router



LTE Cat 4

Enjoy Download Speeds of up to 150 Mbps.



N300 Wi-Fi Speed

300 Mbps Wi-Fi for Daily Needs.



HD Quality Telephony

Support VoIP | VoLTE | CSFB and 100 Min Storage for Voicemail.



Qualcomm for
Better Reliability



Tether App
Supported



Connect up to 32
Wireless Devices

3G/4G Wireless Routers



TL-MR3420

3G/4G Wireless N Router



Desktop Design

Designed for Flat Surfaces



Tether App Supported

Easy Usage



Works with 3G/4G USB Modems



TL-MR3020

Portable 3G/4G Wireless N Router



Multiple Modes

3G/4G Router, WISP Client Router, and AP Modes



Portable Design










Small and Light Enough to Take on the Road



Works with 3G/4G USB Modems

- **Easy Wi-Fi Sharing** - Share 3G/4G mobile broadband with wireless speeds of up to 300 Mbps.

WHICH IS THE RIGHT TP-Link 3G/4G ROUTER FOR YOU ?

	4G LTE Router							3G/4G Wireless Router	
									
Model	Archer MR600	Archer MR500	Archer MR400	Archer MR200	TL-MR6400 / TL-MR150	TL-MR100	TL-MR6500v	TL-MR3420	TL-MR3020
Description	4G+ Cat6 AC1200 Wireless Dual-Band Gigabit Router	4G+ Cat6 AC1200 Wireless Dual-Band Gigabit Router	AC1200 Wireless Dual-Band 4G LTE Router	AC750 Wireless Dual-Band 4G LTE Router	300 Mbps Wireless N 4G LTE Router	300 Mbps Wireless N 4G LTE Router	300 Mbps Wireless N 4G LTE Router	3G/4G Wireless N Router	Portable 3G/4G Wireless N Router
Wireless Standards	IEEE 802.11a/n/ ac 5 GHz, IEEE 802.11b/g/n 2.4 GHz	IEEE 802.11a/n/ ac 5 GHz, IEEE 802.11b/g/n 2.4 GHz	IEEE 802.11a/n/ ac 5 GHz, IEEE 802.11b/g/n 2.4 GHz	IEEE 802.11a/n/ ac 5 GHz, IEEE 802.11b/g/n 2.4 GHz	IEEE 802.11b/g/n 2.4 GHz	IEEE 802.11b/g/n 2.4 GHz	IEEE 802.11b/g/n 2.4 GHz	IEEE 802.11b/g/n 2.4 GHz	IEEE 802.11b/g/n 2.4 GHz
Wi-Fi Speed & Frequency	300 Mbps 2.4 GHz + 867 Mbps 5 GHz	300 Mbps 2.4 GHz + 867 Mbps 5 GHz	300 Mbps 2.4 GHz + 867 Mbps 5 GHz	300 Mbps 2.4 GHz + 433 Mbps 5 GHz	300 Mbps 2.4 GHz	300 Mbps 2.4 GHz	300 Mbps 2.4 GHz	300 Mbps 2.4 GHz	300 Mbps 2.4 GHz
LTE Standard	Cat6 300 Mbps Downlink 50 Mbps Uplink	Cat6 300 Mbps Downlink 50 Mbps Uplink	Cat4 150 Mbps Downlink 50 Mbps Uplink	Cat4 150 Mbps Downlink 50 Mbps Uplink	Cat4 150 Mbps Downlink 50 Mbps Uplink	Cat4 150 Mbps Downlink 50 Mbps Uplink	Cat4 150 Mbps Downlink 50 Mbps Uplink		
Wireless Mode	3G/4G Router, Wi-Fi Router	3G/4G Router, Wi-Fi Router	3G/4G Router, Wi-Fi Router	3G/4G Router, Wi-Fi Router	3G/4G Router, Wi-Fi Router	3G/4G Router, Wi-Fi Router	3G/4G Router, Wi-Fi Router	3G/4G Router, Wi-Fi Router	3G/4G Router, Travel Router (AP), WISP Client Router
Ethernet Ports	1× 10/100/1000 Mbps WAN/LAN 3× 10/100/1000 Mbps LAN	1× 10/100/1000 Mbps WAN/LAN 3× 10/100/1000 Mbps LAN	1× 10/100 Mbps WAN/LAN 3× 10/100 Mbps LAN	1× 10/100 Mbps WAN/LAN 3× 10/100 Mbps LAN	1× 10/100 Mbps WAN/LAN 3× 10/100 Mbps LAN	1× 10/100 Mbps WAN/LAN 3× 10/100 Mbps LAN	1× 10/100 Mbps WAN/LAN 2× 10/100 Mbps LAN 1× Phone Port	1× 10/100 Mbps WAN 4× 10/100 Mbps LAN	1× 10/100 Mbps WAN/LAN Port
Antennas	2× Detachable LTE Antennas	2× Detachable LTE Antennas	2× Detachable LTE Antennas	2× Detachable LTE Antennas	2× Detachable LTE Antennas	2× Detachable LTE Antennas	2× Detachable LTE Antennas	2× External Fixed Antennas(V3/V4)	2× Internal Antenna
Button	WPS Button, Reset Button, Wi-Fi On/Off Button, Power On/Off Button	WPS Button, Reset Button, Wi-Fi On/Off Button, Power On/Off Button	WPS/Reset Button, Wi-Fi On/Off Button	WPS/Reset Button, Wi-Fi On/Off Button	WPS/Reset Button, Wi-Fi On/Off Button	WPS/Reset Button	WPS/Reset Button	WPS/Reset Button, Wi-Fi On/Off Switch, Power On/Off Button	Reset Button, Mode Switch
Tether App	•	•	•	•	•		•	•	
OneMesh™	•	•	•	•					
MU-MIMO	•	•	•						
Telephony							•		
Network Support	4G: FDD-LTE: B1/B3/B5/B7/B8/B20/B28 (2100/1800/850/2600/900/800/700 MHz) TDD-LTE: B38/B40/B41 (2600/2300/2500 MHz) 3G: DC-HSPA+/HSPA/UMTS: B1/B5/B8 (2100/850/900 MHz)	4G: FDD-LTE: B1/B3/B5/B7/B8/B20/B28 (2100/1800/850/2600/900/800/700 MHz) TDD-LTE: B38/B40/B41 (2600/2300/2500 MHz) 3G: DC-HSPA+/HSPA/UMTS: B1/B5/B8 (2100/850/900 MHz)	4G: FDD-LTE: B1/B3/B7/B8/B20(2100/1800/2600/ 900/800 MHz) TDD-LTE: B38/B39/B40/ B41 (2600/1900/2300/2500 MHz) 3G: DC-HSPA+/HSPA+/UMTS: B1/B8 (2100/900 MHz)	4G: FDD-LTE: B1/B3/B7/B8/B20(2100/1800/2600/ 900/800 MHz) TDD-LTE: B38/B39/B40/ B41 (2600/1900/2300/2500 MHz) 3G: DC-HSPA+/HSPA+/UMTS: B1/B8 (2100/900 MHz)	4G: FDD-LTE: B1/B3/B7/B8/B20(2100/1800/2600/ 900/800 MHz) TDD-LTE: B38/B39/B40 B41 (2600/1900/2300/2500 MHz) 3G: DC-HSPA+/HSPA/UMTS: B1/B8 (2100/900 MHz) *APAC Version supports 4G B5/B28	4G: FDD-LTE: B1/B3/B5/B7/B8/B20 (2100/1800/850/2600/900/800 MHz) TDD-LTE: B38/B40/B41 (2600/2300/2500 MHz) 3G: HSPA+/UMTS: B1/B5/B8 (2100/850/900 MHz)	4G: FDD-LTE: B1/B3/B7/B8/B20 (2100/1800/850/2600/900/800 MHz) TDD-LTE: B38/B40/B41 (2600/2300/2500 MHz) 3G: DC-HSPA+/HSPA/UMTS: B1/B8 (2100/900 MHz)	LTE/HSPA+/HSPA/UMTS/EVDO 3G/4G USB modems	LTE/HSPA+/HSPA/UMTS/EVDO 3G/4G USB modems



DSL Modem Routers

The world moves quicker every day. More homes now have multiple devices requiring strong, steady wireless signals. Luckily, faster internet is just a broadband modem away.

TP-Link's family of DSL modem routers are compatible with the leading DSL service providers to meet all your networking needs. TP-Link offers a wide range of innovative DSL modem routers that allow you to easily access and manage your network through our own app. Moreover, TP-Link's family of DSL modem routers can be used for your advanced landline calls and empower your home entertainment. Featuring a variety of features and rich functionality, they act as the perfect space-saving hub for your home or business network.





Get in the Fast Lane

AC2100 Wireless MU-MIMO VDSL/
ADSL Modem Router

Archer VR2100



Super
VDSL



Ultra-Fast
Speed



Versatile
Connectivity



Higher
Efficiency




Lightning-Fast
Wired Connections



Easy Setup and
Management

› Super VDSL - the Future of Internet Access

Archer VR2100 features Super VDSL (VDSL2 Profile 35b), the latest generation of DSL technology. Downstream is increased by up to 350 Mbps, 3.5× faster than its VDSL2 predecessor. The integrated DSL port also supports all standard DSL connections.



› Supports TP-Link OneMesh™ for Whole Home Coverage


TP-Link OneMesh products work together to provide a more flexible and cost-effective mesh network with a single Wi-Fi name for seamless whole home coverage.

Wi-Fi
✓ Whole Home



› Enjoy Your Network at Full Speed

The Archer VR2100 makes full use of its dual-band Wi-Fi, reaching speeds of up to 1733 Mbps on 5 GHz band and 300 Mbps on 2.4 GHz band. Enjoy a total speed of up to 2.1 Gbps to eliminate latency and buffering from your HD streams and lag from online games.



A Modem for All Your Networking Needs

AC1200 Wireless MU-MIMO VDSL/ADSL Modem Router

Archer VR400



AC1200
Speedy Wi-Fi



VDSL
Access up
to 100 Mbps



MU-MIMO
for Higher
Efficiency



Full Gigabit
Ports



Archer VR2100

AC2100 Wireless
MU- MIMO VDSL/ADSL
Modem Router



AC2100 Dual-Band Wi-Fi
1733 Mbps (5 GHz) and 300 Mbps
(2.4 GHz)



Super VDSL
350 Mbps VDSL Access



High-Efficiency Network
4×4 MU-MIMO



OneMesh™
Flexibly Create Whole Home Wi-Fi



Archer VR600

AC2100 Wireless
MU- MIMO VDSL/ADSL
Modem Router



AC2100 Dual-Band Wi-Fi
1733 Mbps (5 GHz) and 300 Mbps
(2.4 GHz)



Super VDSL
350 Mbps VDSL Access



High-Efficiency Network
4×4 MU-MIMO



OneMesh™
Flexibly Create Whole Home Wi-Fi



Archer VR400

AC1200 Wireless
MU- MIMO VDSL/ADSL
Modem Router



AC1200 Dual-Band Wi-Fi
867 Mbps (5 GHz) and 300 Mbps
(2.4 GHz)



High-Speed VDSL Access
100 Mbps VDSL Access



High-Efficiency Network
2×2 MU-MIMO



OneMesh™
Flexibly Create Whole Home Wi-Fi

- **Superior Coverage** - High-performance antennas provide maximum omni-directional wireless coverage.
- **Compatibility** - Fully compatible with VDSL2/ADSL2+/ADSL2/ADSL standards.
- **Versatile Connectivity** - Equipped with DSL and LAN/WAN ports for full compatibility with DSL connections and Fiber/Cable access.
- **Full Gigabit Ports** - Provide rapid, reliable wired connections to computers, TVs, and game consoles.
- **IPTV** - Port VLAN binds specific LAN ports to PVCs for an enjoyable IPTV experience.
- **Multi-Function Software** - Varied software functions such as Parental Controls, QoS, and Guest Network for safety and effectiveness.
- **TP-Link Tether App** - Provides simplified control and management from your iOS or Android smartphone.
- **Easy Installation** - Integrated mainstream ISP profiles with the most common provider information built into the Tether and Web UI.
- **6KV Lightning Protection** - Guards against electrical damage caused by thunderstorms. Enjoy your life even in bad weather.



Archer VR300

AC1200 Wireless VDSL/
ADSL Modem Router



AC1200 Dual-Band Wi-Fi

867 Mbps (5 GHz) and 300 Mbps (2.4 GHz)



Fast Wired Connections

Fast Ethernet Ports



TD-W9970

300 Mbps Wireless N USB
VDSL/ADSL Modem Router



N300 Wi-Fi

300 Mbps (2.4 GHz)



Fast Wired Connections

Fast Ethernet Ports and USB 2.0



TD-W9960

300 Mbps Wireless N VDSL/
ADSL Modem Router



N300 Wi-Fi

300 Mbps (2.4 GHz)



Fast Wired Connections

Fast Ethernet Ports

- **Superior Coverage** - High-Performance antennas provide maximum omni-directional wireless coverage.
- **Compatibility** - Fully compatible with VDSL2/ADSL2+/ADSL2/ADSL standards.
- **Versatile Connectivity** - Equipped with DSL and LAN/WAN ports for full compatibility with DSL connections and Fiber/Cable access.
- **TP-Link Tether App** - Provides simplified control and management from your iOS or Android smartphone.

Telephony VDSL Modem Routers



Archer VR2100v

AC2100 Wireless MU-MIMO
VDSL/ ADSL Telephony
Modem Router



AC2100 Dual-Band Wi-Fi

1733 Mbps (5 GHz) + 300 Mbps (2.4 GHz)



Lightning-Fast Wired Connections

Full Gigabit Ports and USB 3.0



HD Quality Telephony

2× Analog Telephone + 300 Min Storage for Voicemail



TD-W9960v

300 Mbps Wireless N
VDSL/ADSL Router



N300 Wi-Fi

300 Mbps (2.4 GHz)



Fast Wired Connections

Fast Ethernet Ports



HD Quality Telephony

6× DECT + 1× Analog Telephone

- **Superior Coverage** - High-performance antennas provide maximum omni-directional wireless coverage.
- **Compatibility** - Fully compatible with VDSL2/ADSL2+/ADSL2/ADSL standards.
- **Versatile Connectivity** - Equipped with DSL and LAN/WAN ports for full compatibility with DSL connections and Fiber/Cable access.
- **TP-Link Tether App** - Provides simplified control and management from your iOS or Android smartphone.
- **Easy Installation** - Integrated mainstream ISP profiles with the most common provider information built into the Tether and Web UI.
- **6KV Lightning Protection** - Guards against electrical damage caused by thunderstorms. Enjoy your life even in bad weather.

ADSL Modem Router



TD-W8961N

300 Mbps Wireless N ADSL2+ Modem Router

- **N300 Wi-Fi** - 300 Mbps wireless speed for multi-user HD video streaming.
- **Great Coverage** - 2× fixed high-performance antennas provide maximum omni-directional wireless coverage.
- **Compatibility** - Fully compatible with ADSL2+/ADSL2/ADSL standards.











Guest Network



WPS

WHICH IS THE RIGHT TP-Link DSL MODEM ROUTER FOR YOU ?

	VDSL Modem Router						Telephony VDSL Modem Router		ADSL2+ Modem Router
									
Model	Archer VR2100	Archer VR600	Archer VR400	Archer VR300	TD-W9970	TD-W9960	Archer VR2100v	TD-W9960v	TD-W8961N
Description	AC2100 Wireless MU-MIMO VDSL/ADSL Modem Router	AC2100 Wireless MU-MIMO VDSL/ADSL Modem Router	AC1200 Wireless MU-MIMO VDSL/ADSL Modem Router	AC1200 Wireless VDSL/ADSL Modem Router	300 Mbps Wireless N USB VDSL/ADSL Modem Router	300 Mbps Wireless N VDSL/ADSL Modem Router	AC2100 Wireless MU-MIMO VDSL/ADSL Telephony Modem Router	300 Mbps Wireless N VDSL/ADSL Router	300 Mbps Wireless N ADSL2+ Modem Router
Wireless Standards	IEEE 802.11a/b/g/n/ac	IEEE 802.11a/ b/g/n/ac	IEEE 802.11a/b/g/n/ac	IEEE 802.11a/b/g/n/ac	IEEE 802.11b/g/n	IEEE 802.11b/g/n	IEEE 802.11a/ b/g/n/ac	IEEE 802.11b/g/n	IEEE 802.11b/g/n
Wi-Fi Speed & Frequency	300 Mbps 2.4 GHz + 1733 Mbps 5 GHz	300 Mbps 2.4 GHz + 1733 Mbps 5 GHz	300 Mbps 2.4 GHz + 867 Mbps 5 GHz	300 Mbps 2.4 GHz + 867 Mbps GHz	300 Mbps 2.4 GHz	300 Mbps 2.4 GHz	300 Mbps 2.4 GHz + 1733 Mbps 5 GHz	300 Mbps 2.4 GHz	300 Mbps 2.4 GHz
DSL Standard	Profile 35b Annex A&B Download: 350 Mbps Upload: 60 Mbps	Profile 35b Annex A&B Download: 350 Mbps Upload: 60 Mbps	Profile 17a Annex A&B Download: 100 Mbps Upload: 60 Mbps	Profile 30a Annex A&B Download: 100 Mbps Upload: 100 Mbps	Profile 17a Annex A Download: 100 Mbps Upload : 60 Mbps	Profile 30a Annex A&B Download: 100 Mbps Upload: 100 Mbps	Profile 35b Annex A&B Download: 350 Mbps Upload: 60 Mbps	Profile 30a Annex B Download: 100 Mbps Upload: 60 Mbps	Annex A Download: 24 Mbps Upload : 3.3 Mbps
VoIP							•	•	
Ethernet Ports	3× Gigabit LAN 1× Gigabit WAN/LAN	3× Gigabit LAN 1× Gigabit WAN/LAN	3× Gigabit LAN 1× Gigabit WAN/LAN	3× 10/100 Mbps LAN 1× 10/100 Mbps WAN/LAN	3× 10/100 Mbps LAN 1× 10/100 Mbps WAN/ LAN	3× 10/100 Mbps LAN 1× 10/100 Mbps WAN/ LAN	3× Gigabit LAN 1× Gigabit WAN/LAN	3× 10/100 Mbps LAN 1× 10/100 Mbps WAN/ LAN	4× 10/100 Mbps LAN
USB Ports	1× USB 3.0	1× USB 3.0	1× USB 2.0		1× USB 2.0		1× USB 3.0		
Antennas	3× Detachable	3× Detachable	2× Fixed	4× Fixed	2× Fixed	2× Fixed	3× Detachable	2× Fixed	2× Fixed
MU-MIMO	•	•	•				•		
QoS/Band-width Control	•	•	•	•	•	•	•	•	•
Parental Controls	•	•	•	•	•	•	•	•	
Tether App	•	•	•	•	•	•	•	•	
WPS	•	•	•	•	•	•	•	•	•
6000 V Lightning Protection	•	•	•	•	•	•	•	•	•
OneMesh™	•	•	•				•		
Agile Config	•	•	•	•	•	•	•	•	
TR-069	•	•	•	•	•	•	•	•	•



Range Extenders

With walls, floors, and extra space, weak signals and dead zones are common in today's homes. The ever-increasing number of devices under one roof also requires families to have Wi-Fi networks able to deliver high-speed and stable connections in every room.

TP-Link Wi-Fi Range Extenders help eliminate dead zones by boosting your wireless networks in your home and office. This ensures that your mobile, media, and computer devices are always connected and ready for wireless action.



Wi-Fi 7 Range Extenders



Lightning Speed Wi-Fi 7 Range Extender

BE22000 Wi-Fi 7 Range Extender^s

RE850BE



BE22000 Tri-Band Wi-Fi

11520 Mbps (6 GHz) + 8640 Mbps (5 GHz) + 1376 Mbps (2.4 GHz)



320 MHz Channel Bandwidth

Expands Bandwidth to Quadruple the Network Speed of Traditional 80 MHz



10G Multi-Gig Internet Connection

Unlock the Full Potential of Wi-Fi 7 with 10G Gigabit Ports

Wi-Fi 7: Faster Speeds, Lower Latency.

Wi-Fi 7 is the upcoming Wi-Fi standard. It utilizes the 2.4 GHz, 5 GHz, and 6 GHz frequency bands to deliver higher Wi-Fi speeds, lower latency, higher efficiency, and stronger anti jamming.


More Throughput

Up to 22,000 Mbps Wi-Fi 7 allows for new 320 MHz bandwidth mode for 6 GHz, doubling throughput. 4K-QAM, and MLO further increase the throughput.




Less Latency

Multi-Link Operation (MLO) enables your network simultaneously send and receive data over multiple radio bands to create a single aggregated connection, reducing the latency and increasing anti jamming.




Higher Efficiency

Multi-RU increases data transfer efficiency by introducing a more flexible way for Resource Unit (RU) allocation. Preamble Puncturing, MLO, and flexible bandwidth further increase the efficiency.



Seamless Roaming with EasyMesh-Compatible*

Create a mesh network by connecting to a EasyMesh Compatible router for seamless whole home coverage.



10G Multi-Gig Internet Connection

A 10 Gbps port makes full use of gigabit speeds from your local ISP. Break through the 1G bottleneck and drive your devices to peak performance.



*The EasyMesh function is still being developed on some models and will be supported in subsequent software updates.

^sThe picture is for reference only, the actual product shall prevail.

Expand Bandwidth for Faster Networking

BE11000 Wi-Fi 7 Range Extender

RE650BE

Wi-Fi 7

Wi-Fi 7



Tri-Band



2.5G Port



EasyMesh-
Compatible



RE850BE

BE22000 Wi-Fi 7 Range Extender



BE22000 Tri-Band Wi-Fi[®]

11520 Mbps (6 GHz) + 8640 Mbps (5 GHz) +
1376 Mbps (2.4 GHz)



320 MHz Channel Bandwidth

Expands Bandwidth to Quadruple the
Network Speed of Traditional 80 MHz



EasyMesh-Compatible*

Flexibly Create a Mesh Network



10G Multi-Gig Ports

Unlock the full potential of Wi-Fi 7 with 10G
multi-gigabit ports



RE650BE

BE11000 Wi-Fi 7 Range Extender



BE11000 Tri-Band Wi-Fi

5760 Mbps (6 GHz) + 4320 Mbps (5 GHz) +
574 Mbps (2.4 GHz)



320 MHz Channel Bandwidth

Expands Bandwidth to Quadruple the
Network Speed of Traditional 80 MHz



EasyMesh-Compatible*

Flexibly Create a Mesh Network



2.5G Multi-Gig Ports

Make full use of gigabit speeds from your
local ISP



RE260BE

BE5000 Wi-Fi 7 Range Extender



BE5000 Wi-Fi 7 Range Extender[§]

4320 Mbps (5 GHz) + 688 Mbps (2.4 GHz)



240 MHz Channel Bandwidth

Expands Bandwidth to Triple the Network
Speed of Traditional 80 MHz



EasyMesh-Compatible*

Flexibly Create a Mesh Network



2.5G Multi-Gig Ports

Make full use of gigabit speeds from your
local ISP

- **Wi-Fi 7** - Delivers higher Wi-Fi speeds, lower latency, higher efficiency, and stronger anti jamming.
- **6 GHz** - Works on the 6 GHz band with more bandwidth and less congestion.
- **4K-QAM** - Improves raw speeds by 20% compared to Wi-Fi 6's 1024-QAM.
- **Multi-Link Operation (MLO)** - Increases throughput, reduces latency, and improves reliability.
- **Wi-Fi Dead Zone Killer** - Keeps your entire home connected with powerful Wi-Fi extensions at top speeds.
- **Ultra-Low Latency** - Greater reduction in latency enables more responsive and smoother online experience.
- **AP Mode** - Supports AP mode to create a new Wi-Fi access point.

*The EasyMesh Compatible function is still being developed on some models and will be supported in subsequent software updates.

§ RE260BE doesn't support 6 GHz band.

*The picture is for reference only, the actual product shall prevail.

Wi-Fi 6E Range Extenders

High-Efficiency Wi-Fi 6E Range Extender

AXE5400 Mesh Wi-Fi 6E Range Extender

RE815XE



AXE5400 Tri-Band Wi-Fi
2402 Mbps (6 GHz) + 2402 Mbps
(5 GHz) + 574 Mbps (2.4 GHz)



160 MHz Channel Bandwidth
Expands Bandwidth to Double the
Network Speed of Traditional 80 MHz



EasyMesh-Compatible*
Flexibly Create a Mesh Network


Wi-Fi 6E: Higher Efficiency, Greater Capacity

Wi-Fi 6E means Wi-Fi 6 extended to the 6 GHz band, a newly-opened frequency that brings more bandwidth, faster speeds, and lower latency. RE815XE is the first TP-Link 6E range extender, bringing your Wi-Fi to the next level.



Minimized Congestion

The wide-open 6 GHz band is available only for Wi-Fi 6E traffic, avoiding the overcrowding on many Wi-Fi networks.



More Throughput

Allows for 7 additional 160 MHz channels that double bandwidth and throughput, enabling more simultaneous connections with no buffering.



Improved Capacity

Provides up to 1200 MHz additional spectrum, more than doubling the number of pathways and dramatically increasing network capacity.


Uninterrupted Streaming

Create a Mesh network by connecting to a EasyMesh-Compatible* router for seamless whole home coverage.



Built-In Access Point Mode

RE815XE is more than just a range extender. Simply plug an Ethernet cable into its port to easily turn wired connections into high-speed tri-band wireless signals.



*The EasyMesh Compatible function is still being developed on some models and will be supported in subsequent software updates.

Blazing-Fast Desktop Range Extender


AX6000 Mesh Wi-Fi 6 Range Extender

RE900XD




AX6000 Dual-Band Wi-Fi

Boosts overall speeds up to an incredible 6000 Mbps with 8× Wi-Fi streams.




160 MHz Channel Bandwidth

Expands bandwidth to double the network speed of traditional 80 MHz.



Enjoy a Stable, Seamless Wi-Fi

Create a true seamless mesh network with EasyMesh-Compatible*. Walk from room to room and stay connected with the fastest possible speeds.



Cutting-Edge Wi-Fi 6

The latest Wi-Fi technology makes annoying lag, endless loading, and dead spots a thing of the past. Enjoy the future of faster network loads and more connections.




Multi-Gigabit Wired Performance

With one 2.5 Gigabit port and two Gigabit ports built-in, RE900XD is more than just a range extender. Simply plug an Ethernet cable into a port to easily turn wired connections into high-speed dual-band wireless signals.



Multiple Installation Methods

RE900XD supports desktop and wall-mounted installation.





*The EasyMesh Compatible function is still being developed on some models and will be supported in subsequent software updates.




Archer Air E5

AX3000 Wi-Fi 6 Air Range Extender
8mm Thickness, A5 Paper Size

 **AX3000 Dual Band**
2402 Mbps (5 GHz) + 574 Mbps (2.4 GHz)

 **160 MHz Channel Bandwidth**
Expands Bandwidth to Double the Network Speed of Traditional 80 MHz


 **EasyMesh-Compatible***
Flexibly Create a Mesh Network


 **Stable Signals**
4 × Internal Antennas



RE815X

AX5400 Mesh Wi-Fi 6 Range Extender

 **AX5400 Tri-Band Wi-Fi**
2402 Mbps (5 GHz-1) + 2402 Mbps (5 GHz-2) + 574 Mbps (2.4 GHz)

 **160 MHz Channel Bandwidth**
Expands Bandwidth to Double the Network Speed of Traditional 80 MHz


 **EasyMesh-Compatible***
Flexibly Create a Mesh Network


 **Stronger Signals**
4× External Antennas



RE705X

AX3000 Wi-Fi 6 Range Extender

 **AX3000 Dual-Band Wi-Fi**
2402 Mbps (5 GHz) + 574 Mbps (2.4 GHz)

 **160 MHz Channel Bandwidth**
Expands Bandwidth to Double the Network Speed of Traditional 80 MHz


 **EasyMesh-Compatible***
Flexibly Create a Mesh Network


 **Stable Signals**
2× External Antennas



RE700X

AX3000 Wi-Fi 6 Range Extender

 **AX3000 Dual-Band Wi-Fi**
2402 Mbps (5 GHz) + 574 Mbps (2.4 GHz)

 **160 MHz Channel Bandwidth**
Expands Bandwidth to Double the Network Speed of Traditional 80 MHz


 **EasyMesh-Compatible***
Flexibly Create a Mesh Network

 **Stable Signals**
2× Internal Antennas



RE605X

AX1800 Wi-Fi 6 Range Extender

 **AX1800 Dual-Band Wi-Fi**
1201 Mbps (5 GHz) + 574 Mbps (2.4 GHz)


 **EasyMesh-Compatible***
Flexibly Create a Mesh Network

 **Stable Signals**
2× External Antennas



RE600X

AX1800 Wi-Fi 6 Range Extender

 **AX1800 Dual-Band Wi-Fi**
1201 Mbps (5 GHz) + 574 Mbps (2.4 GHz)

 **EasyMesh-Compatible***
Flexibly Create a Mesh Network

 **Stable Signals**
2× Internal Antennas



RE505X

AX1500 Wi-Fi 6 Range Extender

 **Stable Signals**
2× External Antennas



RE500X

AX1500 Wi-Fi 6 Range Extender

 **Stable Signals**
2 × Internal Antennas

- **Wi-Fi Dead Zone Killer** - Keeps your entire home connected with powerful Wi-Fi extensions at top speeds.
- **Faster Wi-Fi 6 Speed** - Enjoy a great boost in wireless speeds ideal for streaming, gaming, and more.
- **Large Capacity** - Wi-Fi 6 increases the average throughput by 4 times and serves more devices.
- **Ultra-Low Latency** - Greater reduction in latency enables more responsive and smoother online experience.

*The EasyMesh Compatible function is still being developed on some models and will be supported in subsequent software updates.

Wi-Fi 5 Range Extenders



RE650

AC2600 MU-MIMO Wi-Fi Range Extender



AC2600 Dual-Band Wi-Fi

Simultaneous 1733 Mbps on 5 GHz + 800 Mbps on 2.4 GHz



EasyMesh-Compatible*

Flexibly Create a Mesh Network



High Efficiency Network

4x4 MU-MIMO



Stronger Signals

4x External Antennas



RE550

AC1900 Wi-Fi Range Extender



AC1900 Dual-Band Wi-Fi

1300 Mbps (5 GHz) + 600 Mbps (2.4 GHz)



EasyMesh-Compatible*

Flexibly Create a Mesh Network



Stable Signals

3x External Antennas



RE450

AC1750 Wi-Fi Range Extender



AC1750 Dual-Band Wi-Fi

1300 Mbps (5 GHz) + 450 Mbps (2.4 GHz)



EasyMesh-Compatible*

Flexibly Create a Mesh Network



Stable Signals

3x External Antennas



RE365

AC1200 Wi-Fi Range Extender with AC Passthrough



AC1200 Dual-Band Wi-Fi

867 Mbps (5 GHz) + 300 Mbps (2.4 GHz)



EasyMesh-Compatible*

Flexibly Create a Mesh Network



Integrated Power Socket

No Power Outlet Wasted



RE315

AC1200 Wi-Fi Range Extender



AC1200 Dual-Band Wi-Fi

Simultaneous 867Mbps on 5GHz + 300Mbps on 2.4GHz



RE305

AC1200 Wi-Fi Range Extender



RE330

AC1200 Wi-Fi Range Extender



RE300

AC1200 Wi-Fi Range Extender

- **Wi-Fi Dead Zone Killer** - Keeps your entire home connected with powerful Wi-Fi extensions at top speeds.
- **Smart Signal Indicator** - Helps find the best location for optimal Wi-Fi coverage by showing signal strength.
- **Access Control** - Flexibly restricts / allows access via Black / White listing.
- **AP Mode** - Supports AP mode to create a new Wi-Fi access point (excluding RE300).
- **Ultimate Compatibility** - Extends the range of any Wi-Fi router or wireless access point.
- **TP-Link Tether App** - Provides simplified control and management from your iOS or Android phone.

*The EasyMesh Compatible function is still being developed on some models and will be supported in subsequent software updates.



RE230

AC750 Wi-Fi Range Extender



RE215

AC750 Wi-Fi Range Extender



RE205

AC750 Wi-Fi Range Extender



RE200/RE220

AC750 Wi-Fi Range Extender

(••) AC750 Dual-Band Wi-Fi

Simultaneous 433 Mbps on 5 GHz +
300 Mbps on 2.4 GHz

- **Wi-Fi Dead Zone Killer** - Keeps your entire home connected with powerful Wi-Fi extensions at top speeds.
- **EasyMesh™** - Easily create an economical whole home mesh Wi-Fi.
- **Smart Signal Indicator** - Helps find the best location for optimal Wi-Fi coverage by showing signal strength.
- **Access Control** - Flexibly restricts / allows access via Black / White listing.
- **AP Mode** - Supports AP mode to create a new Wi-Fi access point (excluding RE300).
- **Ultimate Compatibility** - Extends the range of any Wi-Fi router or wireless access point.
- **TP-Link Tether App** - Provides simplified control and management from your iOS or Android phone.

Single-Band Range Extenders



TL-WA860RE

300 Mbps Wi-Fi
Range Extender
with AC Passthrough



TL-WA855RE

300 Mbps Wi-Fi
Range Extender



TL-WA854RE

300 Mbps Wi-Fi
Range Extender



TL-WA850RE

300 Mbps Wi-Fi
Range Extender



N300 Wi-Fi

300 Mbps Wi-Fi Speed
Meets Your Daily Internet
Needs



N300 Wi-Fi

300 Mbps Wi-Fi Speed
Meets Your Daily Internet
Needs



N300 Wi-Fi

300 Mbps Wi-Fi Speed
Meets Your Daily Internet
Needs



N300 Wi-Fi

300 Mbps Wi-Fi Speed
Meets Your Daily Internet
Needs



Integrated Power Socket

No Power Outlet Wasted



AP Mode

Supports AP Mode
to Create a New Wi-Fi
Access Point



AP Mode

Supports AP Mode
to Create a New Wi-Fi
Access Point







AP Mode

Supports AP Mode to
Create a New Wi-Fi

- **Wi-Fi Dead Zone Killer** - Keeps your entire home connected with powerful Wi-Fi extensions at top speeds.
- **Smart Signal Indicator** - Helps find the best location for optimal Wi-Fi coverage by showing signal strength.
- **Access Control** - Flexibly restricts / allows access via Black / White listing.
- **Ultimate Compatibility** - Extends the range of any Wi-Fi router or wireless access point.
- **TP-Link Tether App** - Provides simplified control and management from your iOS or Android phone.













WHICH IS THE RIGHT TP-Link NEW TECHNOLOGY RANGE EXTENDER FOR YOU?

	Wi-Fi 7 Range Extender			Wi-Fi 6E Range Extender
				
Model	RE850BE	RE650BE	RE260BE	RE815XE
Description	BE22000 Tri-Band Wi-Fi 7 Range Extender	BE11000 Tri-Band Wi-Fi 7 Range Extender	BE5000 Wi-Fi 7 Range Extender	AXE5400 Tri-band Wi-Fi 6E Range Extender
Wi-Fi Speed (2.4 GHz)	1376 Mbps	574 Mbps	688 Mbps	574 Mbps
Wi-Fi Speed (5 GHz)	8640 Mbps	4320 Mbps	4320 Mbps	2402 Mbps
Wi-Fi Speed (6 GHz)	11520 Mbps	5760 Mbps		2402 Mbps
Ethernet Ports	1× 10 Gigabit Ethernet 2× 1 Gigabit Ethernet	1× 2.5 Gigabit Ethernet 2× 1 Gigabit Ethernet	1× 2.5 Gigabit Ethernet	1× Gigabit Ethernet
Antennas	8× Internal	6× Internal	2× External	4× External
MU-MIMO with Beamforming	•	•	•	•
HE160	•	•	•	•
HE240	•	•	•	
HE320	•	•		
4K QAM	•	•	•	
MLO (Multi-Link Operation)	•	•	•	
OneMesh™	•	•	•	•
EasyMesh-Compatible¹	•	•	•	•
APS (Adaptive Path Selection)	•	•	•	•
Smart Signal Indicator Light	•	•	•	•
Tether App	•	•	•	•
AP Mode	•	•	•	•
WPS Button	•	•	•	•
Multi-Language	•	•	•	•
High-Speed Mode	•	•	•	•
Access Control	•	•	•	•

Note:

1. The EasyMesh Compatible function is still being developed on some models and will be supported in subsequent software updates.














WHICH IS THE RIGHT TP-Link RANGE EXTENDER FOR YOU ?

	Wi-Fi 6 Range Extender												
													
Model	RE900XD	RE815X	Archer Air E5	RE705X	RE700X	RE605X	RE600X	RE505X	RE500X	RE650	RE550	RE450	
Description	AX6000 Mesh Wi-Fi 6 Range Extender	AX5400 Mesh Wi-Fi 6 Range Extender	AX3000 Wi-Fi 6 Air Range Extender	AX3000 Mesh Wi-Fi 6 Range Extender	AX3000 MeshWi-Fi 6 Range Extender	AX1800 Mesh Wi-Fi 6 Range Extender	AX1800 Mesh Wi-Fi 6 Range Extender	AX1500 Mesh Wi-Fi 6 Range Extender	AX1500 Mesh Wi-Fi 6 Range Extender	AC2600 MU-MIMO Wi-Fi Range Extender	AC1900 Wi-Fi Range Extender	AC1750 Wi-Fi Range Extender	
Wi-Fi Speed (2.4 GHz)	1148 Mbps	574 Mbps	574 Mbps	574 Mbps	574 Mbps	574 Mbps	574 Mbps	300 Mbps	300 Mbps	800 Mbps	600 Mbps	450 Mbps	
Wi-Fi Speed (5 GHz)	4804 Mbps	1: 2402 Mbps 2: 2402 Mbps	2402 Mbps	2402 Mbps	2402 Mbps	1201 Mbps	1201 Mbps	1201 Mbps	1201 Mbps	1733 Mbps	1300 Mbps	1300 Mbps	
Ethernet Ports	1x 2.5 Gigabit 2x Gigabit Ethernet	1x Gigabit Ethernet	None	1x Gigabit Ethernet	1x Gigabit Ethernet	1x Gigabit Ethernet	1x Gigabit Ethernet	1x Gigabit Ethernet	1x Gigabit Ethernet	1x Gigabit Ethernet	1x Gigabit Ethernet	1x Gigabit Ethernet	
Antennas	4x Internal	4x External	4x Internal	2x External	2x Internal	2x External	2x Internal	2x External	2x Internal	4x External	3x External	3x External	
MU-MIMO with Beamforming	•	•	•	•	•	•	•	•	•	•	•	•	
HE160	•	•	•	•	•								
OneMesh™	•	•	•	•	•	•	•	•	•	•	•	•	
EasyMesh- Compatible	•	•	•	•	•	•	•	•	•	•	•	•	
APS (Adaptive Path Selection)	•	•	•	•	•	•	•	•	•	•	•	•	
Smart Signal Indicator Light	•	•	•	•	•	•	•	•	•	•	•	•	
Tether App	•	•	•	•	•	•	•	•	•	•	•	•	
AP Mode	•	•		•	•	•	•	•	•	•	•	•	
WPS Button	•	•	•	•	•	•	•	•	•	•	•	•	
Multi-Language	•	•	•	•	•	•	•	•	•	•	•	•	
High-Speed Mode	•	•	•	•	•	•	•	•	•	•	•	•	
Access Control	•	•	•	•	•	•	•	•	•	•	•	•	

Note:

1. Maximum extended Wi-Fi coverage specification is based on performance test results. Actual Wi-Fi coverage may vary due to particular environment, building material, and wireless interference.

2. The EasyMesh Compatible function is still being developed on some models and will be supported in subsequent software updates.

Wi-Fi 5 Range xtender										Wi-Fi 4 Range Extender			
													
	RE365	RE315	RE305	RE330	RE300	RE215	RE205	RE230	RE200 / RE220	TL-WA860RE	TL-WA855RE	TL-WA854RE	TL-WA850RE
	AC1200 Wi-Fi Range Extender with AC Passthrough	AC1200 Wi-Fi Range Extender	AC1200 Wi-Fi Range Extender	AC1200 Wi-Fi Range Extender	AC1200 Wi-Fi Range Extender	AC750 Wi-Fi Range Extender	AC750 Wi-Fi Range Extender	AC750 Wi-Fi Range Extender	AC750 Wi-Fi Range Extender	300 Mbps Wi-Fi Range Extender with AC Passthrough	300 Mbps Wi-Fi Range Extender	300 Mbps Wi-Fi Range Extender	300 Mbps Wi-Fi Range Extender
	300 Mbps	300 Mbps	300 Mbps	300 Mbps	300 Mbps	300 Mbps	300 Mbps	300 Mbps	300 Mbps	300 Mbps	300 Mbps	300 Mbps	300 Mbps
	867 Mbps	867 Mbps	867 Mbps	867 Mbps	867 Mbps	433 Mbps	433 Mbps	433 Mbps	433 Mbps				
	1× Fast Ethernet	1× Fast Ethernet	1× Fast Ethernet	1× Fast Ethernet		1× Fast Ethernet	1× Fast Ethernet	1× Fast Ethernet	1× Fast Ethernet	1× Fast Ethernet	1× Fast Ethernet		1× Fast Ethernet
	2× External	2× External	2× External	2× Internal	2× Internal	2× External	2× External	2× Internal	3× Internal	2× External	2× External	2× Internal	2× Internal
	•	•	•	•	•	•	•	•	•				
	•	•	•	•	•	•	•	•	•				
	•	•	•	•	•	•	•	•	•				
	•	•	•	•	•	•	•	•	•	•	•	•	•
	•	•	•	•	•	•	•	•	•	•	•	•	•
	•	•	•	•		•	•	•	•	•	•		•
	•	•	•	•	•	•	•	•	•	•	•	•	•
	•	•	•	•	•	•	•	•	•	•	•	•	•
	•	•	•	•	•	•	•	•	•				
	•	•	•	•	•	•	•	•	•	•	•	•	•



Powerline

With TP-Link's Powerline adapters, there's no need for drilling or wire installation. You can turn your home's electrical wiring into a high-speed network with ease.

Every single adapter acts as a portable LAN port, transmitting the wired and wireless network to any place in your home where there's a power socket, regardless of thick walls and floors.

Simply Plug and Play and enjoy simple network management with our user-friendly tpPLC app, tpPLC Utility, and Web Interface.



Greater Speeds, Better Performance Brand New G.hn Wireless Powerline

G.hn2400 Powerline AX1800 Wi-Fi 6 Kit

PGW2440 KIT

Wi-Fi 6

*PGW2440 + PG2400P



G.hn



2x2 MIMO
Technology



574 Mbps + 1201
Mbps Wi-Fi



2+1 Gigabit
Ethernet Ports



Plug and Play



One-Touch
Wi-Fi
Configuration



Extra Power
Socket



One-Button
Security



G.hn powerline adapters are not compatible with HomePlug AV/AV2 powerline adapters.

Advanced Protocol G.hn

G.hn powerline has stronger anti-interference performance, which enables a higher speed, longer range, and more stable performance.



Significant Speed for
Better Performance



Anti-Interference from
Multiple Devices



Reliable Long-Range
Transmission



2x2 MIMO Technology

Multiple data paths ensure more stable lag-free connections, you will never get latency stuck again.

G.hn SISO

G.hn MIMO

2x

Cutting-Edge Wi-Fi 6

The latest Wi-Fi technology makes annoying lag, endless loading, and dead spots a thing of the past. Enjoy the future of faster network loads and more connections.



Higher Speed



Ultra-Low Latency



Larger Capacity

Supports TP-Link OneMesh™ for Whole Home Coverage

TP-Link OneMesh products work together to provide a more flexible and cost-effective mesh network with a single Wi-Fi name for seamless whole home coverage.

Wi-Fi
✓ Whole Home



G.hn Powerline Adapters

Gigabit Networks Go Further with G.hn2400 Powerline

G.hn2400 Passthrough Powerline Kit

PG2400P KIT



PG2400P KIT

G.hn2400 Passthrough Powerline Kit
*2× PG2400P



Advanced Protocol G.hn 2400

Faster, Stable, Larger Capacity



Plug and Play for Whole Home Coverage

Up to 300m over existing electrical wiring



2+2 Gigabit Ethernet Ports

Ideal for 8K streaming, lag-free gaming



Extra Power Socket

No losing an outlet



Power-Saving Mode

Reduce energy consumption by up to 85%



G.hn powerline adapters are not compatible with HomePlug AV/AV2 powerline adapters.



PG1200 KIT

G.hn1200 Powerline Kit
*2× PG1200



Advanced Protocol G.hn 1200

Faster, Stable, Larger Capacity



Plug and Play for Whole Home Coverage

Up to 300m over existing electrical wiring



1+1 Gigabit Ethernet Ports

Ideal for 8K streaming, lag-free gaming



Power-Saving Mode

Reduce energy consumption by up to 85%



G.hn powerline adapters are not compatible with HomePlug AV/AV2 powerline adapters.

- **Advanced Protocol G.hn** - G.hn powerline has stronger anti-interference performance, which enables a higher speed, longer range, and more stable performance.
- **Gigabit Ethernet for Reliable Connections** - Provide warp-speed wired connections for 8K HD streaming, lag-free gaming, and more.
- **Plug and Play** - Set up your powerline network and start enjoying fast wired connections in a minute.
- **Power Saving** - The sophisticated Power-Saving mode automatically switches from its regular "Working" mode to "Power-Saving" mode, reducing energy consumption by up to 85%.


HomePlug AV2 Wireless Powerline Extenders

Extend AC1200 Wi-Fi and Gigabit Networking to Every Room

AV1300 Gigabit Passthrough Powerline ac Wi-Fi Kit

TL-WPA8631P KIT

*TL-WPA8631P + TL-PA8010P



TL-WPA7617 KIT

AV1000 Gigabit Passthrough Powerline ac Wi-Fi Kit

*TL-WPA7617 + TL-PA7017P



TL-WPA7517 KIT

AV1000 Gigabit Powerline ac Wi-Fi Kit

*TL-WPA7517 + TL-PA7017



TL-WPA4226 KIT

AV600 Powerline Wi-Fi Kit

*TL-WPA4226 + TL-PA4020P



TL-WPA4220 KIT

AV600 Powerline Wi-Fi Kit

*TL-WPA4220 + TL-PA4010



HomePlug AV2 1000 Mbps

Supports All Online Needs



AC1200 Dual-Band Wi-Fi

867 Mbps (5GHz) and 300 Mbps (2.4GHz)



1+1 Gigabit Ethernet Ports

Create Faster Connections



Extra Power Socket

Ensures No Power Outlet Goes to Waste



HomePlug AV2 1000 Mbps

Supports All Online Needs



AC1200 Dual-Band Wi-Fi (V2.0)

867 Mbps (5 GHz) and 300 Mbps (2.4 GHz)



AC750 Dual-Band Wi-Fi (V1.0)

433 Mbps (5 GHz) and 300 Mbps (2.4 GHz)



1+1 Gigabit Ethernet Ports

Create Faster Connections



HomePlug AV2 600 Mbps

Ideal for Lag-Free Streaming



N300 Wi-Fi

300 Mbps (2.4 GHz)



2+2 Fast Ethernet Ports

Provide High-Speed Connections



Extra Power Socket

Ensures No Power Outlet Goes to Waste



HomePlug AV2 600 Mbps

Ideal for Lag-Free Streaming



N300 Wi-Fi

300 Mbps (2.4 GHz)



1+2 Fast Ethernet Ports

Provide High-Speed Connections

- **Plug and Play** - Set up your powerline network and start enjoying fast, seamless wired/wireless connections in minutes.
- **OneMesh™** - Works with your OneMesh™ router to form a unified mesh network for seamless streaming while moving around your home. (TL-WPA4226/4220 KIT do not support the OneMesh™ function)
- **One-Button Security** - Press the Pair button on each adapter to instantly secure your network.
- **One-Touch Wi-Fi Configuration** - One press of the Wi-Fi button copies the network name and password from your router. Any setting changes will be automatically applied to the entire powerline network.
- **Easy Management** - Gives you easy control of your network through a powerful web interface, the user-friendly tpPLC Utility and the intuitive tpPLC mobile app.

HomePlug AV2 Passthrough Powerline Adapters



TL-PA9020P KIT

AV2000 2-Port Gigabit
Passthrough Powerline Starter Kit

*2× TL-PA9020P



HomePlug AV2 2000 Mbps

Supports All Online Needs



2×2 MIMO Technology

Simultaneous Connections for
Numerous Devices



2+2 Gigabit Ethernet Ports

Create Faster Connections



TL-PA8033P KIT

AV1300 3-Port Gigabit
Passthrough Powerline Starter Kit

*TL-PA8010P + TL-PA8030P



HomePlug AV2 1300 Mbps

Supports All Online Needs



2×2 MIMO Technology

Simultaneous Connections for
Numerous Devices



1+3 Gigabit Ethernet Ports

Create Faster Connections



TL-PA8030P KIT

AV1300 3-Port Gigabit
Passthrough Powerline Starter Kit

*2× TL-PA8030P



HomePlug AV2 1300 Mbps

Supports All Online Needs



2×2 MIMO Technology

Simultaneous Connections for
Numerous Devices



3+3 Gigabit Ethernet Ports

Create Faster Connections



TL-PA8010P KIT

AV1300 Gigabit Passthrough
Powerline Starter Kit

*2× TL-PA8010P



HomePlug AV2 1300 Mbps

Supports All Online Needs



2×2 MIMO Technology

Simultaneous Connections for
Numerous Devices



1+1 Gigabit Ethernet Ports

Create Faster Connections



TL-PA7027P KIT

AV1000 2-port Gigabit
Passthrough Powerline Starter Kit

*2× TL-PA7027P



HomePlug AV2 1000 Mbps

Supports All Online Needs



2+2 Gigabit Ethernet Ports

Create Faster Connections



TL-PA7017P KIT

AV1000 Gigabit Passthrough
Powerline Starter Kit

*2× TL-PA7017P



HomePlug AV2 1000 Mbps

Supports All Online Needs



1+1 Gigabit Ethernet Ports

Create Faster Connections

- **Plug and Play** - Set up your powerline network and start enjoying fast wired connections in minutes.
- **One-Button Security** - Press the Pair button on each adapter to instantly secure your network.
- **Extra Power Socket** - Ensures no power outlet goes to waste.
- **Patented Power-Saving Mode** - Automatically reduces power consumption by up to 85%.



TL-PA4022P KIT

AV600 2-Port Passthrough
Powerline Starter Kit

*TL-PA4010P + TL-PA4020P



HomePlug AV2 600 Mbps

Ideal for Lag-Free Streaming



1+2 Fast Ethernet Ports

Provide High-Speed Connections



TL-PA4020P KIT

AV600 2-Port Passthrough
Powerline Starter Kit

*2× TL-PA4020P



HomePlug AV2 600 Mbps

Ideal for Lag-Free Streaming



2+2 Fast Ethernet Ports

Provide High-Speed Connections



TL-PA4010P KIT

AV600 Passthrough
Powerline Starter Kit

*2× TL-PA4010P



HomePlug AV2 600 Mbps

Ideal for Lag-Free Streaming



1+1 Fast Ethernet Ports

Provide High-Speed Connections

- **Plug and Play** - Set up your powerline network and start enjoying fast wired connections in minutes.
- **One-Button Security** - Press the Pair button on each adapter to instantly secure your network.
- **Extra Power Socket** - Ensures no power outlet goes to waste.
- **Patented Power-Saving Mode** - Automatically reduces power consumption by up to 85%.

HomePlug AV2 Powerline Adapters



TL-PA7017 KIT

AV1000 Gigabit Powerline Starter Kit

*2× TL-PA7017



HomePlug AV2 1000 Mbps

Supports All Online Needs



1+1 Gigabit Ethernet Ports

Create Faster Connections



TL-PA4010 KIT

AV600 Powerline Starter Kit

*2× TL-PA4010



HomePlug AV2 600 Mbps

Ideal for Lag-Free Streaming










1+1 Fast Ethernet Ports

Provide High-Speed Connections

- **Plug and Play** - Set up your powerline network and start enjoying fast wired connections in minutes.
- **One-Button Security** - Press the Pair button on each adapter to instantly secure your network.
- **Patented Power-Saving Mode** - Automatically reduces power consumption by up to 85%.











WHICH IS THE RIGHT TP-Link POWERLINE FOR YOU ?

	G.hn Wireless Powerline Extenders		G.hn Powerline Adapters		HomePlug AV2 Wireless Powerline Extenders									
	G.hn2400		G.hn2400	G.hn1200	AV1300		AV1000		AV600					
														
Model	PGW2440 KIT		PG2400P KIT	PG1200 KIT	TL-WPA8631 KIT		TL-WPA7617 KIT		TL-WPA7517 KIT		TL-WPA4226 KIT		TL-WPA4220 KIT	
Description	G.hn2400 Powerline AX1800 Wi-Fi 6 Kit		G.hn2400 Pass-through Powerline Kit	G.hn1200 Powerline Kit	AV1300 Gigabit Passthrough Powerline ac Wi-Fi Kit		AV1000 Gigabit Powerline ac Wi-Fi Kit		AV1000 Gigabit Powerline ac Wi-Fi Kit		AV600 Powerline Wi-Fi Kit		AV600 Powerline Wi-Fi Kit	
Sub-model	PGW2440	PG2400P	2x PG2400P	2x PG1200	TL-WPA8631P	TL-PA8010P	TL-WPA7617	TL-PA7017P	TL-WPA7517	TL-PA7017	TL-WPA4220	TL-PA4020P	TL-WPA4220	TL-PA4010
Protocol	G.hn MIMO		G.hn MIMO	G.hn SISO	HomePlug AV2		HomePlug AV2		HomePlug AV2		HomePlug AV2		HomePlug AV2	
Speed over Powerline	2400 Mbps		2400 Mbps	1200Mbps	1300 Mbps		1000 Mbps		1000 Mbps		600 Mbps		600 Mbps	
Wi-Fi Class	AX1800				AC1200		AC1200		AC1200 (V2.0) AC750 (V1.0)		N300		N300	
Wi-Fi Speed	1800 Mbps				1200 Mbps		1200 Mbps		1200 Mbps		300 Mbps		300 Mbps	
No. of Ethernet Ports	1	2	2+2	1+1	3	1	1	1	1	1	2	2	2	1
Extra Power Socket		•	•		•	•		•				•		
TP-Link OneMesh™ Technology	•				•		•		•					
One Touch Wi-Fi Configuration	•				•		•		•		•		•	
Auto-Sync Wi-Fi Settings	•				•		•		•		•		•	
LED On/Off Button					•		•		•					
MU-MIMO	•				•		•		•					
tpPLC App	•				•		•		•		•		•	
Web UI	•	•	•	•	•		•		•		•		•	
tpPLC Utility	•		•	•	•		•		•		•		•	
Power-Saving Mode		•	•	•										
2x2 MIMO	•		•		•									
Gigabit Connection	•		•	•	•		•		•					
4K Video Streaming	•		•	•	•		•		•					

1. G.hn powerline adapters are not compatible with HomePlug AV/AV2 powerline adapters.

2. The theoretical maximum channel data transfer rate is derived from Powerline specifications. Actual data transfer rate will vary from network environment including: distance, network traffic, noise on electrical wires, building material and construction, quality of electrical installation, and other adverse conditions.

3. The OneMesh™ function is still being developed and will be supported in subsequent software updates.

	AV2000	AV1300				AV1000			AV600				
													
	TL-PA9020P KIT	TL-PA8033P KIT		TL-PA8030P KIT	TL-PA8010P KIT	TL-PA7027P KIT	TL-PA7017P KIT	TL-PA7017 KIT	TL-PA4022P KIT		TL-PA4020P KIT	TL-PA4010P KIT	TL-PA4010 KIT
	AV2000 2-Port Gigabit Passthrough Powerline Starter Kit	AV1300 3-Port Gigabit Passthrough Powerline Starter Kit		AV1300 3-Port Gigabit Passthrough Powerline Starter Kit	AV1300 Gigabit Passthrough Powerline Starter Kit	AV1000 2-Port Gigabit Passthrough Powerline Starter Kit	AV1000 Gigabit Passthrough Powerline Starter Kit	AV1000 Gigabit Powerline Starter Kit	AV600 2-Port Passthrough Powerline Starter Kit		AV600 2-Port Passthrough Powerline Starter Kit	AV600 Passthrough Powerline Starter Kit	AV600 Powerline Starter Kit
	2x TL-PA9020P	TL- PA8010P	TL- PA8030P	2x TL-PA8030P	2x TL-PA8010P	2x TL-PA7027P	2x TL-PA7017P	2x TL-PA7017	TL- PA4010P	TL- PA4020P	2x TL-PA4020P	2x TL-PA4010P	2x TL-PA4010 KIT
	HomePlug AV2		HomePlug AV2	HomePlug AV2	HomePlug AV2	HomePlug AV2	HomePlug AV2	HomePlug AV2	HomePlug AV2		HomePlug AV2	HomePlug AV2	HomePlug AV2
	2000Mbps	1300 Mbps		1300 Mbps	1300 Mbps	1000 Mbps	1000 Mbps	1000 Mbps	600 Mbps		600 Mbps	600 Mbps	600 Mbps
	2+2	1	3	3+3	1+1	2+2	1+1	1+1	1	2	2+2	1+1	1+1
	•	•	•	•	•	•	•		•	•	•	•	
	•	•		•	•	•	•	•	•		•	•	•
	•	•		•	•	•	•	•	•		•	•	•
	•	•		•	•								
	•	•		•	•	•	•	•					
	•	•		•	•	•	•	•					



Adapters

Turn wired into wireless with our impressive range of Wi-Fi Adapters. Designed to easily upgrade your computer or laptop, our adapters put the fun in functional and are a cool addition to our wireless innovation. Install, connect, enjoy.



Stay Fast with Wi-Fi 6, Even in a Crowded Network

AX3000 High Gain Wireless USB Adapter

Archer TX50UH



Lower Latency, Higher Efficiency, and Less Congestion

With cutting-edge Wi-Fi 6 technology, enjoy extreme speeds, lower latency, and improved connections. OFDMA creates separate channel segments for devices to communicate while MU-MIMO allows multiple clients to simultaneously receive data. A combination of OFDMA and MU-MIMO technologies ensures the most efficient Wi-Fi connection for your PC.




AX3000 Dual-Band Wi-Fi 6

1024-QAM and a 160 MHz bandwidth deliver powerful, continuous Wi-Fi to fully unlock the potential of your Wi-Fi 6 router. Achieving speeds 3× faster than standard AC Wi-Fi drives your PC to peak performance so your setup keeps pace with your jaw-dropping skills.



High-Gain Antennas with Beamforming

Two advanced high-gain antennas combine with Beamforming technology to create a stable Wi-Fi network across your home for an ideal surfing experience, even when your clients are far away.



Operating System

Supports Windows 11/10



WPA3

The Latest WPA3 Encryption
Ensures Your Network Security





Easy Installation

Upgrade your desktop system
easily via USB

Upgrade Your Desktop with Super-Fast Wi-Fi 6


AX1800 Dual Antennas High Gain Wireless USB Adapter

Archer TX20U Plus



Archer TX20U Plus

AX1800 Dual Antennas High Gain Wireless USB Adapter



AX1800 Dual-Band Wi-Fi
1201 Mbps (5 GHz) and 574 Mbps (2.4 GHz)



Superior Coverage
2× External High-Gain Antennas with Beamforming



Gameplay with Lower Latency
OFDMA and MU-MIMO Supported




Refined Security
The Latest WPA3 Encryption




Archer TX20UH

AX1800 High Gain Wireless USB Adapter



AX1800 Dual-Band Wi-Fi
1201 Mbps (5 GHz) and 574 Mbps (2.4 GHz)



Superior Coverage
2× High-Gain Antennas with Beamforming



Gameplay with Lower Latency
OFDMA and MU-MIMO Supported




Refined Security
The Latest WPA3 Encryption



Archer T9UH

AC1900 High-Gain Wireless Dual-Band USB Adapter



AC1900 Dual-Band Wi-Fi
1300 Mbps (5 GHz) and 600 Mbps (2.4 GHz)




Superior Coverage
4× High-Gain Antennas with Beamforming



Archer T4U

AC1300 High-Gain Wireless MU-MIMO USB Adapter



AC1300 Dual-Band Wi-Fi
867 Mbps (5 GHz) and 400 Mbps (2.4 GHz)



Superior Coverage
2× High-Gain Antennas with Beamforming




High-Efficiency Network
2×2 MU-MIMO



Archer T4U Plus

AC1300 High-Gain Wireless USB Adapter



AC1300 Dual-Band Wi-Fi
867 Mbps (5 GHz) and 400 Mbps (2.4 GHz)



Superior Coverage
2× High-Gain Antennas with Beamforming



High-Efficiency Network
2×2 MU-MIMO

- **Supporting Systems** - TX20U Plus, TX20UH: Windows 11/10.
- T9UH, T4U, T4U Plus: Windows 11/10/8.1/8/7, macOS 10.15 and earlier.
- **Ultra-Fast Transfer Speeds** - Experience blazing-fast data transfers with USB 3.0 — the latest USB connectivity standard.
- **Easy Installation** - Upgrade your desktop system easily via USB.

Powerful High-Gain Wi-Fi for Wherever You Are

AC1300 High Gain Wireless Dual-Band
USB Adapter

Archer T3U Plus



AC1300 Dual-Band
Wi-Fi



High-Gain Antennas
for Superior Coverage



Ultra-Fast USB 3.0



MU-MIMO Technology



Archer T3U Plus

AC1300 High Gain Wireless Dual
Band USB Adapter



AC1300 Dual-Band Wi-Fi
867 Mbps (5 GHz) and 400 Mbps
(2.4 GHz)



Superior Coverage
2× High-Gain Antennas Built-in One



Ultra-Fast Transfer Speeds
USB 3.0



High-Efficiency Network
2×2 MU-MIMO



Archer T2U Plus

AC600 High-Gain Wireless
Dual-Band USB Adapter



AC600 Dual-Band Wi-Fi
433 Mbps (5 GHz) and 200 Mbps
(2.4 GHz)



Great Coverage
High-Gain Antenna



Fast Transfer Speeds
USB 2.0



TL-WN8200ND

300 Mbps High Power Wireless
USB Adapter



N300 Wi-Fi
300 Mbps (2.4 GHz)



Great Coverage
2× High-Gain Antennas



Fast Transfer Speeds
USB 2.0



Personalized Security
WPS Button



TL-WN822N

300 Mbps High-Gain Wireless USB Adapter



N300 Wi-Fi
300 Mbps (2.4 GHz)



Great Coverage
2× High-Gain Antennas



Fast Transfer Speeds
USB 2.0



Personalized Security
WPS Button



TL-WN722N

150 Mbps High-Gain Wireless USB Adapter



N150 Wi-Fi
150 Mbps (2.4 GHz)



Great Coverage
High-Gain Antenna



Fast Transfer Speeds
USB 2.0



Personalized Security
WPS Button

- **Supporting Systems** - Windows 11/10/8.1/8/7, macOS 10.15 and earlier.
- **Easy Installation** - Upgrade your desktop system easily via USB connector.

Wi-Fi and Bluetooth All in One

AC600 Nano Wi-Fi Bluetooth 4.2 USB Adapter

Archer T2UB Nano



AC600
Dual-Band Wi-Fi



Bluetooth 4.2



USB 2.0



Nano Size



Supports
Win11/10



MINI

Archer T3U

AC1300 Mini Wireless
MU-MIMO USB Adapter



AC1300 Dual-Band Wi-Fi

867 Mbps (5 GHz) and
400 Mbps (2.4 GHz)



Ultra-Fast Transfer Speeds

USB 3.0



MINI

Archer T2U

AC600 Mini Wireless
Dual-Band USB Adapter



AC600 Dual-Band Wi-Fi

433 Mbps (5 GHz) and
200 Mbps (2.4 GHz)



Fast Transfer Speeds

USB 2.0



NANO

Archer T3U Nano

AC1300 Nano Wireless
MU-MIMO USB Adapter



AC1300 Dual-Band Wi-Fi

867 Mbps (5 GHz) and
400 Mbps (2.4 GHz)



Ultra-Fast Transfer Speeds

USB 2.0



NANO

Archer T2U Nano

AC600 Wireless Nano
USB Adapter



AC600 Dual-Band Wi-Fi

433 Mbps (5 GHz) and
200 Mbps (2.4 GHz)



Fast Transfer Speeds

USB 2.0



MINI

TL-WN823N

300 Mbps Mini Wireless
N USB Adapter



N300 Wi-Fi

300 Mbps (2.4 GHz)



Fast Transfer Speeds

USB 2.0



Personalized Security

WPS Button



TL-WN821N

300 Mbps Wireless N
USB Adapter



N300 Wi-Fi

300 Mbps (2.4 GHz)



Fast Transfer Speeds

USB 2.0



Personalized Security

WPS Button



NANO

TL-WN725N

150 Mbps Wireless N
Nano USB Adapter



N150 Wi-Fi

150 Mbps (2.4 GHz)



Fast Transfer Speeds

USB 2.0



Personalized Security

WPS Button



TL-WN727N

150 Mbps Wireless N
USB Adapter



N150 Wi-Fi

150 Mbps (2.4 GHz)



Fast Transfer Speeds

USB 2.0



Personalized Security

WPS Button

- **Supporting System** - Windows 11/10/8.1/8/7, macOS 10.15 and earlier.
- **Easy Installation** - Upgrade your desktop system easily via USB connector.

Brand-New Full Desktop Wi-Fi 6E Upgrade


AXE5400 Wi-Fi 6E Bluetooth
5.2 PCIe Adapter

Archer TXE75E

▶ Immersive Gaming

Archer TXE75E arms your PC with the newest Wi-Fi 6E technology supporting the 6 GHz band, unleashing the full potential of your Wi-Fi 6E router.

6 GHz	2402 Mbps
Less Interference and Higher Performance	
5 GHz	2402 Mbps
2.4 GHz	574 Mbps



▶ Unparalleled Tri-Band Speed

The brand-new 6 GHz band is wide enough for 7 extra 160 MHz channels. Exclusive to Wi-Fi 6E devices, 6 GHz prevents drops in speed and interference from legacy devices.

▶ Refined Security

The latest Wi-Fi security protocol, WPA3, brings new capabilities to improve cybersecurity. More secure encryption in Wi-Fi password safety and enhanced protection against brute-force attacks combine to safeguard your home Wi-Fi.

▶ Superior Wi-Fi Reception

Equipped with 1024-QAM and MU-MIMO technology, Archer TXE75E delivers faster and clearer Wi-Fi to take your PC's Wi-Fi reception to the next level.

▶ Bluetooth 5.2

TXE75E equips your PC with the more advanced Bluetooth 5.2 that achieves faster speed and broader coverage than older versions to perfectly coordinate with your game controllers, headphones, keyboards, and other Bluetooth devices.

▶ Maximized Coverage

Two multi-directional and high-performance antennas with a magnetized base extends your existing Wi-Fi reception capabilities, allowing you to stream anywhere and anytime. Place the magnetized antenna base anywhere on your desktop to find the optimal location for signal reception.





Archer TXE75E

AXE5400 Wi-Fi 6E Bluetooth
5.2 PCIe Adapter



AXE5400 Tri-Band Wi-Fi

2402 Mbps (6 GHz) +
2402 Mbps (5 GHz) +
574 Mbps (2.4 GHz)



Superior Coverage

2× High-Gain Antennas
with Magnetized Antenna
Base



Bluetooth 5.2

Faster, More Flexible, and
Sounds Great



Archer TXE72E

AXE5400 Wi-Fi 6E
Bluetooth 5.2 PCIe Adapter



AXE5400 Tri-Band Wi-Fi

2402 Mbps (6 GHz) +
2402 Mbps (5 GHz) +
574 Mbps (2.4 GHz)



Superior Coverage

2× High-Gain Antennas



Bluetooth 5.2

Faster, More Flexible, and
Sounds Great



Archer TX3000E

AX3000 Wi-Fi 6 Bluetooth
5.2 PCIe Adapter



AX3000 Dual-Band Wi-Fi

2402 Mbps (5 GHz) +
574 Mbps (2.4 GHz)



Superior Coverage

2× High-Gain Antennas
with Magnetized Antenna
Base



Bluetooth 5.2

Faster, More Flexible, and
Sounds Great



Archer TX55E

AX3000 Wi-Fi 6 Bluetooth
5.2 PCIe Adapter



AX3000 Dual-Band Wi-Fi

2402 Mbps (5 GHz) +
574 Mbps (2.4 GHz)



Superior Coverage

2× High-Gain Antennas



Bluetooth 5.2

Faster, More Flexible, and
Sounds Great



Archer TX50E

AX3000 Wi-Fi 6 Bluetooth
5.2 PCIe Adapter



AX3000 Dual-Band Wi-Fi

2402 Mbps (5 GHz) +
574 Mbps (2.4 GHz)



Superior Coverage

2× High-Gain Antennas



Bluetooth 5.2

Faster, More Flexible, and
Sounds Great



Archer TX20E

AX1800 Wi-Fi 6 Bluetooth
5.2 PCIe Adapter



AX1800 Dual-Band Wi-Fi

1201 Mbps (5GHz) +
574 Mbps (2.4GHz)



Superior Coverage

2× High-Gain Antennas



Bluetooth 5.2

Faster, More Flexible, and
Sounds Great



Archer T6E

AC1300 Wireless Dual-Band
PCI Express Adapter



AC1300 Dual-Band Wi-Fi

867 Mbps (5 GHz) and
400 Mbps (2.4 GHz)



Superior Coverage

2× High-Gain Antennas
with Beamforming



Archer T5E

AC1200 Wi-Fi Bluetooth
4.2 PCIe Adapter



AC1200 Dual-Band Wi-Fi

867 Mbps (5 GHz) and
300 Mbps (2.4 GHz)



Superior Coverage

2× High-Gain Antennas



Bluetooth 4.2

Low Latency and Stable
Connection



Archer T4E

AC1200 Wireless Dual-Band
PCI Express Adapter



AC1200 Dual-Band Wi-Fi

867 Mbps (5 GHz) and
300 Mbps (2.4 GHz)



Superior Coverage

2× High-Gain Antennas
with Beamforming



Archer T2E

AC600 Wireless Dual-Band
PCI Express Adapter



AC600 Dual-Band Wi-Fi

433 Mbps (5 GHz) and
200 Mbps (2.4 GHz)



TL-WN881ND

300 Mbps Wireless N
PCI Express Adapter



N300 Wi-Fi

300 Mbps (2.4 GHz)



TL-WN781ND

150 Mbps Wireless N PCI
Express Adapter



N150 Wi-Fi

150 Mbps (2.4 GHz)

- **Easy Installation** - Upgrade your desktop system easily by plugging the adapter into an available PCI-E slot.
- **Supporting Systems** - TXE75E, TXE72E, TX3000E, TX55E, TX50E, TX20E: Windows 11/10.
- T6E, T5E, T4E, T2E, TL-WN881ND, TL-WN781ND: Windows 11/10/8.1/8/7
- **Low-Profile and Full-Height Brackets** - In addition to the full-height bracket, a low-profile bracket is also provided for mini tower computer cases.



Arm Your PC with the Latest 10G Speeds

PCIe 3.0 Slot to 10 Gigabit Ethernet Network Adapter

TX401

Upgrade to 10G Networking

10 Gigabit Ethernet reaches blazing-fast data rates up to 10 billion bits per second—10× faster than standard Gigabit Ethernet. It's a brand-new era for all your bandwidth-intensive tasks from local data transfers to internet access.



10 Gbps Internet Access
Make Full Use of Your High-Speed Internet Access

10 Gbps NAS Connection
Lightning-Fast Local Data Transmissions

10 Gbps Host Server Building
Hardware Configuration for a Powerful Server


Play Never Ends with 10G

With 10 Gbps internet access, your gaming will be fully optimized with a large boost in speed, latency, and responsiveness.



Local Data Transmissions in Seconds

For local connections, a 10G PCIe adapter helps build a lightning fast transport channel between a central server and other working machines in your local network.



TX401

PCIe 3.0 Slot to 10 Gigabit Ethernet Network Adapter



TX201

2.5 Gigabit PCIe Network Adapter



TG-3468

Gigabit PCI Express Network Adapter



10 Gbps Networking

Supports 10/5/2.5/1 Gbps and 100 Mbps Network



2.5 Gbps Networking

Supports 2.5/1 Gbps and 100/10 Mbps Network



Gigabit Wired Connection

Supports 10/100/1000 Mbps Network

- **Easy Installation** - Upgrade your desktop system easily by plugging the adapter into an available PCI-E slot.
- **Supporting Systems** - Windows and Linux (TX401, TX201), Windows (TG-3468).
- **Low-Profile and Full-Height Brackets** - In addition to the full-height bracket, a low-profile bracket is also provided for mini tower computer cases.

Ethernet Network Adapters



USB 3.0 Type-C to Gigabit Ethernet Network Adapter

UE300C

- 


Stable Gigabit Connection
- 


Plug & Play
- 


USB 3.0 Type-C




UE330
USB 3.0 3-Port Hub & Gigabit Ethernet Adapter

- 

USB 3.0 port
- 

Gigabit Ethernet Port
- 

Great Compatibility


Supports Windows 11/10/8.1/8/7, macOS, Linux OS and Chrome OS
- 


Plug and Play


Supports Windows 11/10/8.1/8, macOS, Linux OS, and Chrome OS.




UE306
USB 3.0 to Gigabit Ethernet Adapter

- 

USB 3.0 port
- 

Gigabit Ethernet Port
- 

Great Compatibility


Supports Nintendo Switch, Windows 11/10/8.1/8/7, Linux and macOS
- 


Plug and Play


Supports Nintendo Switch, Windows 11/10/8.1, and Linux OS.




UE300
USB 3.0 to Gigabit Ethernet Adapter

- 

USB 3.0 port
- 

Gigabit Ethernet Port
- 

Great Compatibility


Supports Windows 11/10/8.1/8/7, macOS, Linux OS and Chrome OS
- 


Plug and Play


Supports Windows 11/10/8.1/8, macOS, Linux OS, and Chrome OS.




UE200
USB 2.0 to 10/100 Mbps Fast Ethernet Adapter

- 

USB 3.0 port
- 

100 Mbps Ethernet Port
- 

Great Compatibility

Supports Windows 11/10/8.1/8/7, macOS, Linux OS and Chrome OS
- 

Plug and Play

Supports Windows 11/10/8.1/8/7, macOS, Linux OS, and Chrome OS.

- **Stronger Gigabit Wired Connection** - Equipped with a gigabit Ethernet port to provide network speeds up to 1000 Mbps.
- **Supports Hot Plugging** - Has no influence on your system working when you plug it in or not.


Bluetooth Adapters




UB500
Bluetooth 5.0 Nano USB Adapter




UB400
Bluetooth 4.0 Nano USB Adapter

- 

Bluetooth

Low latency and stable connection
- 











Nano Size

Compact design allows you to plug it in and forget it's there
- 











Operating System

UB400 - Windows 11/10/8.1/8/7
UB500 - Windows 11/10/8.1/7









WHICH IS THE RIGHT TP-Link ADAPTER FOR YOU ?

	Wireless USB Adapters									
										
Model	Archer TX50UH	Archer TX20UH	Archer TX20U Plus	Archer T9UH	Archer T4U Plus	Archer T4U	Archer T3U Plus	Archer T3U	Archer T2U Plus/Archer T600U Plus	Archer T2U
Description	AX3000 High Gain Wireless USB Adapter	AX1800 High Gain Wireless USB Adapter	AX1800 Dual Antennas High Gain Wireless USB Adapter	AC1900 High Gain Wireless Dual-Band USB Adapter	AC1300 Dual Antennas High Gain Wireless USB Adapter	AC1300 High Gain Wireless MU-MIMO USB Adapter	AC1300 High Gain Wireless Dual-Band USB Adapter	AC1300 Mini Wireless MU-MIMO USB Adapter	AC600 High Gain Wireless Dual-Band USB Adapter	AC600 Wireless Dual-Band USB Adapter
Wireless Standards	IEEE802.11 a/b/g/n/ac/ax	IEEE802.11 a/b/g/n/ac/ax	IEEE802.11 a/b/g/n/ac/ax	IEEE802.11 a/b/g/n/ac	IEEE802.11 a/b/g/n/ac	IEEE802.11 a/b/g/n/ac	IEEE802.11 a/b/g/n/ac	IEEE802.11 a/b/g/n/ac	IEEE802.11 a/b/g/n/ac	IEEE802.11 a/b/g/n/ac
Wi-Fi Speed & Frequency	2402 Mbps on 5GHz 574 Mbps on 2.4GHz	1201 Mbps on 5 GHz 574 Mbps on 2.4 GHz	1201 Mbps on 5 GHz 574 Mbps on 2.4 GHz	600 Mbps on 2.4 GHz 1300 Mbps on 5 GHz	400 Mbps on 2.4 GHz 867 Mbps on 5 GHz	400 Mbps on 2.4 GHz 867 Mbps on 5 GHz	400 Mbps on 2.4 GHz 867 Mbps on 5 GHz	400 Mbps on 2.4 GHz 867 Mbps on 5 GHz	200 Mbps on 2.4 GHz 433 Mbps on 5 GHz	200 Mbps on 2.4 GHz 433 Mbps on 5 GHz
USB Port	USB3.0	USB 3.0	USB 3.0	USB 3.0	USB 3.0	USB 3.0	USB 3.0	USB 3.0	USB 2.0	USB 2.0
High-Gain Antenna	•	•	•	•	•	•	•		•	
Cable Included	1.2 m USB Cable	1.2 m USB Cable	1 m USB Cable	1.2 m USB Cable	1 m USB Cable					
MU-MIMO	•	•	•		•	•	•	•		
Beamforming	•	•	•	•	•	•				
WPS				•						
Bluetooth										
Supports Windows	•	•	•	•	•	•	•	•	•	•
Supports macOS				•	•	•	•	•	•	•
Supports Linux									•	•








WHICH IS THE RIGHT TP-Link ADAPTER FOR YOU ?

	Wireless USB Adapters										
											
Model	Archer T2UB Nano	Archer T3U Nano	Archer T2U Nano/ Archer T600U Nano	TL-WN8200ND	TL-WN821N	TL-WN822N	TL-WN823N	TL-WN722N	TL-WN725N	TL-WN727N	
Description	AC600 Nano Wi-Fi Bluetooth 4.2 USB Adapter	AC1300 Nano Wireless MU-MIMO USB Adapter	AC600 Wireless Nano USB Adapter	300 Mbps High Power Wireless USB Adapter	300 Mbps Wireless N USB Adapter	300 Mbps High Gain Wireless USB Adapter	300 Mbps Mini Wireless N USB Adapter	150 Mbps High Gain Wireless USB Adapter	150 Mbps Wireless N Nano USB Adapter	150 Mbps Wireless N USB Adapter	
Wireless Standards	IEEE802.11 a/b/g/n/ac	IEEE802.11 a/b/g/n/ac	IEEE802.11 a/b/g/n/ac	IEEE802.11 b/g/n	IEEE802.11 b/g/n	IEEE802.11 b/g/n	IEEE802.11 b/g/n	IEEE802.11 b/g/n	IEEE802.11 b/g/n	IEEE802.11 b/g/n	
Wi-Fi Speed & Frequency	200 Mbps on 2.4 GHz 433 Mbps on 5 GHz	400 Mbps on 2.4 GHz 867 Mbps on 5 GHz	200 Mbps on 2.4 GHz 433 Mbps on 5 GHz	300 Mbps on 2.4 GHz	300 Mbps on 2.4 GHz	300 Mbps on 2.4 GHz	300 Mbps on 2.4 GHz	150 Mbps on 2.4 GHz	150 Mbps on 2.4 GHz	150 Mbps on 2.4 GHz	
USB Port	USB 2.0	USB 2.0	USB 2.0	Micro USB 2.0	USB 2.0	Micro USB 2.0	USB 2.0	USB 2.0	USB 2.0	USB 2.0	
High-Gain Antenna				•		•	•	•			
Cable Included				1.5 m USB Cable	1 m USB Cable	1.5 m USB Cable		1 m USB Cable		1 m USB Cable	
MU-MIMO											
Beamforming											
WPS				•	•	•	•	•		•	
Bluetooth	4.2										
Supports Windows	•	•	•	•	•	•	•	•	•	•	
Supports macOS		•	•	•	•	•	•	•	•	•	
Supports Linux			•	•	•	•	•	•	•	•	

Wireless PCI Express Adapters

							
Archer TXE75E	Archer TXE72E	Archer TX3000E	Archer TX55E	Archer TX50E	Archer TX20E	Archer T6E	Archer T5E
AXE5400 Wi-Fi 6E Bluetooth 5.2 PCIe Adapter	AXE5400 Wi-Fi 6E Bluetooth 5.2 PCIe Adapter	AX3000 Wi-Fi 6 Bluetooth 5.2 PCIe Adapter	AX3000 Wi-Fi 6 Bluetooth 5.2 PCIe Adapter	AX3000 Wi-Fi 6 Bluetooth 5.2 PCIe Adapter	AX1800 Wi-Fi 6 Bluetooth 5.2 PCIe Adapter	AC1300 Wireless Dual-Band PCI Express Adapter	AC1200 Wi-Fi Bluetooth 4.2 PCIe Adapter
IEEE802.11 a/b/g/n/ac/ax	IEEE802.11 a/b/g/n/ac/ax	IEEE802.11 a/b/g/n/ac/ax	IEEE802.11 a/b/g/n/ac/ax	IEEE802.11 a/b/g/n/ac/ax	IEEE802.11 a/b/g/n/ac/ax	IEEE802.11 a/b/g/n/ac/ax	IEEE802.11 a/b/g/n/ac
2402 Mbps on 6 GHz 2402 Mbps on 5 GHz 574 Mbps on 2.4 GHz	2402 Mbps on 6 GHz 2402 Mbps on 5 GHz 574 Mbps on 2.4 GHz	2402 Mbps on 5 GHz 574 Mbps on 2.4 GHz	2402 Mbps on 5 GHz 574 Mbps on 2.4 GHz	2402 Mbps on 5 GHz 574 Mbps on 2.4 GHz	2402 Mbps on 5 GHz 574 Mbps on 2.4 GHz	1201 Mbps on 5GHz 574 Mbps on 2.4GHz	400 Mbps on 2.4 GHz 867 Mbps on 5 GHz
•	•	•	•	•	•	•	
•	•	•	•	•	•	•	•
1 m USB Cable		1 m USB Cable					
•	•	•	•	•	•	•	
•	•					•	•
5.2	5.2	5.2	5.2	5.2	5.2	5.2	4.2
•	•	•	•	•	•	•	•
					•		

WHICH IS THE RIGHT TP-Link ADAPTER FOR YOU ?

	Wireless PCI Express Adapters				Wired PCI Express Adapters		
							
Model	Archer T4E	Archer T2E	TL-WN881ND	TL-WN781ND	TX401	TX201	TG-3468
Description	AC1200 Wireless Dual-Band PCI Express Adapter	AC600 Wireless Dual-Band PCI Express Adapter	300 Mbps Wireless N PCI Express Adapter	150 Mbps Wireless N PCI Express Adapter	10 Gigabit PCIe Network Adapter	2.5 Gigabit PCIe Network Adapter	Gigabit PCI Express Network Adapter
Wireless Standards	IEEE802.11 a/b/g/n/ac	IEEE802.11 a/b/g/n/ac	IEEE802.11 b/g/n	IEEE802.11 b/g/n			
Wi-Fi Speed & Frequency	300 Mbps on 2.4 GHz 867 Mbps on 5 GHz	200 Mbps on 2.4 GHz 433 Mbps on 5 GHz	300 Mbps on 2.4 GHz	150 Mbps on 2.4 GHz			
USB Port							
High-Gain Antenna	•	•	•	•			
Cable Included					1.5 m CAT6A Ethernet Cable		
MU-MIMO							
Beamforming	•						
Wake-on-LAN					•	•	•
Bluetooth							
Supports Windows	•	•	•	•	•	•	•
Supports macOS							
Supports Linux			•	•	•	•	



Mobile Wi-Fi

Share the freedom of 3G/4G on the go! With this convenient companion, you can share your Wi-Fi with your friends everywhere, especially when you are traveling. Multiple wireless devices like tablets, laptops, and mobile phones can access this Wi-Fi connection at the same time. No need to worry about draining your phone's battery to open a hotspot.



Enjoy the Freedom of Faster Speed

LTE-Advanced Mobile Wi-Fi

M7450



LTE-Advanced Cat6



AC1200 Selectable Dual-Band Wi-Fi



Power to Keep Working



Easy Setup with tpMFI



Access for 32 Devices




microSD Card Slot




Do More with a Faster Mobile Connection of up to 300 Mbps

The M7450 supports the 4G LTE network LTE-A Cat 6, which uses Carrier Aggregation. This advanced technology merges the fragmented LTE band into a "virtual" wider band to increase the data rate to provide fast 4G speeds of up to 300 Mbps.



Power to Keep Working All Day Long for ~15 Hours

M7450 is equipped with a powerful 3000 mAh battery. On its own, it can work effortlessly up to 15 hours at full capacity and stand by for over 900 hours.



Advanced Screen & Menu for Easy Usage

The screen displays information of battery life, signal strength, Wi-Fi status, connected users, and more.



Supports Multi-Bands

Increased compatibility with the added B5 and B28 bands. *Version 1 is not supported.

The Fastest Mobile Wi-Fi to Match Your Wanderlust

LTE-Advanced Mobile Wi-Fi

M7650



600 Mbps LTE-Advanced Mobile Wi-Fi

M7650



- **LTE-Advanced Cat 11** - Up to 600 Mbps for downloads and 50 Mbps for uploads with Qualcomm chipset 256-QAM technology.
- **AC1200 Selectable Dual-Band Wi-Fi** - Two separate Wi-Fi bands combine for speeds of up to 1167 Mbps: 300 Mbps (2.4 GHz) and 867 Mbps (5 GHz).
- **Battery** - 3000 mAh battery provides up to 15 hours of service.
- **Easy Wi-Fi Sharing** - Share Wi-Fi with up to 32 devices simultaneously.
- **Storage** - microSD card slot for up to 32GB of storage space.
- **The TP-Link tpMiFi App** - Provides simplified control and management from your iOS or Android smartphone.
- **Network Support** - Supports 4G (FDD-LTE/TDD-LTE), 3G (DC-HSPA+/HSPA/UMTS), and 2G (EDGE/GPRS/GSM) networks.



4G LTE-A
600 Mbps



300 Mbps or
867 Mbps Wi-Fi



tpMiFi
App



15 Hours
Battery



Sharing from
microSD Card



M7350

4G LTE Mobile Wi-Fi



Screen Display

Shows Real-Time Data Transfer and Electricity Usage.



SD Card Sharing

Share Profiles on the SD Card to Anyone Linked to the Network



M7200

4G LTE Mobile Wi-Fi



8 Hours of Internet

2000 mAh Battery



M7000

4G LTE Mobile Wi-Fi



Supports Multi-Band

Increase Compatibility by Adding B5 FDD Band

- **4G LTE Cat 4 Speeds** - Up to 150 Mbps for downloads and 50 Mbps for uploads.
- **Easy Wi-Fi Sharing** - Share Wi-Fi with up to 10 devices simultaneously.
- **Battery** - 2000 mAh battery provides up to 8 hours of service.
- **TP-Link tpMiFi App** - Provides simplified control and management from your iOS or Android smartphone.

WHICH IS THE RIGHT TP-Link MOBILE WI-FI FOR YOU ?

	Mobile Wi-Fi				
					
Model	M7650	M7450	M7350	M7200	M7000
Description	600 Mbps LTE-Advanced Mobile Wi-Fi	300 Mbps LTE-Advanced Mobile Wi-Fi	4G LTE Mobile Wi-Fi	4G LTE Mobile Wi-Fi	4G LTE Mobile Wi-Fi
Wireless Standards	802.11ac/a/b/g/n	802.11ac/a/b/g/n	802.11b/g/n	802.11b/g/n	802.11b/g/n
Speed & Frequency	300 Mbps 2.4 GHz or 867 Mbps 5 GHz	300 Mbps 2.4 GHz or 867 Mbps 5 GHz	300 Mbps 2.4 GHz	300 Mbps 2.4 GHz	300 Mbps 2.4 GHz
Standard	Cat11	Cat6	Cat4	Cat4	Cat4
Battery	3000 mAh 15 hours	3000 mAh 15 hours	2000 mAh 8 hours	2000 mAh 8 hours	2000 mAh 8 hours
Concurrent Devices	32	32	10	10	10
Built-in Screen	•	•	•		
Storage	32 GB	32 GB	32 GB		
tpMiFi	•	•	•	•	•
Network Support	4G (FDD-LTE/TDD-LTE): B1/B3/B7/B8/B20/B38/B40/B41 3G (DC-HSPA+/HSPA/UMTS): B1/B8 2G (EDGE/GPRS/GSM): 850/900/1800/1900MHz	4G (FDD-LTE/TDD-LTE): B1/B3/B7/B8/B20/B38/B40/B41 3G (DC-HSPA+/HSPA/UMTS): B1/B8 2G (EDGE/GPRS/GSM): 850/900/1800/1900MHz * Only V1.0 supports 2G network * V2.0 supports B5/B28	4G (FDD-LTE): B1/B3/B7/B8/B20 3G (DC-HSPA+/HSPA/UMTS): B1/B8	4G (FDD-LTE/TDD-LTE): B1/B3/B7/B8/ B20/B38/B40/B41 3G (DC-HSPA+/HSPA/UMTS): B1/B8	4G (FDD-LTE/TDD-LTE): B1/B3/B5/B7/B8/ B20/B38/ B40/B41 3G (HSPA+/HSPA/UMTS): B1/B5/B8



High Power

These High-Power wireless products provide stronger and more powerful signals than mainstream Wi-Fi devices. Greater transmission distances and increased stability provide the perfect home or office solution for those who take their Wi-Fi seriously.

// TL-WR841HP



Boost Your Power, Boost Your Coverage

300 Mbps High-Power Wireless N Router

TL-WR841HP

High Power Wireless Routers



TL-WR841HP

300 Mbps High-Power Wireless N Router



N300 Wi-Fi

300 Mbps Wireless Speed for Multi-User HD Video Streaming



Fast Internet Access

Fast Ethernet Port



Archer C58HP

AC1350 High-Power Wireless Dual-Band Router



AC1350 Dual-Band Wi-Fi

867 Mbps (5 GHz) + 450 Mbps (2.4 GHz)



Fast Internet Access

Fast Ethernet Port

- **Superior Coverage** - High-power amplifiers and 9 dBi antennas provide a wide wireless range.
- **Dead Zone Elimination** - Enhanced Wi-Fi signals cut through walls, eliminating network dead zones.
- **Multi-Mode** - Supports wireless router, repeater, and access point modes.
- **TP-Link Tether App** - Provides simplified control and management from your iOS or Android smartphone.
- **Parental Controls** - Manage when and how connected devices access the internet.
- **WPS** - One-step wireless WPS encryption provides simplified security for your network.

High-Power Wireless USB Adapter



TL-WN8200ND

300 Mbps High-Power Wireless USB Adapter

- **N300 Wi-Fi** - 300 Mbps receiving rate ideal for bandwidth-heavy tasks.
- **Maximized Range** - High power and receiver sensitivity allow ultra-long transmission distances.
- **Flexible Deployment** - Equipped with a USB cable for flexible deployment.
- **WPS** - One-step wireless WPS encryption provides simplified security for your network.



300 Mbps
Wi-Fi



High
Power



Superior
Range



Supports Windows,
Mac OS, Linux



Accessories

TP-Link offers a collection of connected solutions for daily necessities-including Power Banks, USB Converters-to help users conveniently connect and efficiently utilize their electronic products. Plug in, connect, and enjoy.

Upgrading for Traditional Hi-Fi

Bluetooth Audio Receiver

HA100



USB Hubs



UH720

USB 3.0 7-Port Hub
with 2 Charging Ports



SuperSpeed Data Transfer
7 Additional USB 3.0 Ports



Ultra-Fast Smart Charging
2x 2.4 A Smart Charging USB Ports



UH700

USB 3.0 7-Port Hub



SuperSpeed Data Transfer
7 Additional USB 3.0 Ports



Ultra-Fast Smart Charging
3 of 7 Ports Are 1.5A Smart
Charging Port



UH400

USB 3.0 4-Port Ultra
Compact Hub



SuperSpeed Data Transfer
4 Additional USB 3.0 Ports



Foldable Design
Foldable USB Plug Design

- **Supported Systems** - Windows, macOS, macOS Sierra, Chrome OS, and Linux OS.
- **Supports Hot Plugging** - No influence on your system working when you plug it in or out.
- **Multiple Electronic Protections** - Built-In Surge Protection for Data Safety. (For UH720 and UH700).



SOHO Switches

JetStream and LiteWave

Unmanaged Switches

TP-Link SOHO switches easily connect to multiple devices and increase your network speed. Plug-and-play setup and green technology allow you to enjoy a smooth, reliable, and energy-efficient network experience instantly.



Easy Expansion with Lightning-Fast Connections

10G Unmanaged Switches
TL-SX1008/TL-SX105

Experience Future Networking with Lightning-Fast Connections

10G / 2.5G Multi-Gigabit Unmanaged Switches

TL-SX1008 / TL-SX105

TL-SG108-M2 / TL-SG105-M2



TP-Link 10G and 2.5G switches deliver reliable, lightning-fast connections with the lowest latency possible, and unlock the highest potential of your multi-Gig bandwidth and devices. Ideal for gaming, LAN parties, home entertainment, and backup and restore as well as in small offices and home offices. Don't hesitate to enjoy the highest performance of your NAS, server, gaming computer, workstation, 8K video, Wi-Fi 6 AP, USB to Ethernet adapter, and more.



TL-SX1008

8-Port 10G Multi-Gigabit Desktop/Rackmount Switch



Eight 10G Ports

Lightning-Fast Connections



Optimal 5-Speed Connections

100Mbps/1G/2.5G/5G/10G auto-negotiation



Intelligent Fan Speed Adjustment

Seeks maximum performance and less noise



TL-SX105

5-Port 10G Multi-Gigabit Desktop Switch



Five 10G Ports

Lightning-Fast Connections



Optimal 5-Speed Connections

100Mbps/1G/2.5G/5G/10G auto-negotiation



Silent Operation

Industry-leading fanless design



TL-SG108-M2

8-Port 2.5G Multi-Gigabit Desktop Switch



Eight 2.5G Ports

Super-Fast Connections



Hassle-Free Cabling

Upgrade to 2.5G without changing cables*



Silent Operation

Industry-leading fanless design



TL-SG105-M2

5-Port 2.5G Multi-Gigabit Desktop Switch



Five 2.5G Ports

Super-Fast Connections



Hassle-Free Cabling

Upgrade to 2.5G without changing cables*



Silent Operation

Industry-leading fanless design

- **Plug and Play** - Easy to use with no configuration needed.
- **Metal Casing** - Durable metal casing and desktop/wall-mounting design are well-suited for different environments.**
- **Auto-Negotiation and Auto MDI/MDIX** - Adjust for optimal speed with no need for a crossover cable.
- **Flow Control and Back Pressure** - Reliable data transfer by alleviating traffic congestion.
- **Traffic Prioritization** - 802.1p and DSCP QoS ensure smooth traffic.
- **Lower Latency** - Fast and reliable online gaming and streaming experience.

* Only Cat 5e or better cables do not need to be replaced.

**TL-SX1008 doesn't support wall-mounting.

JetStream Switches



TL-SG105 (5 Ports)
TL-SG108 (8 Ports)



Gigabit Ethernet

Supports 10/100/1000 Mbps Speeds



Compact Metal Housing

Steel Casing and Desktop Design



Traffic Prioritization

Supports 802.1p/DSCP QoS



Multi-Cast Optimization

Supports IGMP Snooping



TL-SG1005D (5 Ports)
TL-SG1008D (8 Ports)



Gigabit Ethernet

Supports 10/100/1000 Mbps Speeds



Compact Plastic Housing

Plastic Casing and Desktop Design



Traffic Prioritization

Supports 802.1p/DSCP QoS



TL-SF1005D (5 Ports)
TL-SF1008D (8 Ports)



Fast Ethernet

Supports 10/100 Mbps Speeds



Compact Plastic Housing

Plastic Casing and Desktop Design

- **Plug and Play** - Easy to use with no configuration needed.
- **Green Technology** - Less power consumption by detection of cable length and link status.
- **Auto-Negotiation and Auto MDI/MDIX** - Adjust for optimal speed with no need for a crossover cable.
- **Flow Control and Back Pressure** - Reliable data transfer by alleviating traffic congestion.
- **Fanless Design** - Quiet operation with no noise.

LiteWave Switches



LS105G (5 Ports)
LS108G (8 Ports)



Gigabit Ethernet

Supports 10/100/1000 Mbps Speeds



Compact Metal Housing

Steel Casing and Desktop Design



Traffic Prioritization

Supports 802.p/DSCP QoS



LS1005G (5 Ports)
LS1008G (8 Ports)



Gigabit Ethernet

Supports 10/100/1000 Mbps Speeds



Compact Plastic Housing

Plastic Casing and Desktop Design



LS1005 (5 Ports)
LS1008 (8 Ports)



Fast Ethernet

Supports 10/100 Mbps Speeds










Compact Plastic Housing

Plastic Casing and Desktop Design

- **Plug and Play** - Easy to use with no configuration needed.
- **Green Technology** - Less power consumption by detection of cable length and link status.
- **Auto-Negotiation and Auto MDI/MDIX** - Adjust for optimal speed with no need for a crossover cable.
- **Flow Control and Back Pressure** - Reliable data transfer by alleviating traffic congestion.
- **Fanless Design** - Quiet operation with no noise.

WHICH IS THE RIGHT TP-Link SOHO SWITCH FOR YOU ?

		JetStream 10G & 2.5G Multi-Gigabit Switches			
					
Model		TL-SX1008	TL-SX105	TL-SG108-M2	TL-SG105-M2
Product Description		8-Port 10G Multi-Gigabit Desktop/Rackmount Switch	5-Port 10G Multi-Gigabit Desktop Switch	8-Port 2.5G Multi-Gigabit Desktop Switch	5-Port 2.5G Multi-Gigabit Desktop Switch
Hardware	10G RJ45 Ports	8	5	-	-
	2.5G RJ45 Ports	-	-	8	5
	Fanless	1 Fan	•	•	•
	Auto- Negotiation Ports	100Mbps/1Gbps/2.5Gbps/5Gbps/10Gbps Auto-Negotiation		100Mbps/1Gbps/2.5Gbps Auto-Negotiation	
	Casing	Metal	Metal	Metal	Metal
	Dimensions (W × D ×H)	11.6×7.1×1.7 in (294×180×44 mm)	8.9×5.2×1.4 in (226×131×35 mm)	8.9×5.2×1.4 in (226×131 ×35 mm)	8.2×4.9×1.0 in (209×126 ×26 mm)
	Installation	Rackmount/Desktop	Desktop/Wall-Mounting	Desktop/Wall-Mounting	
	Operating Temperature	0–50 °C (32–122 °F)	0–40 °C (32–104 °F)	0–40 °C (32–104 °F)	
Performance	Environment	Storage Temperature: -40–70 °C (-40–158 °F) Operating Humidity: 10–90% RH Non-Condensing; Storage Humidity: 5–90% RH Non-Condensing			
	Switch Capacity	160 Gbps	100 Gbps	40 Gbps	25 Gbps
	Forwarding Rate	119.0 Mbps	74.4 Mbps	29.8 Mbps	18.6 Mbps
	MAC Address Table	32 K		16 K	
	Jumbo Frame	10 KB			
Software Features	QoS	•			
	Flow Control	•			
	MAC Address Learning	•			

		Gigabit & Fast Ethernet Switches					
		JetStream Switches			LiteWave Switches		
							
Model		TL-SG108/ TL-SG105	TL-SG1008D/ TL-SG1005D	TL-SF1008D/ TL-SF1005D	LS108G/ LS105G	LS1008G/ LS1005G	LS1008/ LS1005
Product Description		8/5-Port 10/100/1000 Mbps Desktop Switch	8/5-Port 10/100/1000 Mbps Desktop Switch	8/5-Port 10/100 Mbps Desktop Switch	8/5-Port 10/100/1000 Mbps Desktop Switch	8/5-Port 10/100/1000 Mbps Desktop Switch	8/5-Port 10/100 Mbps Desktop Switch
Hardware	Ethernet Ports	8/5× Gigabit ports	8/5× Gigabit ports	8/5× 10/100 Mbps ports	8/5× Gigabit ports	8/5× Gigabit ports	8/5× 10/100 Mbps ports
	Fanless	•	•	•	•	•	•
	Casing	Metal	Plastic	Plastic	Metal	Plastic	Plastic
	Dimensions (W × D × H)	TL-SG108: 6.2×4.0×1.0 in (158×101×25 mm) TL-SG105: 3.9×3.9×1.0 in (100×98×25 mm)	TL-SG1008D: 7.1×3.5×1.0 in (180×90×25.5 mm) TL-SG1005D: 5.5×3.5×0.9 in (140×88×23 mm)	TL-SF1008D: 5.3×3.1×0.9 in (135×79×23 mm) TL-SF1005D: 4.1×2.8×0.9 in (103×70×22 mm)	LS108G: 6.2×3.9×1.0 in (158×99.1×25 mm) LS105G: 3.9×3.9×1.0 in (99.8×98×25 mm)	LS1008G: 5.0×2.6×0.9 in (127×66.5×23 mm) LS1005G: 3.5×2.8×0.9 in (90×72×23 mm)	LS1008: 4.9×1.9×0.9 in (124.6×48.7×22.8 mm) LS1005: 3.3×1.8×0.9 in (83.6×45.7×22.8 mm)
	Installation	Desktop/ Wall-Mounting	Desktop/ Wall-Mounting	Desktop	Desktop/ Wall-Mounting	Desktop/ Wall-Mounting	Desktop
	Environment	Operating Temperature: 0–40 °C (32–104 °F); Storage Temperature: -40–70 °C (-40–158 °F) Operating Humidity: 10–90% RH Non-Condensing; Storage Humidity: 5–90% RH Non-Condensing					
Performance	Switch Capacity	16/10 Gbps	16/10 Gbps	1.6/1.0 Gbps	16/10 Gbps	16/10 Gbps	1.6/1.0 Gbps
	Forwarding Rate	11.9/7.4 Mpps	11.9/7.4 Mpps	1.2/0.7 Mpps	11.9/7.4 Mpps	11.9/7.4 Mpps	1.2/0.7 Mpps
	MAC Address Table	4/2 K	4/2 K	2/2 K	4/2 K	4/2 K	2/2 K
Software Features	802.1p / DSCP QoS	•	•	-	•	-	-
	Green Technology	•					
	Flow Control	•					
	Auto Negotiation	•					
Software Features	MAC Address Learning	•					



TP-Link Corporation Limited

E-mail: info@tp-link.com
Homepage: www.tp-link.com

Note: Images shown are for reference only. Actual products may contain previous logo and packaging design.

Specifications are subject to change without notice. TP-Link is a registered trademark of TP-Link Corporation Limited. Other brands and product names are trademarks or registered trademarks of their respective holders.
Copyright ©2023 TP-Link Corporation Limited. All rights reserved. PN: 8392501169